



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



Brands Featured:

Ansell

ATD

AUTEL



BOSCH

CPS

ES

FJC, Inc.

FLUKE

**JohnDow
Industries**

KNIPEX

Mastercool
"World Class Quality"

OTC

POWER PROBE

ROBINAIR

SALISBURY
Setting industry standards since 1855.

TRACERLINE

TITAN

VIEW

wiha



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV Service Tools & Equipment



KNT-983350

3/8" Drive Insulated Reversible Torque Wrench, 1000V

- Transparent insulated scale range 5 - 50 Nm
- Reversible for tightening of lefthanded threads
- Lockable torque adjustment
- Adjustable in steps of 0.25 Nm
- Easy and secure locking of attached sockets due to screw lock
- Calibration certificate included



KNT-9855

7" Dismantling Knife, 1000V Insulated

- Handle shape with comfortable slip guard
- Secure grip due to slip-proof soft components
- Thumb recess and "finger hook" at the end of the handle ensure a good transmission of force when the blade is pulled
- Fixed, sickle shaped hook blade with guide shoe at the point
- No damage of the conductor insulation
- 1 1/2" blade length
- Blade: surgical steel, stainless, air-hardened
- 1000V multi-component grips, VDE-tested



KNT-986705

1000V Rubber Insulating Mat

- For added protection when working live or close to live parts
- Constructed of rubber
- 1000V insulated



TITAN

TTN-66100

18 Piece 1/4" Drive Metric VDE Insulated Socket Set

- Sockets - 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, & 14 mm
- Extensions - 2, 3, 4, & 6 inch
- Fully insulated 1/4 in. Drive reversible ratchet with quick release
- Manufactured in Taiwan to DIN standard
- Individually certified to EN 6090
- Components carry GS/VDE certification and tested and certified to 1000 VAC
- PAHs Free
- Tough storage case included



wiha

WIH-20196

13 Piece Insulated Open End Wrench Tray Set - Metric

- Insulated 1000 volt rated
- 10,000 volt tested
- Meets ASTM F1505
- Professional series long life insulated
- High visibility coatings
- Double covered insulation red over yellow



WIH-28789

11 Piece Insulated TorqueVario-S (10-50 In/lbs) and SlimLine Blade Set

- Set Includes: insulated TorqueVario-S
- SoftFinish handle (10-50 in/lbs.)
- SlimLine blade holder - 6.75" OAL
- Torque adjustment tool
- Heavy-duty canvas velcro-lock pouch
- 8 insulated SlimLine blades - slotted 4mm, 6.5mm



wiha

WIH-30190

16 Piece Insulated 3/8" Drive Torque 12 Point Socket Set - SAE

- SAE is individually tested to 10,000 volts AC
- 1,000 volts AC for safety and peace of mind in energized applications
- SAE meets ASTM F1505 standard specifications for insulated and insulating hand tools



WIH-31391

13 Piece Insulated Socket Set 1/4" Drive - Metric

- Individually tested
- Rated to 1,000 volts AC for safety and peace of mind in energized applications.
- Meets ASTM F1505 standard specifications for insulated tools
- CSA testing benchmarks for safety and performance.
- The Metric insulated socket set comes with an assortment of sockets



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV Service Tools & Equipment

WIH-31590

10 Piece Insulated Socket Set 3/8" Drive - Metric

- Tested to 10,000 volts AC
- Rated to 1,000 volts AC
- Meets ASTM F1505 standard specifications for insulated and insulating hand tools
- CSA testing benchmarks for safety and performance.
- Comes with an assortment of sockets



WIH-32080

10 Piece Insulated SoftFinish Cushion Grip Screwdriver Tray Set


- Ergonomic cushion grip handles
- Dual durometer construction for long-lasting durability
- Handles directly molded to the blade for a permanent bond.
- Handles include parallel flats to prevent table-top roll-off
- Wiha engineered premium quality tool steel for strength and durability



WIH-32097

7 Piece Insulated SoftFinish Screwdriver Set

- Ergonomic cushion grip handles
- Dual durometer construction for long-lasting durability
- Handles directly molded to the blade
- Handles include parallel flats to prevent table-top roll-off
- Wiha engineered premium quality tool steel for strength and durability



WIH-32800

80 Piece Master Electrician's Insulated Tools Set In Rolling Hard Case

- Individually tested to 10,000 volts AC and rated to 1,000 volts AC.
- Meets EN/IEC 60900 testing standards and ASTM F1505 standard specifications
- This product is backed by the Wiha No Hassle Guarantee
- The SAE insulated socket set comes with an assortment of sockets



WIH-32876

66 Piece Insulated Pliers, Cutters and Screwdrivers Set

- Individually tested to 10,000 volts AC
- Rated to 1,000 volts AC (1,500 volts DC) for safety and peace of mind
- VDE Certified EN/IEC 60900 testing standards for protection against arc flash explosions
- ASTM F1505 standard specifications for insulated and insulating hand tools
- CSA testing benchmarks for safety and performance

WIH-32999

9 Piece Insulated Pliers-Cutters Set

- Ergonomic cushion grip handles for comfort and control, dual durometer construction
- Handles directly molded to the tool steel for a permanent bond.
- Premium quality tool steel for durability
- Induction-hardened cutting edges
- Jaws for superior sharpness and longevity



WIH-91890

26 Piece Insulated Hybrid & EV Essentials Tool Kit

- Sockets, ratchets, extension bars, wrenches, pliers, cutters, screwdrivers, cable stripping knife and tweezers
- Individually tested to 10,000 volts AC
- Rated to 1,000 volts AC for safety and peace of mind
- Dedicated tool compartments for secure storage and organization
- Custom-fit trays with finger-recesses for easy retrieval
- SoftFinish® cushion grip handle for comfort and control
- Exact fit precision machined tips for reduced cam-out
- Rigorous heat-treatment process for maximum strength
- Induction hardened cutting edges and jaws for superior sharpness and longevity
- Slip guard handle design for added protection
- Backed by the Wiha No Hassle Guarantee





ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS




EV & HEV Service Tools & Equipment

WIH-34681

4 Piece Classic Grip Pliers and Cutters Tray Set

- Long Nose: 6.3" & 8.0"
- BiCut Compound Diagonal Cutters: 8.0"
- NE Style Lineman's Pliers: 9.0"
- Soft vinyl oil and solvent resistant grips for a comfort and leverage
- DynamicJoint for 40% stronger grip and easier cuts



WIH-34682

8 Piece Classic Grip Pliers and Cutters Tray Set

- Long Nose: 6.3" & 8.0"
- BiCut SuperCut: 8.0"
- Angled Diagonal Cutters: 8.0"
- High Leverage Combination Pliers: 9.0"
- Cable Cutters: 8.0"
- Diagonal Cutters: 5.5"
- Mechanic's Diagonal Cutters: 5.0"



WIH-34690

3 Piece Classic Grip V-Jaw Tongue & Groove Pliers Tray Set

- V-Jaw Tongue & Groove Pliers: 7" & 10"
- Auto Grip V-Jaw Tongue & Groove Pliers: 10"
- Soft vinyl oil and solvent resistant grips for a comfort and leverage
- DynamicJoint requires 40% less cutting effort



WIH-34691

5 Piece Classic Grip V-Jaw Tongue and Groove Pliers Tray Set

- Adjustable Pliers: 7.0"
- Adjustable Pliers: 10.0"
- Adjustable Pliers: 12.0"
- Auto Grip Pliers: 10.0"
- Pliers Wrench: 10.25"
- Soft vinyl oil and solvent resistant grips for a comfort and leverage



WIH-53082

2 Piece SoftFinish X Heavy Duty Slotted and Phillips Screwdriver Set

- Phillips: #2 x 100mm
- Slotted 8.0mm x 150mm
- Ergonomic cushion grip handle for comfort and control
- Handle sized proportionate to blade for consistent mechanical advantage
- Dual durometer construction for long-lasting durability



WIH-53095

5 Piece SoftFinish X Heavy Duty Slotted and Phillips Screwdriver Set

- Phillips: # 1, 2 and 10.0mm
- Slotted: 6.5, 8.0 and 10.0mm
- SoftFinish cushion grip handle for comfort and control



WIH-53180

10 Piece SoftFinish X Heavy Duty Cushion Grip Screwdriver Tray Set

- Slotted: 3.5, 4.5, 5.5, 6.5, 8.0, 10.0, 12.0mm
- Phillips: 1, 2, 3
- SoftFinish cushion grip handle for comfort and control
- Metal striking cap for hammer impact resistance
- Handle sized proportionate to blade for consistent mechanical advantage
- Parallel flats for roll-off prevention



WIH-70297

40 Piece TerminatorBlue Impact Bit Set

- Phillips: 1, 2, 3x25mm, 1, 2, 3x50mm, 2x89mm
- Square: 1, 2, 3x25mm, 1, 2x50mm
- Nut Setter: 5/16x76mm
- Nut Setter: 3/8x76mm
- Bit Holder: 1/4x60mm
- Energy-absorbing Torsion Zone for 120 times performance
- Computer-controlled heat treatment for 120 times service-life



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV Service Tools & Equipment

wiha 

WIH-70486

6 Piece Color Coded Magnetic Nut Setter SAE Set

- Set Includes: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16"
- High-visibility color coding for quick and easy size identification
- Industrial strength magnetic tip for secure fastener hold
- Impact rated to 700 in/lbs for maximum performance with Li-ion impact driver
- Exact fit precision machined tip for reduced cam-out



wiha 

WIH-70487

6 Piece Color Coded Magnetic Nut Setter Metric Set

- Set includes: 8, 10, 11, 12, 13, 14mm
- High-visibility color coding for quick and easy size identification
- Magnetic nut setters metric on standard 1/4" hex drive for universal application
- Exact fit precision machined tip for reduced cam-out
- Impacted rated to 700 in/lbs for maximum performance with Li-ion impact drivers



WIH-33478



WIH-33490

Insulated T-Handle Hex Screwdriver Sets

- Individually tested to 10,000 volts AC
- Rated to 1,000 volts AC for safety and peace of mind
- Black oxide finish for corrosion protection
- Meets ASTM F1505 standard specifications for insulated and insulating hand tools
- Meets CSA testing benchmarks for safety and performance
- Meets VDE testing standards for protection against arc flash explosion
- Meets EN/IEC 60900 testing standards for protection against arc flash explosion

SKU	Description	Set
WIH-33478	Insulated T-Handle Hex Screwdriver Set - Metric Set Includes: 4.0, 5.0, 6.0, 8.0 10.0mm	5 Piece
WIH-33490	Insulated T-Handle Hex Screwdriver Set - Inch Set Includes: 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	6 Piece

OTC

OTC-1585A

1,250 Lbs Capacity Power Train Lift with Tilting Plate

- Ideal for engine and transaxle service
- Supports up to 1,250 lbs.
- Height range is 29-1/2" to 68-1/2"
- Weight: 372 lbs



OTC

OTC-5295

1,760 Lbs Capacity Split Table Top Power Train Lift

- Sliding split table top design allows for separation of the engine/transmission assembly or hybrid engine/generator module
- Uniquely designed to handle removal and installation of electric vehicle batteries, fuel tanks, suspension systems, and future powertrains
- Generous ground clearance for floor crane access
- Low collapsed height aids servicing large components while still on lift
- Tilting table provides alignment correction during vehicle installation
- Threaded holes in table to accommodate future adapters



ATD-7478

2,500 Lbs Power Train Lifting Table

- Designed to handle heavy engine, drive axle assemblies, transmissions, electric vehicle batteries and other vehicle components
- Scissors lift design allows access to all (4) sides of a component
- Independent adjusting screws tilt the table 11° side-to-side, front-to-back
- (2) sets of heavy duty ratcheting tie down straps to secure vehicle component during movement and installation
- Mechanical safety latches at 30%, 50% and 80% of max height provides additional operator safety
- Air/hydraulic foot pump with 10 ft. hydraulic hose extension
- (2) 8" diameter locking swivel casters for easy movement and secure positioning
- Meets or exceeds ASME/PASE 2019 standards
- Capacity @ 100 psi: 2,500 lbs.
- Lifting Range: 33" - 77"
- Table Size: 19.7" x 32"
- Table Tilt: +/- 11°
- Overall Size: 48" x 33" x 33"



ATD



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV Charging

AUTEL® MAXICHARGER™



AC WALLBOX HOME



AC WALLBOX COMMERCIAL



AC Wallbox Level 2 Electric Vehicle Chargers



- Indoor/outdoor use
- Level 2 chargers require 240V
- Compatible with all EV & plug-in hybrid vehicles
- Up to 9X faster charge
- Dimensions: 7.36" x 13.22"
- Generous 25-foot cable
- Safe & secure access control
- Connect by Wi-Fi, Bluetooth, Ethernet, CAN, RS485 or 4G Cellular (Commercial unit only)
- 4 LED lights on face of charger for clear status
- 24/7 customer support line • 3 year warranty
- Automatic firmware updates
- **AC WALLBOX HOME Smart Charging:** App enables remote start, stop, monitoring and scheduling. Available at App Store or Google Play.
- **AC WALLBOX COMMERCIAL Smart Charging:** Smart charger capabilities with Autel Cloud Charging Portal to monitor and manage all chargers and control access from your computer or mobile device.

Mobile device or computer not included

Product SKU TYPE	Power Output	Power Supply	Holster	Front Face	Wi-Fi	Mobile App	Internet Based
AUL-MC40AP14I HOME	Adjustable up to 40 Amps 9.6 kW	NEMA 14-50 Plug 	In-Body	Indicator Lights Only	✓	✓	
AUL-MC40AP6I HOME	Adjustable up to 40 Amps 9.6 kW	NEMA 6-50 Plug 	In-Body	Indicator Lights Only	✓	✓	
AUL-MC50AHI HOME	Adjustable up to 50 Amps 12 kW	HARDWIRED*	In-Body	Indicator Lights Only	✓	✓	
AUL-MCC50AHI COMMERCIAL	Adjustable up to 50 Amps 12 kW & 72 KM of range per hour	HARDWIRED*	In-Body	5" Interactive LCD Touchscreen	✓		✓



OTC-EV300

EV300 Level 2 EV Charging Station

- Ideal for residential/garage installation (indoor or outdoor)
- LEDs provide current charging status
- Easy to manage 16' cable
- Up to 6 times faster than a standard Level 1 cordset
- SAE J1772 charging connector is compatible with all EVs in North America



OTC-1699503887CXL

EV3000 DC Fast Charger

- Charges 4 times faster
- Can charge new vehicles
- Wall mountable
- Ideal for fleets, public parking lots and dealerships



OTC-EV3000

EV3000 30kW DC Fast Charger

- Charge 4 times faster than Level 2 AC charging stations
- Ideal for fleets, public parking lots and dealerships
- Can charge new vehicles that operate at higher voltages
- Includes SAE J1772 CCS Cable
- Wall mountable



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV Charging & Diagnostics



OTC-EL50650GNTDA

EV860 Dual Bollard EV Charge Station

- Fully-sealed enclosure
- Choose between 12 - 32 amps of power
- Takes up minimal space
- Versatile, reliable, and efficient



OTC-EL50650GNTB

EV850 Single Bollard EV Charge Station

- Drivers simply pull up, plug in and charge
- The durable galvanized steel tolerates harsh weather, vandalism, and light impact
- 23 foot charging cords
- Recycled materials and is extremely durable, while remaining attractive



OTC-EL-52503

EV400 LEVEL 2 EV Charge Station

- Easily movable plug-in electric vehicle charging with an industry maximum 25-foot cord
- Charge up to 6 times faster than the standard cord-set provided with your electric vehicle
- Made in the USA with quality materials
- Simple and easy to mount
- If you already have a 50-amp 240V receptacle installed, then all you need to do is plug-in the charging station
- Mount directly on the wall on 2 simple wall screws, and start charging your vehicle
- Charge anywhere



OTC-EL-50600-D

EV810 LEVEL2 EV Charge Station

- Weatherproof design for any environment
- Adjustable power output ranges from 12 - 32 amps
- Convenient plug-in option and wall mounting plate allows for the EV810 to be easily moved



ESI-550

Insulation Tester

- Used to check for voltage leaks on Hybrid car electrical wiring.
- Outputs 250V, 500V and 1000V test voltages for taking very high Ohm readings.
- CAT III safety rated - a requirement of the car manufacturers
- Comes with a blow molded case
- Voltage AC: 0-750V 1V / Voltage DC: 0-1000V 1V
- Resistance: 0-200, 2000.1 Ohm
- Test Voltage: 250V-200 MegOhm, 500V-200 MegOhm, 1000V-2000 MegOhm
- Continuity Test: Audible Beep < 40 Ohm
- Used in all NAPA Hybrid training courses



FLUKE

FLK-1587FC

Advanced Electrical Troubleshooting Kit

- Fluke 1587 FC 2-in-1 Insulation DMM, Fluke i400 Current Clamp and Fluke 62 Max+ Infrared Thermometer
- Pi/DAR timed ratio tests with TrendIt™ graphs identifies moisture and contaminated insulation
- Memory storage through Fluke Connect saves data for historical tracking over time
- Temperature Compensation for establishing accurate baselines and historical comparisons
- Small in size, extremely accurate and yet easy to use



PWP-DMM101ES

Hybrid-Safe CAT-IV 600V Digital Multimeter

- AC/DC Voltage to 600V
- Current to 10 Amps
- Resistance/Diode/Continuity to 60M Ohms
- Capacitance: 0.0001µF to 60,000µF
- Frequency, duty cycle
- Temperature from -4° to 1,832°F (-20° to 1,000°C)
- Data hold, Min/Max capture, relative measurement



BOSCH

BSD-F00E9001013C

Bosch MMD 540H Hybrid Multimeter

- Auto ranging digital multimeter designed for automotive diagnostics and electrical troubleshooting
- CAT III (1000V) safety rating
- Peak, Min/Max readings
- Higher amperage test ranges, up to 20 Amps
- Inductive RPM clamp for conventional and DIS ignition systems
- Fused diagnostic test leads for safe troubleshooting (up to 20 Amps) at the circuit fuse location
- Temperature measurement
- English, French, Spanish users' manual on CD



ESI-595

Pro Automotive 1000V CATIII Hybrid Safe DMM with PC Interface

- CAT III 1000 volt rated
- Safe to use with hybrids
- 58 test ranges; 16 test functions
- Huge backlit LCD display with analog bar graph
- Ms Pulse Width for fuel injector on-time
- Max/Min better diagnostic capability
- Desirable 20 amperes fused test range
- Hard storage case for safe storage





ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV Diagnostics

MS909EV



MSULTRA EV



AUTEL MAXISYS

MS909EV & MSULTRA EV INTELLIGENT EV DIAGNOSTICS



Intelligent EV Diagnostics Tablets

- Secure high-voltage system testing and analysis
- Advanced diagnostics for U.S., European and Asian electric, gas & diesel, and hybrid vehicles

	AUL-MS909EV	AUL-MSULTRA EV
HARDWARE		
Wireless Vehicle Connection	Bluetooth MaxiFash VCI	Bluetooth MaxiFash VCMI
Colour Touchscreen	10" LCD	13" LCD
Processor	2.2 GHz + 1.8 GHz Octa-Core	2.2 GHz + 1.8 GHz Octa-Core
Memory / RAM	128GB SSD / 4GB RAM	256GB SSD / 4GB RAM
Docking Station		Included
EVDiag Box	Included	Included
SOFTWARE		
Operating System	ANDROID 10.0	ANDROID 7.0
Split Screen Display		View Multiple Functions At Once
High-Voltage System Diagnostics	Diagrams of High-Voltage System Block	Diagrams of High-Voltage System Block
Battery Pack Diagnostics	SOC and SOH Analysis	SOC and SOH Analysis
Advanced VCMI 5-in-1 Device		VCI, Oscilloscope, Multimeter, Waveform Generator, CAN Bus Check
Secure Gateway Access	Authorized FCA Access with AutoAuth Account	Authorized FCA Access with AutoAuth Account
FEATURES		
Service Resets	36 Service Features	36 Service Features
Diesel (Light & Medium Duty)	Reset Diesel Emissions	Reset Diesel Emissions

EVDIAGKIT



AUL-EVDIAGKIT

EV Diagnostics Upgrade Kit

- Includes EVDiag Box, software, and adapters for specific vehicles to achieve battery packs diagnostics for electric vehicles
- Compatible with the MaxiSYS Ultra, MaxiSYS Ultra ADAS, MaxiSYS MS919, and MaxiSYS MS909

BATTERY PACK DIAGNOSTICS

- In-depth battery pack diagnostics for the most popular EV vehicles on the market including BMW, Tesla, and VW/Audi
- State of Charge and State of Health analysis for true battery condition

AUTEL

ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV AC Tools & Equipment



MSC-COMMANDR3100

MSC-COMMANDR4100

ARCTIC COMMANDER 2.0

Mastercool's enhanced Arctic Commander™ 2.0 line of R/R/R machines is focused on elevated efficiency, better recovery/charge times and an intuitive design. Welcome to the next level of R/R/R performance!



Mastercool®
"World Class Quality"



CPS®



MAXXAIR

MAXXAIR™ series refrigerant recovery, recycling, and recharging machines are designed for the future of automotive A/C. Compatible with both electric and engine-driven compressors.

CPS-MSX3030

MAXXAIR™ Dual-Refrigerant Refrigerant Management System

- Precision performance with increased productivity
- Fully automatic
- Dual-Refrigerant for R134a and R1234YF systems
- Oilless 2/3 HP compressor for faster performance
- Hybrid/EV compatible
- Wi-fi and Bluetooth enabled
- SAE J3030 certified
- Includes two tanks and two sets of service hoses

ARCTIC COMMANDER 2.0	MSC-COMMANDER4100	MSC-COMMANDER3100
FEATURES	Automatic R1234YF & HYBRID	Automatic R134a & HYBRID
10" Color Command Center with Touch Screen	■	■
Automatic and Manual Procedures	■	■
Vehicle Refrigerant Database	■	■
Automatic Vacuum Leak Test: Programmable	■	■
Auto Oil Discharge	■	■
Auto and Manual Air Purge	■	■
Auto Filter and Full Tank Alarm	■	■
Low Refrigerant Alarm	■	■
Auto Oil Injection	■	■
E-Printing Capability	■	■
Hose Flushing	■	■
Vehicle A/C System Flushing	Optional	Optional
Tank Heater	■	■
6 CFM Vacuum Pump	■	■
Refrigerant Identifier	■	■
On-Board Unit Conversion Calculator	■	■
Self-Diagnostic Check	■	■
Wi-Fi Capable	■	■

ROB-34788NI-H

Premier R-134A Refrigerant Recovery, Recycling, and Recharging Machine

- Featuring an industry leading 98.5% recovery efficiency for standard and hybrid vehicles and fully automatic function
- Recover, recycle, evacuate, leak-test and recharge R-134a with improved 98.5% efficiency – unmatched by any competitor
- The new design features a larger graphical display, automatic features including leak testing, automatic refrigerant refill and oil drain/inject – putting A/C lubricant back into the system
- Also boasts the ability to add a printer, USB data sharing, refrigerant identifier and wireless module for Wi-Fi or Bluetooth® communication
- An optional refrigerant charge and oil capacities database is available for North American market vehicles

ROBINAIR



ROBINAIR

ROB-AC1234-4P

Premier 1234YF Recover, Recycle and Recharge Machine w/FREE Printer

- Fully automatic
- Meets or exceeds SAE J2927 and J2843 standards
- Includes integrated refrigerant identifier
- Highly accurate and reliable
- Capable of servicing both standard and high voltage vehicles
- FREE Printer Mini Plus



ROBINAIR

ROB-AC1234-4SL

Premier R-1234YF Recover, Recycle and Recharge Machine for Mobile Service

- Fully automatic operation — program for service, walk away and return when complete
- 98.5% recovery efficiency
- Charge accuracy within +/- 1/2 oz
- Automatic internal tank refill



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV AC Tools & Equipment



MSC-69400-CON

Refrigerant Recovery Machine For Contaminated R134a And R1234yf

- 115 V – 60 Hz
- 1/2 HP motor
- Operating Temperature: 0° to 50° C (32° to 122° DEG F)
- Compatible with all CFC, HCFC, HFC's, and combustible gases
- 30 lb DOT approved tank
- Weight (69400): 11 kg (24 lbs)
- Dimensions (69400): 300 mm (l) x 200 mm (w) x 270 mm (h) (11.8IN (l) x 7.9IN (w) x 10.6IN (h))



MSC-69391

Spark Free Twin Turbo R1234yf Contaminated Refrigerant Recovery Machine

- Can be used with all refrigerants including R410A, CFC, HCFC and HFC's
- 5 ft. hoses, low side coupler and 30 lb DOT tank for contaminated R1234yf
- 1/2 HP oil-less compressor



MSC-69360-YF

Spark Free Twin Turbo Complete Recovery Machine for R1234yf

- Compatible with combustible gases
- Recovers and removes moisture, oil and debris from refrigerant
- 6 ft. hoses, R1234yf low side coupler and 30 lb DOT tank
- 1/2 HP double piston oil-less compressor
- Includes filter and oil separator
- Safety high pressure switch



MSC-69372

R134a/R1234yf Complete A/C Recovery Set

- 115 V / 60 Hz
- 1/2 HP Oil Less Compressor
- Recovery Rate: R134a/R1234yf Direct vapor up to .537 lb/min Direct liquid up to 4.72 lb/min Push pull up to 11.68 lb/min
- Operating Temperature: 32° to 122° F
- Case Material: HDPE (High Density Polyethylene)
- Compatible Refrigerants: All CFC, HCFC, and HFC's



MSC-90066-B-SF

6 CFM Spark Free Single Stage Vacuum Pump

- High volume fan provides cool air motor and pump
- Internal check valve to prevent oil back flow
- Cooling fins to keep temperature cooler during extended motor operation
- Thermally protected motor with on/off rocker switch



MSC-90066SFKIT

Dual R134A and R1234YF Evacuation and Charging Combo Kit

- Dual R134A and R1234YF Evacuation and charging combo kit: The kit includes the 90066-B-SF vacuum pump with spark free components for use with all refrigerants including R1234YF
- 66661-AYF Dual R134A and R1234YF brass manifold gauge set with 60" hoses, 134A set of standard couplers, 1234YF set of standard couplers, two 1234YF conversion fittings and YF tank adapter
- Dual R134A and R1234YF Oil/Dye injector, use the couplers supplied with the gauge set to add dye/oil
- Includes free 52219 IR Thermometer that ranges from -31° to 689° F 8 to 1 ratio with laser



FJC, Inc.

FJC-9281YF

Vacuum Pump and Gauge Set for R-1234yf

- Effective repair, discharge and maintenance of automotive air conditioners
- Reliable and long lasting.



ROBINAIR

ROB-EVDC100

Electronic Variable Compressor Tester

- Enables technicians to quickly test electronic control valves in variable displacement compressors
- Kit contents: Wiring harnesses to connect to compressors (6' length) and 12V battery for power (4' length), Electronic Variable Compressor test module, Compressor valve module



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV AC Tools & Equipment

TRACERLINE®



HBF-TP0PUV20EV

POE-Based EV A/C Dye UV Leak Detection Kit

- Compatible with R-1234yf & R-134a
- **TP9815EV-P3:** (3) 0.25 oz (7 ml) EV POE-based A/C Dye Mini-EZ™ cartridges
- **TP9845:** EZ-Ject™ dye injector
- **TP-9813:** R-134a coupler and purge fitting
- **TP19:** fluorescent dye cleaner
- **TP9831:** R-1234yf adapter



TRACERLINE®

HBF-TP9814EV-BX

POE-Based EV A/C Dye MINI-EZ™ Injection Kit

- Compatible with R-1234yf & R-134a
- **TP9815EV-P3:** (3) 0.25 oz (7 ml) EV POE-based A/C Dye Mini-EZ™ cartridges
- **TP9845:** EZ-Ject™ dye injector
- **TP-9813:** R-134a coupler and purge fitting
- **TP9831:** R-1234yf adapter
- Services up to 3 vehicles



TRACERLINE®



HBF-TP9815EV-P3

POE-Based EV A/C Dye MINI-EZ™ Cartridges

- Compatible with R-1234yf & R-134a
- (3) 0.25 oz (7 ml) single-dose Electric Vehicle A/C dye cartridges
- Services up to 3 vehicles

TRACERLINE®



Electric Vehicle A/C Oil & A/C Oil + UV Dye

- Compatible with R-1234yf & R-134a
- Services 1 vehicle

Item #	Description
HBF-TP100EV-5	5 oz (148 ml) Foil Pouch with POE-Based A/C Oil
HBF-TP100EVD-5	5 oz (148 ml) Foil Pouch with POE-Based A/C Oil + UV Fluorescent Dye

TP100EV-5



TP100EVD-5

TRACERLINE®



HBF-TP9812-BX

Hybrid Vehicle/ESTER MINI-EZ™ Universal A/C Dye Injection Kit

- Uniquely blended with special additives for hybrid A/C systems
- Compatible with R-1234yf & R-134a
- **TP9811-P3:** (3) 0.25 oz (7 ml) single-dose Hybrid Vehicle/Ester A/C dye cartridges
- **TP9845:** EZ-Ject™ dye injector
- **TP-9813:** R-134a coupler and purge fitting
- **TP9831:** R-1234yf adapter
- Services up to 3 vehicles



TRACERLINE®

HBF-TP9811-P3

Hybrid Vehicle/ESTER MINI-EZ™ Universal A/C Dye

- Uniquely blended with special additives for hybrid A/C systems
- Compatible with R-1234yf & R-134a
- (3) 0.25 oz (7 ml) single-dose Hybrid Vehicle/Ester A/C dye cartridges
- Services up to 3 vehicles



ROBINAIR®

ROB-16235

Tracker A/C Leak Detect Kit

- Injection gun
- Fluorescent light
- Fluorescent leak detection dye
- Fluorescent dye cleaner
- UV glasses
- Blow molded case



Mastercool®
"World Class Quality"

MSC-92709-YF-32

Zerol HD 46 R1234yf Mobile Air Conditioning Compressor Lubricant, 32oz bottle

- Optimized miscibility in HFO refrigerant R1234yf
- Superior lubricity compared to alternative lubricant types, including standard 'single end-capped' PAG products, and di-capped PAGs with lower di-capped material content
- Viscosity @ 40°C (cSt): 42.0 - 48.0





ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



EV & HEV AC Tools & Equipment

UVW-490100

Spotgun® Universal Oil/Dye Injection Starter Kit

- SpotGun® Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- (2) SpotGun® Service Hose Assemblies
- (1) Universal Oil Cartridge (8 oz/240 ml)
- (1) ExtenDye™ Cartridge (8 oz/240 mL)
- Service Maintenance Stickers



UVW-490200

SpotGun® Injection Master Kit

- SpotGun® Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- (2) SpotGun® Service Hose Assemblies
- (1) Universal Oil Cartridge (8 oz/240 ml)
- (1) ExtenDye™ Cartridge (8 oz/240 ml)
- UV Phazer™Black (AAA Batteries Included)
- UV Enhancing Glasses



UVW-390100

Spotgun Jr™ Universal Oil/UV Starter Kit

- All-in-one solution easily tackles A/C system repairs and maintenance
- SpotGun® Jr Injector with Purge Valve Adapters
- R-134a and R-1234yf couplers
- (2) SpotGun® Jr Service Hose Assemblies
- (4) Universal Oil Cartridges (1 oz/30 ml)
- (2) ExtenDye™ Cartridges (1 oz/30 ml)
- (2) LeakGuard™ OneShot Cartridges (1 oz/30 ml)



UVW-499108A

Spotgun® A/C ExtenDye Cartridge, 8oz

- Designed exclusively for use with our Spotgun Injection System
- Enhanced with an additive package that extends the life and improves the efficiency of the A/C system
- 8-ounce cartridge will treat 32 vehicles
- SAE-J2297 certified and OEM approved dye
- Service stickers included
- 64 applications

UVW-390200

Spotgun Jr™ Universal Oil/UV Master Kit

- Everything you need for automotive service
- SpotGun® Jr Injector with Purge Valve Adapters
- R-134a and R-1234yf Couplers
- R-134a and R-1234yf Couplers
- (4) Universal Oil Cartridges (1 oz/30 ml)
- (2) ExtenDye™ Cartridges (1 oz/30 ml)
- (2) LeakGuard™ OneShot Cartridges (1 oz/30 ml)
- UV Phazer™Black (AAA Batteries Included)
- UV Enhancing Glasses



UVW-488046YF

PAG 46 HFO Oil Cartridge for R1234yf Systems, 8oz

- Today's vehicles require precise amounts of oil
- Spotgun oil cartridges inject a precise measured amount of A/C Oil while eliminating moisture contamination in the oil
- High quality A/C compressor lubricant in 46 viscosity
- Works with systems containing R1234yf A/C refrigerant

UVW-330500YF

Spotgun Jr™ R-1234yf Injection Kit

- Professional injection system for those that need to manage their inventory
- One cartridge per vehicle
- Services 6 vehicles
- Includes: Spotgun Jr. injection gun with R-1234yf adapter
- A/C ExtenDye Cartridges (6 x 1/4 oz/7.5mL)
- Service stickers
- Lifetime warranty on every injection gun



UVW-399046YF

PAG 46 Oil Cartridge R-1234yf, 1oz

- Smaller dosage, as low as one cartridge per vehicle
- For use with Spotgun Jr.™ "Single-Shot" System
- Backward compatible for use in R-134a and R-12 systems
- (4) cartridges (1 oz/30mL)



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



Personal Protective Equipment

100% Natural Rubber Electrical Insulating Gloves, Red, Class O

- 11" long gloves
- Max. use voltage AC/DC 1,000 / 1,500 Volt
- Ergonomically-designed hand-at-rest shape for less hand fatigue
- Generous flared cuff allows room for clothing and improves ventilation
- Exceeds ASTM D120 standards for tensile strength, elongation, tear & puncture resistance
- Product meets all applicable ASTM, NFPA, OSHA, CSA and EN standards



Ansell

SKU	Description	Color	Size
MFX-114265	SZ8 ELEC GLOVE CLO 11IN	Red	8
MFX-114266	SZ 9 ELEC GLOVE CLO 11I N R	Red	9
MFX-114267	SZ 10 ELEC GLOVE CLO 11 IN R	Red	10
MFX-114268	SZ 11 ELEC GLOVE CLO 11 IN R	Red	11

SALISBURY
Setting industry standards since 1855.

Lineman Gloves, Class 00, Low Voltage

- Insulating rubber
- Ensure electrical workers' protection from the hazards of their job
- Meets or exceeds ASTM D120 and IEC EN60903
- Proof Test Voltage AC/DC: 2,500/10,000
- Max Use Voltage AC/DC When worn with leather protectors: 500/750



SKU	Description	Length	Color	Size
SAL-E0011B/10	Lineman Gloves Class 00 Low V	11"	Black	10
SAL-E0011B/11	Lineman Gloves Class 00 Low V	11"	Black	11
SAL-E0011B/12	Lineman Gloves Class 00 Low V	11"	Black	12
SAL-E0011B/8	Lineman Gloves Class 00 Low V	11"	Black	8
SAL-E0011B/9	Lineman Gloves Class 00 Low V	11"	Black	9
SAL-E0011R/10	Lineman Gloves Class 00 Low V	11"	Red	10
SAL-E0011R/10H	Lineman Gloves Class 00 Low V	11"	Red	10H
SAL-E0011R/11	Lineman Gloves Class 00 Low V	11"	Red	11
SAL-E0011R/12	Lineman Gloves Class 00 Low V	11"	Red	12
SAL-E0011R/8	Lineman Gloves Class 00 Low V	11"	Red	8
SAL-E0011R/9	Lineman Gloves Class 00 Low V	11"	Red	9
SAL-E0014B/10	Lineman Gloves Class 00 Low V	14"	Black	10
SAL-E0014B/11	Lineman Gloves Class 00 Low V	14"	Black	11
SAL-E0014B/12	Lineman Gloves Class 00 Low V	14"	Black	12
SAL-E0014B/8	Lineman Gloves Class 00 Low V	14"	Black	8
SAL-E0014B/8H	Lineman Gloves Class 00 Low V	14"	Black	8H
SAL-E0014B/9	Lineman Gloves Class 00 Low V	14"	Black	9
SAL-E0014R/10	Lineman Gloves Class 00 Low V	14"	Red	10
SAL-E0014R/11	Lineman Gloves Class 00 Low V	14"	Red	11
SAL-E0014R/12	Lineman Gloves Class 00 Low V	14"	Red	12
SAL-E0014R/8	Lineman Gloves Class 00 Low V	14"	Red	8
SAL-E0014R/9	Lineman Gloves Class 00 Low V	14"	Red	9

SALISBURY
Setting industry standards since 1855.

SAL-APRO

Insulating Apron, 1000V, Class O

- Includes two Nomex(R) webbed bib straps and two Nomex waist straps with nonmetallic buckles.
- All the straps are attached with reinforced stitching and Nomex thread.
- Insulating apron has straps that can be buckled around the back and around the neck which gives wearers a comfortable and supportive fit.
- Straps are adjustable so that one size will fit most wearers.
- Measures 42" from the top of the bib and has a full width of 30" to wrap around the front of most workers.
- Meets ASTM F2320 standards.



SALISBURY
Setting industry standards since 1855.

Lineman Gloves, Class 0, Low Voltage

- Insulating rubber
- Ensure electrical workers' protection from the hazards of their job
- Meets or exceeds ASTM D120 and IEC EN60903
- Proof Test Voltage AC/DC: 5,000/20,000
- Max Use Voltage AC/DC When worn with leather protectors: 1,000/1,500



SKU	Description	Length	Color	Size
SAL-E011B/10	Lineman Gloves Class 0 Low V	11"	Black	10
SAL-E011B/11	Lineman Gloves Class 0 Low V	11"	Black	11
SAL-E011B/12	Lineman Gloves Class 0 Low V	11"	Black	12
SAL-E011B/8	Lineman Gloves Class 0 Low V	11"	Black	8
SAL-E011B/9	Lineman Gloves Class 0 Low V	11"	Black	9
SAL-E011R/10	Lineman Gloves Class 0 Low V	11"	Red	10
SAL-E011R/11	Lineman Gloves Class 0 Low V	11"	Red	11
SAL-E011R/12	Lineman Gloves Class 0 Low V	11"	Red	12
SAL-E011R/8	Lineman Gloves Class 0 Low V	11"	Red	8
SAL-E011R/9	Lineman Gloves Class 0 Low V	11"	Red	9
SAL-E014B/10	Lineman Gloves Class 0 Low V	14"	Black	10
SAL-E014B/11	Lineman Gloves Class 0 Low V	14"	Black	11
SAL-E014B/12	Lineman Gloves Class 0 Low V	14"	Black	12
SAL-E014B/8	Lineman Gloves Class 0 Low V	14"	Black	8
SAL-E014B/9	Lineman Gloves Class 0 Low V	14"	Black	9
SAL-E014BLO/12	Lineman Gloves Class 0 Low V	14"	Blue In, Orange Out	12
SAL-E014BLO/8	Lineman Gloves Class 0 Low V	14"	Blue In, Orange Out	8
SAL-E014R/10	Lineman Gloves Class 0 Low V	14"	Red	10
SAL-E014R/11	Lineman Gloves Class 0 Low V	14"	Red	11
SAL-E014R/12	Lineman Gloves Class 0 Low V	14"	Red	12
SAL-E014R/8	Lineman Gloves Class 0 Low V	14"	Red	8
SAL-E014R/9	Lineman Gloves Class 0 Low V	14"	Red	9



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



Personal Protective Equipment

SALISBURY
Setting industry standards since 1855.

Class 00 Insulating Lineman Gloves Kit

- Includes rubber gloves, leather protectors and glove bag
- Curved hand design for max comfort
- Storage bag ensures proper storage, prolonging glove lifespan.
- Proof Test Voltage AC/DC: 2,500/10,000
- Max Use Voltage AC/DC: 500/750
- Standards Met: ASTM D120, IEC EN60903



SKU	Description	Color	Size
SAL-GK001B/10	Lineman Gloves Kit Class 00 Low V	Black	10
SAL-GK001B/11	Lineman Gloves Kit Class 00 Low V	Black	11
SAL-GK001B/12	Lineman Gloves Kit Class 00 Low V	Black	12
SAL-GK001B/8	Lineman Gloves Kit Class 00 Low V	Black	8
SAL-GK001B/9	Lineman Gloves Kit Class 00 Low V	Black	9
SAL-GK001R/10	Lineman Gloves Kit Class 00 Low V	Red	10
SAL-GK001R/11	Lineman Gloves Kit Class 00 Low V	Red	11
SAL-GK001R/12	Lineman Gloves Kit Class 00 Low V	Red	12
SAL-GK001R/8	Lineman Gloves Kit Class 00 Low V	Red	8
SAL-GK001R/9	Lineman Gloves Kit Class 00 Low V	Red	9
SAL-GK0014B/10	Lineman Gloves Kit Class 00 Low V	Black	10
SAL-GK0014B/11	Lineman Gloves Kit Class 00 Low V	Black	11
SAL-GK0014B/12	Lineman Gloves Kit Class 00 Low V	Black	12
SAL-GK0014B/8	Lineman Gloves Kit Class 00 Low V	Black	8
SAL-GK0014B/9	Lineman Gloves Kit Class 00 Low V	Black	9
SAL-GK0014R/10	Lineman Gloves Kit Class 00 Low V	Red	10
SAL-GK0014R/11	Lineman Gloves Kit Class 00 Low V	Red	11
SAL-GK0014R/12	Lineman Gloves Kit Class 00 Low V	Red	12
SAL-GK0014R/8	Lineman Gloves Kit Class 00 Low V	Red	8
SAL-GK0014R/9	Lineman Gloves Kit Class 00 Low V	Red	9

SALISBURY
Setting industry standards since 1855.

Class 0 Insulating Lineman Gloves Kit

- Includes rubber gloves, leather protectors and glove bag
- Proof Test Voltage AC/DC: 5,000/20,000
- Max Use Voltage AC/DC: 1,000/1,500
- Standards Met: ASTM D120, IEC EN60903



SKU	Description	Color	Size
SAL-GK011B/10	Lineman Glove Kit Blk Cl ass 0	Black	10
SAL-GK011B/11	Lineman Glove Kit Blk Cl ass 0	Black	11
SAL-GK011B/12	Lineman Glove Kit Blk Cl ass 0	Black	12
SAL-GK011B/8	Lineman Glove Kit Blk Cl ass 0	Black	8
SAL-GK011B/9	Lineman Glove Kit Blk Cl ass 0	Black	9
SAL-GK011R/10	Lineman Glove Kit Red Cl ass 0	Red	10
SAL-GK011R/11	Lineman Glove Kit Red Cl ass 0	Red	11
SAL-GK011R/12	GLV KIT T1 CLO 11in R 12	Red	12
SAL-GK011R/8	LINEMAN GLOVE KIT RED CL ass0	Red	8
SAL-GK011R/9	Lineman Glove Kit Red Cl ass 0	Red	9



SALISBURY
Setting industry standards since 1855.

Nex Gen Leather Protectors for Lineman Gloves

- Designed for use with Insulating Rubber Gloves
- Clute design gives you a more customized fit with Electriflex gloves
- Durable cowhide cuff withstands tough working conditions
- Goatskin leather for hand portion for improved flexibility & better dexterity
- Includes a non-metallic buckle providing secure fit



SKU	Description	Length	Size
SAL-NGILP3S/10	Nex Gen Leather Glove Protectors	12"	10
SAL-NGILP3S/10H	Nex Gen Leather Glove Protectors	12"	10H
SAL-NGILP3S/11	Nex Gen Leather Glove Protectors	12"	11
SAL-NGILP3S/8H	Nex Gen Leather Glove Protectors	12"	8H
SAL-NGILP3S/9	Nex Gen Leather Glove Protectors	12"	9
SAL-NGILP3S/9H	Nex Gen Leather Glove Protectors	12"	9H
SAL-NGILP5S/10	Nex Gen Leather Glove Protectors	14"	10
SAL-NGILP5S/10H	Nex Gen Leather Glove Protectors	14"	10H
SAL-NGILP5S/11	Nex Gen Leather Glove Protectors	14"	11
SAL-NGILP5S/8H	Nex Gen Leather Glove Protectors	14"	8H
SAL-NGILP5S/9	Nex Gen Leather Glove Protectors	14"	9
SAL-NGILP5S/9H	Nex Gen Leather Glove Protectors	14"	9H

SALISBURY
Setting industry standards since 1855.

SAL-SKA12-PP PrismShield™ Plus Arc Flash Face Shield Kit

- Double curved lens limits visual distortion
- Nanotechnology allows improved shield transparency
- AS1200 weight balancing head gear
- Frameless design increases viewing area
- Venting allows usage for longer periods of time
- Kit includes PrismShield Premium Plus 12 Cal Face Shield, North Zone Hard Hat, 12 Cal Balaclava, Uvex Safety Glasses and Cotton Flannel Storage Bag



ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS



Personal Protective Equipment

SALISBURY

Setting industry standards since 1855.

Dielectric Rubber 14" Electrigrard Overboots

- Wider upper boot with integral pull up handles
- Rear kick-off ledge designed for hassle-free removal
- Reflective stripe for enhanced visibility
- New color style denoting ASTM F1117 20kV dielectric performance



SKU	Description	Size
SAL-21406WT10-ES	R/B Dielectric Electrigrard Boots WT 14in	10
SAL-21406WT11-ES	R/B Dielectric Electrigrard Boots WT 14in	11
SAL-21406WT12-ES	R/B Dielectric Electrigrard Boots WT 14in	12
SAL-21406WT13-ES	R/B Dielectric Electrigrard Boots WT 14in	13
SAL-21406WT14-ES	R/B Dielectric Electrigrard Boots WT 14in	14
SAL-21406WT15-ES	R/B Dielectric Electrigrard Boots WT 14in	15
SAL-21406WT16-ES	R/B Dielectric Electrigrard Boots WT 14in	16
SAL-21406WT17-ES	R/B Dielectric Electrigrard Boots WT 14in	17
SAL-21406WT7-ES	R/B Dielectric Electrigrard Boots WT 14in	7
SAL-21406WT8-ES	R/B Dielectric Electrigrard Boots WT 14in	8
SAL-21406WT9-ES	R/B Dielectric Electrigrard Boots WT 14in	9

SALISBURY

Setting industry standards since 1855.

Dielectric Rubber 15" Electrigrrip Overboots

- Designed to shed mud and debris and prevent slips and falls
- Raised heel with ladder grips for additional traction and stabilit
- Arch support to help reduce fatigue and a shock absorbing heel pad
- Puncture resistant sole
- Built-in composite safety toe cap
- ASTM F2413-18 (M I/75 C/75 PR)
- ASTM F1117 – Full boot tested to 20 kV
- ASTM F2621 – Arc Flash tested to 40 c



SKU	Description	Size
SAL-5200005-ES	R/B Dielectric Electrigrrip Boots 15in	5
SAL-5200006-ES	R/B Dielectric Electrigrrip Boots 15in	6
SAL-5200007-ES	R/B Dielectric Electrigrrip Boots 15in	7
SAL-5200008-ES	R/B Dielectric Electrigrrip Boots 15in	8
SAL-5200009-ES	R/B Dielectric Electrigrrip Boots 15in	9
SAL-5200010-ES	R/B Dielectric Electrigrrip Boots 15in	10
SAL-5200011-ES	R/B Dielectric Electrigrrip Boots 15in	11
SAL-5200012-ES	R/B Dielectric Electrigrrip Boots 15in	12
SAL-5200013-ES	R/B Dielectric Electrigrrip Boots 15in	13
SAL-5200014-ES	R/B Dielectric Electrigrrip Boots 15in	14
SAL-5200015-ES	R/B Dielectric Electrigrrip Boots 15in	15
SAL-5200016-ES	R/B Dielectric Electrigrrip Boots 15in	16

SALISBURY

Setting industry standards since 1855.

Insulated Rescue Hooks

- Insulated rescue hook used to release a victim from contact
- Used in confined spaces, vaults, or just near electrical cabinet
- Features a foam-filled, fiberglass reinforced handle
- 18" opening

SKU	Description	Length
SAL-24400-ES	Rescue Hook, 3FT	36"
SAL-24401-ES	Rescue Hook, 6FT	72"
SAL-24403-ES	Rescue Hook, 8 FT	96"



SALISBURY

Setting industry standards since 1855.

SALCOR Insulating Blankets Class 0, Type II

- Made from a high strength fabric reinforced Type II rubber
- Easy to identify and highly visible in the work area
- Can be easily custom-cut to fit



SKU	Description	Color	Size
SAL-1212YLVNV-ES	SALCOR Insulating Blanket Class 0, Type II	Yellow	12 x 12
SAL-1212LVNV-ES	SALCOR Insulating Blanket Class 0, Type II	Maroon	12 x 12
SAL-1236YLVNV-ES	SALCOR Insulating Blanket Class 0, Type II	Yellow	12x 36
SAL-123LVNV-ES	SALCOR Insulating Blanket Class 0, Type II	Maroon	12x 36
SAL-1836YLVNV-ES	SALCOR Insulating Blanket Class 0, Type II	Yellow	18 x 36
SAL-183LVNV-ES	SALCOR Insulating Blanket Class 0, Type II	Maroon	18 x 36
SAL-3636YLVNV-ES	SALCOR Insulating Blanket Class 0, Type II	Yellow	36 x36



SAL-300E-IB-ES Black Insulating Blanket with Eyelets, Class 2, Type I

- 36" x 36"
- Eyelets for added strength and tear-resistance
- Easily secured in place by using blanket pins, Snap Buttons or Ty-Straps
- High strength Type I reinforced rubber with beaded edge

SALISBURY

Setting industry standards since 1855.

PVC Type II Blanket Rolls

- Easily custom-cut to fit each application at the jobsite
- Flame, oil and ozone-resistant
- Flexible to -40oF/C
- Highly puncture and tear-resistant



SKU	Description	Class	Size
SAL-RLBPVC0-48-ES	PVC Type II Blanket Roll, C0	Class 0	48" x 50'
SAL-RLBPVC1-48-ES	PVC Type II Blanket Roll, C1	Class 1	48" x 50'
SAL-RLBPVC1-ES	PVC Type II Blanket Roll, C1	Class 1	36" x 30'
SAL-RLBPVC1-SRP-ES	PVC Type II Blanket Roll, C1	Class 1	36" x 30'
SAL-SL104025-ES	PVC Type II Blanket Roll, C1	Class 1	48" x 25'

ELECTRIC & HYBRID VEHICLE SAFETY SOLUTIONS

SALISBURY
Setting industry standards since 1855.

SAL-EV124 EV Master Shop 1000V Insulated Tool Kit



- One kit that includes all tools for EV maintenance!
- Ratchet & Socket Set Metric 14 Pcs
- Screw Driver Set
- IT Wrench Set Open 13 Pc 7mm-29mm
- IT Nut Driver 6" Metric Set
- IT Plier Long Needle Nose 8 Inch • IT Plier Linesman 8"
- Screwdriver IT Torx T25 X 3 • Screwdriver IT Torx T40 X 6"
- IT Plier Long Reach 7-1/2" • IT Plier Linesman 9"
- IT 6" T-Socket Driver 3/8" • IT Torx BIT Socket T20 1/4"
- IT Torx BIT Socket T12 1/4" Drive • IT Torx BIT Socket T30 1/4"
- Insulated Torque Wrench 3/8" Drive 14 1/4" Long 15-75 ft/lb
- IT Adapter 3/8"F-1/4"M • Insulated Torque Wrench 3/8d 30-150in/lb
- IT 12" Dbl Ended Pickup Magnet • Tool Box for TK60



SAL-TK84 Honda Civic & Accord Electric Vehicle Insulated Tool Service Kit

- Specially designed with Honda engineers!
- Meets the needs of Honda EV Accord and Civic
- 3/8 Drive Reg Socket 8mm, 12mm, 14mm
- 3/8 Drive 3 in, 6 in, 12 in
- #1 x 3 in, 6 in Phillip Screwdriver
- #2 x 4 in, 8 in Phillip Screwdriver
- 7 in Long Nose Pliers
- 10mm 3/8 Drive Reg Socket
- 3/8 Drive Reversible Ratchet Wrench
- 3/8 Drive 50-250 in/lb Torque Wrench
- 10mm x 6 in Shaft Nut Driver
- 5-3/4 in OAL Tweezer
- 12 in DE Pickup Magnet
- 1/4 Drive 6in Extensions
- 3/8 Female-1/4 Male Long Adapter
- 3/8 Drive T30 4 in Torx Bit
- 1/4 Drive 10mm Deep Socket
- 3/8 DriveT-Socket Driver
- 3/8 Drive Deep Socket 8mm, 10mm, 12mm, 14mm
- Tool Box
- #5 and #6 Tool Rolls



JD JohnDow Industries

JDI-VFB1

Vehicle Fire Blanket

- Limits damage and spread of fire to nearby areas
- Designed for gas, hybrid and EV vehicles
- Large, flexible 19.5' x 29.5' blanket
- Covers most vehicles
- Easily transport and store with compact, waterproof bag
- Comfortably deploy blanket over vehicle with oversized straps
- Single use



JDI-WRFB

Wall Rack for Fire Blanket

- Quickly deploy fire blanket from convenient, highly visible storage rack
- Ideal for automotive repair facilities, parking structures, service stations, charging stations and more

