


AIM SUPPLY I ALCO TOOL

>>>>> TOTAL SOLUTION



ON TIME DELIVERY

We offer the fastest and least expensive way to be sure your supplies arrive intact and on schedule.

HIGH ORDER FILL RATES

Our high order fill rates reduce your need to stock additional inventory. A large inventory and wide distribution network can protect our customers from manufacturing delays and production shortages.

ONE CALL CUSTOMER SERVICE

You have access to the most highly trained support staff in the industry.

ONLINE ORDERING SOLUTIONS

We pride ourselves in making ordering easy for our customers. Access real time pricing/availability, place and track orders, and view only the products that are important to you with an online account.

TECHNICAL EXPERTISE

Our field market specialists are more than just sales representatives. Consider them your personal consultants, ready to work for you.

PRODUCT TRAINING

We are committed to keeping our staff and yours up to date with new developments and changes in the industry.

FIND IT BY CATEGORY

| INDUSTRIAL SAFETY | 6 |
|--------------------------------|-----|
| TAPE & PROTECTIVE FILM | 22 |
| ADHESIVES & SEALANTS | 29 |
| ABRASIVES | 36 |
| SURFACE PREP/FINISH | |
| INDUSTRIAL PAINT SUPPLIES | 56 |
| INDUSTRIAL PRODUCTION SUPPLIES | |
| CLEANING & JANITORIAL | 59 |
| CUTTING TOOLS | 69 |
| LIGHTING | 82 |
| POWER TOOLS & ACCESSORIES | |
| AIR TOOLS & ACCESSORIES | 98 |
| SOCKETS & ACCESSORIES | |
| HAND TOOLS | 125 |
| SHOP EQUIPMENT & SUPPLIES | |
| TOOL STORAGE | |
| LUBRICATION EQUIPMENT | |
| HEAVY DUTY FLEET | |
| MANUFACTURER LINE CODES | |
| PRODUCT INDEX | 178 |
| TERMS & CONDITIONS | 179 |



PRODUCTS CANNOT BE ORDERED THROUGH THIS CATALOG

The information contained in this catalog is for information purposes only and should not be used by consumers to make final buying decisions. Information is subject to change at any time without notice.

This catalog is to be used as general advertising material. Latest pricing, product information, and Prop 65 warnings are included at point of sale.

WHAT CAN WE DO FOR YOUR BUSINESS?







MISSION STATEMENT

We believe in making our customers, associates, and vendor partners more successful through strong relationships

COMPOSITE MANUFACTURING

AIM has over 45 years of experience in the composite industry to help ensure you are using the best products for the right applications, reducing waste and improving production processes at the same time. Whether it's small components or large yacht parts, we work closely with our partner manufacturers to introduce innovative products to help you reduce costs in both labor and materials.



We carry a majority of products for your specific industry, including more than 160,000 stocked products from over 600 brands available throughout our 78+ distribution centers across the country. Typically, we are able to ship in 2 days or less within the continental United States.

RV & BUS MANUFACTURING

Quality, dependability and value is what your customers expect and you should expect the same from your supplier. With more than four decades of experience in the RV and bus manufacturing industry, we have the products and knowledge to work for you.

SPECIALTY VEHICLE MANUFACTURING

Whether it's ambulances to anything that tows or hauls, we have the latest products available for helping you manufacturer a top quality product. As a distributor we work for you, so let us ensure you are using the best products for your applications, and help you reduce costs in labor and materials.

FLEET SERVICE & MAINTENANCE

AIM Fleet America is a high value / low cost, hassle-free provider of power and hand tools, shop equipment, safety supplies, and shop supplies to fleets nationwide. We offer a dedicated, specialized, and knowledgeable sales staff to get you what you need to manage your fleets from the biggest wholesalers in the country.









ORDER ANYTIME

AIM SUPPLY

800-999-0125 | www.aimsupply.com

ALCO TOOL & SUPPLY

800-437-2911 | www.alcotoolsupply.com

AIM FLEET AMERICA

800-799-3915 | www.aimfleetamerica.com










C.O.D. and Credit Cards Accepted
Open Account with Approved Credit Application



REGISTER FOR DISCOUNTED PRICING!



It's as easy as 1-2-3!

- Go to **www.aimsupply.com** and click the **Register** link (top right corner on computer/ipad or left toggle menu on phone)
- Complete form and hit **Send**
- You will be notified within 24 hours via Email from our Finance Department when your account has been created

>> >> >> BENEFITS OF AN ONLINE ACCOUNT



- Real time pricing & availability 24/7
- Security settings based on your business rules
- Create orders via Shopping Lists, Past Orders or Batch Upload using Order Pad
- Track orders shipped via UPS or FedEx
- Add notes to the order and to the line items
- Add special shipping instructions
- Custom online catalog

SHOPPING LISTS

Shopping Lists offer an easy way to quickly reorder the weekly or monthly products you use. AIM also creates industry specific shopping lists for several of our top market segments, to feature relevant items and make finding products and placing ordering a breeze!





***** *** *****






UPS & FEDEX TRACKING

Keep an eye on your shipments with convenient access to tracking and PRO numbers. Orders shipped by UPS or FedEx will show the tracking number on the Order Detail page.

ADMINISTRATIVE ACCESS

A robust administrative back end allows you to easily monitor and manage your partnership with AIM. Check for open invoices, confirm paid invoices, review order history and approve/ release quotes for ordering are just some of the functions that can be accessed by a simple click.





DUPONT PERSONAL PROTECTIVE GARMENTS



DuPont™ Tyvek® 400

Original Name: Tyvek®

Tyvek® 400 garments provide an ideal balance of protection, durability and comfort. They provide breathable inherent barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splashes, as well as excellent abrasion resistance.

Learn more about
DuPont Personal Protective Garments
SafeSPEC.DuPont.com

Coverall



serged seams collar front zipper closure storm flap elastic waist comfort fit design MD, LG, XL, 2X, 3X, 4X, 5X, 6X, 7X



Coverall

DPT TY125SWHXX002500

serged seams collar front zipper closure storm flap elastic wrists elastic ankles elastic waist comfort fit design MD, LG, XL, 2X, 3X, 4X, 5X, 6X, 7X



Coverall

DPT TY122SWHXX002500

serged seams
attached hood (respirator fit)¹
front zipper closure
storm flap
elastic wrists
elastic ankles
elastic waist
attached skid-resistant boots
comfort fit design
MD, LG, XL, 2X, 3X, 4X,
5X, 6X, 7X



Coverall

DPT TY127SWHXX002500

serged seams
attached hood (respirator fit)¹
front zipper closure
storm flap
elastic wrists
elastic ankles
elastic waist
comfort fit design
MD, LG, XL, 2X, 3X, 4X,
5X, 6X, 7X





DuPont[™] Tyvek® 400 D

Original Name: Tyvek® Dual

Tyvek® 400 D garments provide an ideal balance of comfort, durability and protection for workers. They are designed for very specific applications where demanding comfort requirements are combined with limited protective requirements for frontal exposures.

Coverall

DPT TD125SWBXX0025CM

serged seams
collar
front zipper closure
storm flap
thumb loops
elastic wrists
elastic ankles
elastic waist
MD, LG, XL, 2X, 3X, 4X







Coverall

DPT TD127SWBXX0025CM

serged seams attached hood (respirator fit)¹ front zipper closure storm flap thumb loops elastic wrists elastic ankles elastic waist MD, LG, XL, 2X, 3X, 4X







¹ Respirator fit hoods are designed with a longer zipper, extending to the chin for complete coverage of the neck area. Standard hoods only extend to the neck. Copyright © 2018 DuPont. All rights reserved. The DuPont Oval Logo, DuPont™, ProShield®, SafeSPEC™ and Tyvek® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company or its affiliates. (09/16)

Workers who deal with hazardous materials need the utmost confidence in their protective apparel. DuPont Personal Protective apparel is engineered for protection, durability and comfort.





DuPont™ ProShield® 10

Original Name: ProShield® Basic

ProShield® 10 garments are spunbond-meltblown-spunbond (SMS) garments that provide comfort and quality at an affordable price.



DPT PB120SWHXX002500

DPT PB120SBUXX002500

serged seams collar front zipper closure storm flap MD, LG, XL, 2X, 3X, 4X, 5X



Coverall

DPT PB122SWHXX002500

DPT PB122SBUXX002500

serged seams attached hood front zipper closure storm flap elastic wrists elastic ankles

attached skid-resistant boots

MD, LG, XL, 2X, 3X, 4X, 5X



Coverall

DPT PB125SWHXX002500

DPT PB125SBUXX002500

serged seams collar front zipper closure storm flap elastic wrists elastic ankles MD, LG, XL, 2X, 3X, 4X, 5X



Coverall

DPT PB127SWHXX002500

DPT PB127SBUXX002500

DPT PB127SGYXX002500

serged seams attached hood front zipper closure storm flap elastic wrists elastic ankles MD, LG, XL, 2X, 3X, 4X, 5X





DuPont™ ProShield® 50

Original Name: new garment

ProShield® 50 garments provide a barrier against a range of non-hazardous aerosols, light liquid splash and dry particles. The lighter weight and roomy design make for greater comfort and mobility.



Coverall

DPT NB120SWHXX002500

serged seams collar front zipper closure SM, MD, LG, XL, 2X, 3X, 4X, 5X,



Coverall

DPT NB122SWHXX002500

serged seams attached hood front zipper closure elastic wrists elastic ankles attached skid-resistant boots SM, MD, LG, XL, 2X, 3X, 4X, 5X, 6X



Coverall

DPT NB125SWHXX002500

serged seams collar front zipper closure elastic wrists elastic ankles SM, MD, LG, XL, 2X, 3X, 4X, 5X,



Coverall

DPT NB127SWHXX002500

serged seams attached hood (respirator fit)1 front zipper closure storm flap elastic wrists elastic ankles SM, MD, LG, XL, 2X, 3X, 4X, 5X, 6X



PROTECTIVE CLOTHING



Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont. Tyvek® provides the ideal balance of protection, durability and comfort for any limited use fabric technology. Tyvek® fabric offers an inherent barrier to small size particles. Protection is built into the fabric itself: there are no films or laminates to abrade or wear away. Tyvek® fabric's durability advantage over microporous film delivers consistently better barrier, even after wear and abrasion.

APPLICATIONS INCLUDE: lead and asbestos abatement/remedation, general maintenance/operations, spray painting, general cleanup.



- An ideal balance of protection durability and comfort
- Comfort fit design allows for a greater range of motion and fewer blowouts
- Breathable inherent barrier protection against hazardous dry particles, aerosols and non-hazardous light liquid splash
- Excellent abrasion resistance stops particles down to the micron
- One garment for many application: General Maintenance / Operations / Microcrystalline Silica / Lead Abatement / Environmental Cleanup / Asbestos Abatement / Agriculture / Food Processing / Mold Remediation / Spray Painting



BOOT COVER


- TY454 Serged seams
- Elastic opening 18" height
- Tyvek® fabric
- One size fits all
- 200 pairs per case

DPT TY454SWH00010000



SLEEVE

- TY500 Serged seams
- Elastic top Elastic wrist
- 18" length
- One size fits all
- 100 per case





APRON

- TY273 Bound seams
- Bound neck & ties Bib style
- Size: 28" x 36"
- One size fits all
- 100 pairs per case

DPT TY273BWH00010000



SHOE COVER

- TY450 Serged seams
- Elastic opening 18" height
- Tyvek® fabric
- One size fits all
- 200 pairs per case





HOOD

- TY657 Serged seams
- Pullover Elastic face
- Shoulder length
- One size fits all
- 200 pairs per case

DPT TY657SWH00010000

PROTECTIVE CLOTHING

DUPONT® PART NUMBERS

| Product | Description | Part # |
|-----------------------------------|--|---|
| Shoe/Boot Covers | Cover Tyvek® Shoe 5" High Skid-Resistant Sole | DPT FC450SGY00020000 |
| | Cover Tyvek® Shoe 5" High Sold In Pairs, 100 Pair | DPT TY450SWH00020000 |
| | Cover Tyvek® Boot 18" Pair Elastic Calf, 50 Pair | DPT TY454SWH00010000 |
| | Cover Tyvek® Boot 18" Pair Elastic SR XL | DPT TY454SWHNXL0100SR |
| | Cover Tyvek® Boot 18" Elastic & Skid Resistant | DPT FC454SGY00010000 |
| Coverall, Zipper Front | Coverall Tyvek® Small Zipper Front | DPT TY120SWHSM002500 |
| | Coverall Tyvek® Medium Zipper Front | DPT TY120SWHMD002500 |
| | Coverall Tyvek® Large Zipper Front | DPT TY120SWHLG002500 |
| | Coverall Tyvek® XLarge Zipper Front | DPT TY120SWHXL002500 |
| | Coverall Tyvek® 2XLarge Zipper Front | DPT TY120SWH2X002500 |
| | Coverall Tyvek® 3XLarge Zipper Front | DPT TY120SWH3X002500 |
| | Coverall Tyvek® 4XLarge Zipper Front | DPT TY120SWH4X002500 |
| | Coverall Tyvek® 5XLarge Zipper Front | DPT TY120SWH5X002500 |
| | Coverall Tyvek® 6XLarge Zipper Front | DPT TY120SWH6X002500 |
| | Coverall Tyvek® 7XLarge Zipper Front | DPT TY120SWH7X002500 |
| | Coverall Zipper Front Tyvek® 8XLarge | DPT TY120SWH8X002500 |
| Coverall, Hood & Boots | Coverall Tyvek® Medium Hood Boot | DPT TY122SWHMD002500 |
| ooveran, rieda a zeota | Coverall Tyvek® Large Hood, Boot | DPT TY122SWHLG002500 |
| | Coverall Tyvek® XLarge Hood, Boot | DPT TY122SWHXL002500 |
| | Coverall Tyvek® 2XLarge Hood, Boot | DPT TY122SWH2X002500 |
| | Coverall Tyvek® 3XLarge Hood, Boot | DPT TY122SWH3X002500 |
| | Coverall Tyvek® 4XLarge Hood Boot | DPT TY122SWH4X002500 |
| Coverall, Elastic Wrists/Ankles | Coverall Tyvek® Small Elastic Wrist/Ankle | DPT TY125SWHSM002500 |
| Coverall, Liastic VVIIsts/Alikies | Coverall Tyvek Small Elastic Wrist/Ankle Coverall Tyvek® Medium Elastic Wrist/Ankle | DPT Y125SWHMD002500 |
| | Coverall Tyvek Medidin Llastic Witst/Ankle | DPT TY1253WHLG002500 |
| | Coverall Tyvek® XLarge Elastic Wrist/Ankle | DPT TY125SWHXL002500 |
| | Coverall Tyvek * XLarge Elastic Wrist/Ankle Coverall Tyvek* 2XLarge Elastic Wrist/Ankle | DPT TY125SWH2X002500 |
| | Coverall Tyvek® 3XLarge Elastic Wrist/Ankle | DPT TY125SWH3X002500 |
| | Coverall Tyvek® 4XLarge Elastic Wrist/Ankle | DPT TY125SWH3X002500 |
| Coverall, Hood & Elastic Wrists/ | Coverall Tyvek® Med Hood Elastic Wrist/Ankle | DPT TY127SWHMD002500 |
| Ankles | Coverall Tyvek Med Hood Elastic Wrist/Ankle | DPT TY1275WHLG002500 |
| , a | Coverall Tyvek® XLarge Hood Elastic Wrist/Ankle | DPT TY1275WHXL002500 |
| | | · · · · · · · · · · · · · · · · · · · |
| | Coverall Tyvek® 2XLarge Hood Elastic Wrist/Ankle | DPT TY127SWH2X002500 DPT TY127SWH3X002500 |
| | Coverall Tyvek® 3XLarge Hood Elastic Wrist/Ankle | DPT TY1275WH3X002500 |
| | Coverall Tyvek® 4XI Hood Elastic Wrist/Ankle | <u>.</u> |
| l -b C+ 2 Dl+- | Coverall Tyvek® 5XI Hood Elastic Wrist/Ankle | DPT TY127SWH5X002500 |
| Lab Coat, 2 Pockets | Lab Coat Tyvek® Medium 2 Pockets | DPT TY212SWHMD003000 |
| | Lab Coat Tyvek® Large 2 Pockets | DPT TY212SWHLG003000 |
| | Lab Coat Tyvek® XLarge 2 Pockets | DPT TY212SWHXL003000 |
| | Lab Coat Tyvek® 2XLarge 2 Pockets | DPT TY212SWH2X003000 |
| 01: . 0 | Lab Coat Tyvek® 3XLarge 2 Pockets | DPT TY212SWH3X003000 |
| Shirt, Snap Front | Shirt Tyvek® Snap Front Medium TY303 | DPT TY303SWHMD005000 |
| | Shirt Tyvek® Snap Front Large TY303 | DPT TY303SWHLG005000 |
| | Shirt Tyvek® Snap Front XLarge TY303 | DPT TY303SWHXL005000 |
| | Shirt Tyvek® Snap Front 2XLarge TY303 | DPT TY303SWH2X005000 |
| | Shirt Tyvek® Snap Front 3XLarge TY303 | DPT TY303SWH3X005000 |
| | Shirt Tyvek® Snap Front 5XLarge TY303 | DPT TY303SWH5X005000 |
| Pants, Elastic Waist | Pants Tyvek® Small Elastic Waist | DPT TY350SWHSM005000 |
| | Pants Tyvek® Medium Elastic Waist | DPT TY350SWHMD005000 |
| | Pants Tyvek® Large Elastic Waist | DPT TY350SWHLG005000 |
| | Pants Tyvek® XLarge Elastic Waist | DPT TY350SWHXL005000 |
| | Pants Tyvek® 2XLarge Elastic Waist | DPT TY350SWH2X005000 |
| | Pants Tyvek® 3XLarge Elastic Waist | DPT TY350SWH3X005000 |
| | Pants Tyvek® 4XLarge Elastic Waist | DPT TY350SWH4X005000 |
| | Pants Tyvek® 6XLarge Elastic Waist | DPT TY350SWH6X005000 |
| Sleeves | Sleeves Tyvek® 18" Pair Elastic Ends, 100 Pair | DPT TY500SWH00020000 |
| Hood, Elastic Face | Hood Tyvek® Pullover Elastic Face | DPT TY657SWH00010000 |
| Hat | Hat Beret Tyvek® 21" | DPT IC729SWH0002500B |
| Apron | Apron 28"X36" Tyvek® | DPT TY273BWH00010000 |



Microporous Protection from Dirt, Grease, Grime and Light Chemical Splash!

This line of general purpose protective clothing can be used in work environments where hazardous or non-hazardous contaminants may be present. Very economical and lightweight, MicroMax® NS features high MVTR and is breathable for worker comfort. MicroMax® NS is strong, wet or dry, perfect for work environments where dirt, grime, splashes and spills are present.

MicroMax® NS ASTM F903 Penetration Data

| Chemical Tested | Concentration % | Test Time – Minutes | Test Results |
|---------------------------|---|----------------------------------|-----------------|
| Diazinon | 100% | 60 | Pass |
| Motor Oil-40 wt. | 100% | 60 | Pass |
| Bleach-household | 100% | 60 | Pass |
| Isocyanate Based Paint | 100% | 60 | Pass |
| Sodium Hydroxide | 50% | 60 | Pass |
| Sodium Hyper- chlorite | 10% | 60 | Pass |
| Blood | Challenge Fluid Liter – 3.20 x 108 (PFU/mL) | Assay Re- sults PFU/ mL <1 | Pass |









 Zipper closure **Sizes:** S – 5X Case Pack: 25

Coverall with Hood AI CTL428

- Zipper closure
- Attached hood
- Elastic wrists
- Elastic ankles **Sizes**: S − 5X Case Pack: 25






PROTECTIVE CLOTHING

MICRO-POROUS SUITS -


Polypropylene Protective Gear • Microporous film over spun-bonded

- polypropylene material that breathes well to keep the user cool and dry while protecting against non-hazardous applications that include dirt, light liquid splashes, and particles
- Durable, soft fabric provides comfortable extended wear



Industrial Applications:

- Protects against fiberglass, carbon dust and dry non-hazardous particles
- Used in the agricultural industry and ideal for light duty applications





| Coverall w/ Open Sleeves 25 PER CASE | Size |
|--|-------------------------------------|
| AI CTL412-M | MD |
| AI CTL412-L | LG |
| AI CTL412-XL | XL |
| AI CTL412-2XL | 2XL |
| AI CTL412-3XL | 3XL |
| AI CTL412-4XL | 4XL |
| Coverall w/ Hood 25 PER CASE | Size |
| AI CTL428-M | MD |
| AI CTL428-L | LG |
| AI CTL428-XL | XL |
| AI CTL428-XXL | 2XL |
| AI CTL428-3XL | 3XL |
| AI CTL428-4XL | 4XL |
| | |
| Pants 50 PER CASE | Size |
| | Size MD |
| 50 PER CASE | |
| 50 PER CASE AI CTL301-M | MD |
| 50 PER CASE AL CTL301-M AL CTL301-L | MD LG |
| 50 PER CASE AI CTL301-M AI CTL301-L AI CTL301-XL | MD LG XL |
| AI CTL301-M AI CTL301-L AI CTL301-XL AI CTL301-XXL AI CTL301-3XL AI CTL301-4XL | MD LG XL 2XL |
| 50 PER CASE AI CTL301-M AI CTL301-L AI CTL301-XL AI CTL301-XXL AI CTL301-3XL | MD LG XL 2XL 3XL |
| 50 PER CASE AI CTL301-M AI CTL301-L AI CTL301-XL AI CTL301-XXL AI CTL301-3XL AI CTL301-4XL Shirt | MD LG XL 2XL 3XL 4XL |
| 50 PER CASE AI CTL301-M AI CTL301-L AI CTL301-XL AI CTL301-XXL AI CTL301-3XL AI CTL301-4XL Shirt 50 PER CASE | MD LG XL 2XL 3XL 4XL |
| 50 PER CASE AI CTL301-M AI CTL301-L AI CTL301-XL AI CTL301-XXL AI CTL301-3XL AI CTL301-4XL Shirt 50 PER CASE AI CTL201-M | MD LG XL 2XL 3XL 4XL |
| 50 PER CASE AI CTL301-M AI CTL301-L AI CTL301-XL AI CTL301-XXL AI CTL301-3XL AI CTL301-4XL Shirt 50 PER CASE AI CTL201-M AI CTL201-L | MD LG XL 2XL 3XL 4XL Size MD LG |
| SO PER CASE AI CTL301-M AI CTL301-L AI CTL301-XL AI CTL301-XXL AI CTL301-3XL AI CTL301-4XL Shirt SO PER CASE AI CTL201-M AI CTL201-L AI CTL201-XL | MD LG XL 2XL 3XL 4XL Size MD LG XL |

*5XL available as special order

APRONS



Dominator Heavy Duty Apron

- 42mm single ply PVC with raw edge, 35" x 45"
- One size fits all
- Aqua green

MSW 388R5



- 8 MIL vinyl with raw edge, 35" x 45"
- Adjustable ties (3 strings included)
- Resistant to oils. chemicals and abrasions

MSW 073R4



Gen-Nex[™] Professional **Grade Coverall**

- Features a full zipper front, elastic wrists and non-elastic pant cuffs
- Excellent protection against isocyanate based coatings

| Part # | Size | Style |
|----------|------|--------|
| SAS 6852 | MD | CREW |
| SAS 6853 | LG | CREW |
| SAS 6854 | XL | CREW |
| SAS 6855 | 2XL | CREW |
| SAS 6856 | 3XL | CREW |
| SAS 6892 | MD | HOODED |
| SAS 6893 | LG | HOODED |
| SAS 6894 | XL | HOODED |
| SAS 6895 | 2XL | HOODED |
| SAS 6896 | 3XL | HOODED |



Breathable SMS Hooded and Booted Coveralls

• Breathable material helps reduce heat stress

• Meets ANSI F903-10 chemical penetration

• test for solvent based paints

| Part # | Size | |
|----------|------|--------|
| SAS 6961 | SM | CREW |
| SAS 6962 | MD | CREW |
| SAS 6939 | LG | CREW |
| SAS 6940 | XL | CREW |
| SAS 6965 | 2XL | CREW |
| SAS 6971 | SM | HOODED |
| SAS 6972 | MD | HOODED |
| SAS 6973 | LG | HOODED |
| SAS 6974 | XL | HOODED |
| SAS 6975 | 2XL | HOODED |



LATEX-

AlphaTec® Flock Lined Gloves

• Light duty glove • 100% cotton flock lining

• Special treatment for water repelling • Good dexterity/tactility

| 17 mil | Size | 20 mil | Size |
|---------------|------|---------------|------|
| AED 87-198-7 | SM | AED 87-298-7 | SM |
| AED 87-198-8 | MD | AED 87-298-8 | MD |
| AED 87-198-9 | LG | AED 87-298-9 | LG |
| AED 87-198-10 | XL | AED 87-298-10 | XL |

Ansell

AlphaTec® Heavyweight Gloves

- Extra heavy duty orange glove 100% cotton flock lining
- Heavy duty with 0.73 mm / 29 mils thickness

| Part # | Size |
|----------------|------|
| AED 87-208-676 | MD |
| AED 87-208-676 | LG |
| AED 87-208-676 | XL |





AlphaTec® Neoprene and **Latex Flock Lined Gloves**

- Medium duty glove 13" Length
- Bi-color with double dipped natural rubber and neoprene
- 100% cotton flock lining 28 MIL

| Part # | Size | Part # | Size |
|--------------|------|---------------|------|
| AED 87-244-7 | SM | AED 87-244-9 | LG |
| AED 87-244-8 | MD | AED 87-244-10 | XL |

MICR #FLEX **Latex Exam Gloves**

- Textured fingertips provide secure grip
- Enhanced finger thickness for extra protection

| Size | Diamond Grip® Powder Free, 6 MIL | SafeGrip® Powder Free, 11 MIL |
|------|--|----------------------------------|
| SM | MFX MF300S | MFX SG375S |
| MD | MFX MF300M | MFX SG375M |
| LG | MFX MF300L | MFX SG375L |
| XL | MFX MF300XL | MFX SG375XL |



Latex Exam Gloves

- · Superior fit, comfort, flexibility, sensitivity and performance
- 100 gloves per box







| Size | VALUE TOUCH® Powdered, 5 MIL | VALUE TOUCH® Powder Free, 5 MIL | DYNA GRIP® Powder Free, 7 MIL |
|------|---------------------------------|--|--------------------------------------|
| SM | SAS 6591 | SAS 6591-20 | SAS 650-1001 |
| MD | SAS 6592 | SAS 6592-20 | SAS 650-1002 |
| LG | SAS 6593 | SAS 6593-20 | SAS 650-1003 |
| XL | SAS 6594 | SAS 6594-20 | SAS 650-1004 |

Thickster Disposable Latex Gloves

- Heavy-duty Textured grip
- 14 MIL thickness Maximum strength
- Tear Resistant 50 Gloves per box

| Part # | Size | Part # | Size |
|----------|------|----------|------|
| SAS 6602 | MD | SAS 6604 | XL |
| SAS 6603 | LG | SAS 6605 | XXL |



NITRILE -

Size

SM

MD

LG

XL

SAFETY GLOVES

Powder-Free Nitrile Examination Gloves

- Nitrile construction with textured fingers
- 100 gloves per box





Nitrile Exam Gloves

MFX BD1004NPF

• Textured • Powder Free • 100 gloves per box

MFX MK296XL



MFX N644





MFX SU609XL

| Size | Professional Series Blue, Exam Grade | Professional Series Black, Exam Grade | GlovePlus® Black, Industrial Grade |
|------|--|---|--|
| SM | AMX APFN42100 | AMX ABNPF42100 | AMX GPNB42100 |
| MD | AMX APFN44100 | AMX ABNPF44100 | AMX GPNB44100 |
| LG | AMX APFN46100 | AMX ABNPF46100 | AMX GPNB46100 |
| XL | AMX APFN48100 | AMX ABNPF48100 | AMX GPNB48100 |

| Size |
|------|
| SM |
| MD |
| LG |
| XL |
| XXL |
| |

Raven Powder-Free Nitrile Gloves

- Superior puncture and abrasion resistance
- Latex Free
- Textured Grip
- Beaded Cuff
- Ambidextrous
- 6 MIL Nitrile



Derma-Pro & Derma-Tuff

- **Powder-Free Nitrile Gloves**
- · Comfort fit and durable wear
- Puncture resistance Superior strength



| Size | Derma-Pro® Profesional, 4 MIL | Derma-Tuff® Heavy Duty, 6 MIL |
|------|---|---|
| SM | SAS 66541 | SAS 66581 |
| MD | SAS 66542 | SAS 66582 |
| LG | SAS 66543 | SAS 66583 |
| XL | SAS 66544 | SAS 66584 |
| XXL | SAS 66545 | SAS 66585 |

Astro-Grip Disposable Nitrile Gloves

- Powder-free
- · High visibility 7 MIL
- Maximum comfort • 100 Gloves per box

| Part # | Size | The second second |
|-----------|------|-------------------|
| SAS 66572 | MD | |
| SAS 66573 | LG | |
| SAS 66574 | XL | |
| SAS 66575 | XXL | |
| | | |

SAFETY GLOVES


Ultra-Thin Polyurethane Palm Coated

- Gray foam Nitrile, black shell
- 13 gauge nylon shell

| Part # | Size |
|-------------|------|
| ANR 6080-M | MD |
| ANR 6080-L | LG |
| ANR 6080-XL | XL |



MaxiFlex™ Seamless Knit



- MicroDot technology on the palm for excellent grip
- Black micro-foam 15 gauge Nylon/Lycra® liner
- Nitrile, fully coated including ribbed knitwrist
- Designed to produce minimal lint and dust
- · Excellent dexterity, sensitivity and tactility

| Part # | Size | Part # | Size |
|---------------|------|-----------------|------|
| PIP 34-8745-M | MD | PIP 34-8745-XL | XL |
| PIP 34-8745-L | LG | PIP 34-8745-XXL | 2XL |



CUT RESISTANT -

Latex Coated Cut-Resistant Gloves

- Cotton/Polyester 10-cut knit Textured palm/fingers
- Cut/Puncture resistant Color-coded hem
- Contoured fit Machine washable

| Part # | Size |
|------------|------|
| ANR 6030-S | SM |
| ANR 6030-M | MD |
| ANR 6030-L | LG |







G-Tek General Purpose Polyurethane Coated Knit Nylon Gloves

- ANSI Cut Level 1 Medium weight
- Polyurethane (PU) coatings offer great puncture and abrasion resistance while offering excellent tactile sensitivity
- · Breathable back for comfort

| Part # | Size |
|----------------|------|
| PIP 33-825-XS | XS |
| PIP 33-825-S | SM |
| PIP 33-825-M | MD |
| PIP 33-825-L | LG |
| PIP 33-825-XL | XL |
| PIP 33-825-XXL | 2X |





Hot Sleeve

• Protect hand and forearm from hot objects . Washable

LIS 18700

WORK GLOVES

PVC-Dotted String Knit Gloves

- · Comfortable string knit gloves help keep your hands safe and warm
- PVC dots provide a stronger grip
- Dots coat both sides, giving increased longevity to these ambidextrous gloves.

| Part # | Size |
|-------------|------|
| ANR 6705-M | MD |
| ANR 6705-L | LG |
| ANR 6705-XL | XL |
| | |



Cotton Work Gloves

• Heavy weight • 10 oz

Knit wrist

| Part # | Color |
|----------|-------|
| ANR 1200 | BROWN |
| ANR 1110 | WHITE |

Split Cowhide Leather Glove

- Standard shoulder jointed double palm
- 2-1/2" rubberized cuff One size

PIP 84-7533J-L



Leather Driver's Glove

- · Standard grain cowhide
- Shirred elastic back



| Part # | Size |
|-------------|------|
| ANR 4015-S | SM |
| ANR 4015-M | MD |
| ANR 4015-L | LG |
| ANR 4015-XL | XL |
| | |

Original Gloves

- 2-way stretch material provides max comfort
- TPR (Thermal Plastic Rubber) hook and loop closure
- Durable synthetic leather palm

| Part # | Size |
|---------------|------|
| MCX MG-05-009 | MD |
| MCX MG-05-010 | LG |
| MCX MG-05-011 | XL |





- M-Pact® Impact Protection Gloves
 Impact Guard™ protects first knuckle with EVA foam padding
- Thermal Plastic Rubber (TPR) knuckle guard and finger protection

 Form-fitting TrekDry® material helps keep hands
- cool and comfortable

| Part # | Size |
|--------------|------|
| MCX MPT58009 | SM |
| MCX MPT58009 | MD |
| MCX MPT58010 | LG |
| MCX MPT58011 | XL |
| MCX MPT58012 | XXL |
| | |



RESPIRATORY PROTECTION

DISPOSABLE RESPIRATORS -

3M™N95 RESPIRATORS



Economical disposable N95 particulate respirators designed to help provide reliable respiratory protection against non-oil based particles



| Part # | Description | Ωty |
|-----------|---|--------|
| 3MI 07023 | 3M™ Particulate Respirator 8200, N95 | 20/B0X |
| 3MI 46457 | 3M™ Particulate Respirator 8210, N95 | 20/B0X |
| 3MI 49711 | 3M™ Particulate Respirator 8210V, N95 w/ Cool Flow™ Valve | 20/B0X |
| 3MI 54343 | 3M™ Particulate Respirator 8511, N95 w/ Cool Flow™ Valve | 20/B0X |



SAS Safety N95 Particulate Respirators

- Full facial foam seal follows facial
- Contours and offers exceptional comfort
- Inner foam provides a custom seal
- Dual head strap for optimum fit
- NIOSH Approved TC-84A-3888 for SAS 8610
- NIOSH Approved TC-84A-3889 for SAS 8611

SAS 8610 / SAS 8611 (with valve)

Nuisance Dust Mask

- Adjustable metal nose piece shapes easily to face
- Reduces the irritating effects from non-toxic particles such as pollen, common household dust & cut grass
- Does not provide NIOSH approved respiratory protection
- Single strap elastic head band 50 masks per box

SAS 2985

Metal-Free Particulate Respirator

- 95% filter efficiency level effective against particulate aerosols free of oil; time use restrictions may apply
- Form-fitted, metal-free mask
- Continuous loop latex-free head strap
- Maintenance-free construction 20 masks per box

SAS 8625



Disposable Respirators

- Exclusive easy-breathing wave design
- · Less resistance, better breathability
- Ideal where unvalved respirators are preferred
- Longer wear means less cost than valved respirators

MOLDEX

airwave

MLX 4200 (M/L) / MLX 4201 (S)

Moldex Dura-Mesh®, Softspun® Respirators

- Dura-Mesh® shell resists collapsing so workers use fewer masks
- Softspun® lining gives added comfort and durability
- Contour molded nose bridge N95 Classification

MLX 2200 / MLX 2300 (with valve)

Disposable Respirators

- Molded cup design
- Offered in valved and non-valved
- Humidity-resistant filter media
- Low breathing resistance
- · Lightweight design
- Durable suspension straps





SPRAY SOCKS -

Spray Sock

- Fits over the head and can be worn with goggles, half-mask, full-mask respirators
- 100% cotton, stretch knit material
- Cool and lightweight 12 per box
- Provides protection from overspray dust & dirt
- · Stretch to fit facial opening to allow exposure of eyes, nose and mouth

ALG 1410





Painter's Spray Sock

- Comfortable cotton blend Snug fit around head and neck
- One size fits most 12 per box

SAS 6810



- Ergonomically designed for greater movement in paint booth
- Unlike supplied air systems, a PAPR does not require that you be connected to your air source by an air line, leaving you free to go where you need to go
- Multiple NIOSH-approved headgear options available to meet the needs of paint spray
- Fully submersible* product features a smooth design surface that's quick and easy to clean
- Multi-speed blower functions at altitudes up to 16,000 feet
- Battery offers long run time and charges quickly, achieving 90% charge in approximately 3.5 hours
- Approximately 750 full charge/discharge cycles
- Built in charge level indicator
- Choose from particulate filters or gas and vapor combination cartridges for protection in a variety of environments

| M-206 | Respiratory Faceshield Assembly |
|----------|---------------------------------|
| BT-20L | Breathing Tube |
| TR-6510N | (OV/HE) Cartridge |
| TR-641N | Single Station Battery Charger |
| BT-922 | Breathing Tube Cover |
| TR-802N | Intrinsically Safe PAPR Unit |
| TR-830 | Intrinsically Safe Battery |
| TR-838 | Battery Attachment Tool |
| TR-627 | Easy Clean Belt |
| TR-6500 | Filter Cover |
| TR-971 | Airflow Indicator |
| TR-653 | Storage and Cleaning Kit |





RESPIRATORY PROTECTION

HALF FACE RESPIRATORS

3M™ Half Facepiece Reusable Respirators

- Comfortable soft, lightweight facepiece with easy-to-adjust head straps
- NIOSH approved for negative pressure air purifying and supplied air dual airline applications
- Can be disassembled/cleaned/reused
- · Replaceable cartridges and filters allow reuse of facepiece for cost savings

| Part # | Description | Qty |
|-----------|------------------------------|---------|
| 3MI 07024 | Small | 24/CASE |
| 3MI 07025 | Medium | 24/CASE |
| 3MI 07026 | Large | 24/CASE |
| 3MI 21674 | Organic Vapor Cartridge 2/PK | |
| 3MI 46464 | N95 Reusable Filter 10/BOX | |
| 3MI 17668 | Pre-Filter Retain | er |



Half Mask Respirators

- Contoured sealing flange and cradle suspension system eliminates discomfort caused by pressure points on facial nerves
- Nose area design is comfortable and well-fitting
- Three overlapping sizes fit most users

| 5500 Rubber | 7700 Silicone | Size |
|-------------|---------------|--------|
| NTH 550030S | NTH 770030S | Small |
| NTH 550030M | NTH 770030M | Medium |
| NTH 550030L | NTH 770030L | Large |



Replacement Cartridges & Filters

| Part # | Color | Description |
|--------------|-------------|---------------------------------|
| NTH N75001 | Black | Organic Vapor Cartridge |
| NTH 7581P100 | Blk/Magenta | Above w/P100 Particulate Filter |
| NTH N75003 | Yellow | Organic Vapor Acid Cartridge |



Alcohol Free Respirator Cleaning Wipes

- Wall-mountable box in which cleaning pads are held make it easy and convenient for workers to have around and use
- Large 5" x 8", individually wrapped
- Alcohol-free wipes avoid damaging sensitive rubber facepieces

ALG 3001

Bandit Half Mask Respirator

- NIOSH approved solvent and particulate respirator
- · Good for 40 hours of light solvent filtering work and 8 hours of concentrated solvent filtering
- · Resealable package

| Part # | Description |
|-------------|----------------------------------|
| SAS 8661-92 | OV Cartridge with N95 Filter, MD |
| SAS 8661-93 | OV Cartridge with N95 Filter, LG |

Professional Half Mask Respirator

- High quality silicone facepiece designed for maximum comfort and fit
- Unique sliding adjustment system on head harness keeps strap ends secure and out of wearer's vision
- Yoke and head harness design eliminates face piece slippage

| Part # | Description |
|-------------|-------------------------------------|
| SAS 2661-50 | Medium, Blue |
| SAS 2761-50 | Large, Blue |
| SAS 1001-00 | Organic Respirator Cartridge, 6/BOX |










Half Mask Face Piece Professional Silicone

- NIOSH-Approved particulate filter
- Provides at least 99.97% filtration efficiency against particulates generated in body shop applications
- Comes with 2 pair G71 OV/P100 cartridges

| Part # | Size |
|----------|--------|
| GER 9261 | Medium |
| GER 9361 | Large |

BreathMate™ Bundle



INCLUDES:

- (1) Half Mask with Filter Retainers
- 12 Pairs of Filters
- 6 Organic Vapor Cartridges
- Respirator Wipes
- Storage Bag

| Part # | Size |
|--------------|--------|
| SAS 031-2115 | Medium |
| SAS 031-3115 | Large |





Full Face Respirators

- Hard-coated polycarbonate lens protects eye and face against irritating gases, vapors & particles
- Oral nasal cup reduces fogging
- Easy to clean, extremely durable and resists distortion

| Rubber | Silicone | Size |
|--------------|------------|------|
| NTH 760008AS | NTH 54001S | S |
| NTH 760008A | NTH 54001 | M/L |



Filters & Accessories

| Part # | Description |
|--------------|-----------------------------------|
| NTH 80836A | Peel-Off Lens Cover (15 sheets) |
| NTH 7580P100 | P100 Filter, Pair |
| NTH 75FFP100 | P100 Filter (Pancake Style), Pair |
| NTH 7506N95 | Non-Oil Filter 10/PACK |
| NTH N750036 | Seal-Check/Filter Cover |

FULL FACE RESPIRATORS

3M™ Full Facepiece Respirator 6000 Series

 Provides respiratory protection againsta wide variety of gases and vapors when used with approved cartridges and filters

Large lens for wide field of view and excellent visibility

 3M[™] Cool Flow[™] Valve for cooler, drier comfort

· Lightweight, well-balanced design with silicone seal

| acoign with | 011100110 0001 |
|-------------|----------------|
| Part # | Size |
| 3MI 54145 | Small |
| 3MI 54146 | Medium |
| 3MI 54159 | Large |
| | |

Peel Away Lens Covers

- Protect lenses from scratches, dust and overspray
- 25 per pack
- 3MI 60417

BreatheMate™ Multi-Use **Respirators**

- Designed with a universal nose fit, large sealing surface and advanced voke design for a secure comfortable no-slip fit
- Wide lens provides better visibility
- · Polycarbonate lens with anti-fog and antiscratch coating
- Includes: (1) Full facepiece, (2) Organic Vapor Cartridges, (2) R95 Particulate Filters, and (2) Retainers

| Part # | Size |
|--------------|--------|
| SAS 312-2215 | Medium |
| SAS 312-3215 | Large |





EYE PROTECTION

SAFETY GLASSES

NSX Turbo Safety Glasses

- High-Impact polycarbonate lens
- 99.9 Percent UV protection
- Scratch-resistant lens
- Lightweight wrap-around lens
- Meets current Z87.1+ Standard

| Tint | SAS | MCR Safety |
|--------|----------|------------|
| Clear | SAS 5330 | MSW BK110 |
| Gray | SAS 5331 | MSW BK112 |
| Mirror | SAS 5334 | MSW BK119 |









Low Cost Eye Protection

- Polycarbonate temples and single piece wrap around lens provide superior protection
- Scratch resistant coating ANSI Z87.1-2003 standard certified

MSW CL112 Gray Tint MSW CL110 Clear Tint



Worker Bee Safety Glasses

- Solid clear frame and clear lens
- · High-impact polycarbonate lenses
- 99.9% UV protection
- Ideal visitor specs
- Fits over most prescription glasses
- Meets ANSI z87.1-2010

SAS 5120

Black Frame Classic Style™ with Clear Lens

- Impact Resistant Polycarbonate Lens
- 99.9% UV Protection
- · Lightweight comfort

SAS 5125

Standard Goggles

- Impact resistant polycarbonate lens
- 99.9% UV protection
- · Scratch resistant coating
- Flexible PVC construction

SAS 5101



Klondike® Safety Glasses

- Safety & style at an affordable price!
- Soft secure TPR nose pad
- Extendable spatula temples

| Part # | Tint |
|-----------|--------|
| MSW KD110 | Clear |
| MSW KD112 | Gray |
| MSW KD114 | Yellow |
| MSW KD112 | Mirror |



3M™ Solus™ 1000 Series Safety Glasses with Scotchgard™ Anti-Fog Coating

- Anti-fog coating lasts longer than traditional coatings
- Removable padded temples and soft nose bridge
- Low profile Absorbs 99% of UV rays
- Meets ANSI Z87.1 & CSA Z94.3 requirements

| Part # | Description |
|-----------|--|
| 3MI 27182 | Green/Black Frames, Clear Lens |
| 3MI 27183 | Green/Black Frames, Grey Lens |
| 3MI 27184 | Green/Black Frames, Amber Lens |
| 3MI 27185 | Green/Black Frames, Clear Lens, Foam Gasket & Strap |



3M™ SecureFit™ Safety Glasses

- Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes
- Self-adjusting feature eliminates need to stock multiple frame sizes at work sites
- Secure, snug fit keeps eyewear in place without slippage even when the person is in motion



| Part # | Description |
|-----------|---|
| 3MI 65718 | Frameless, Gray Anti-fog Lens |
| 3MI 66213 | Frameless, Indoor/Outdoor Mirror Lens |
| 3MI 27338 | Black Frames, Gray Scotchgard™ Anti-fog Lens |

READERS/MAGNIFIERS



Lightcrafters™

- Adjustable ultra-bright built-in LED lights
- 99.9% UV protection
- Anti-fog and scratch-resistant coating
- Turn lights on or off independently
- LR44 batteries included

| Part # | Magnification |
|-------------|---------------|
| SAS 5420-15 | +1.5 |
| SAS 5420-20 | +2.0 |
| SAS 5420-25 | +2.5 |
| SAS 5420-30 | +3.0 |



Bearkat® Magnifiers

- Meets ANSI Z87+ (High Impact) standard
- CSA version meets CSA Z94.3 standard

| Part # | Magnification |
|-----------|---------------|
| MSW BKH10 | +1.0 |
| MSW BKH15 | +1.5 |
| MSW BKH20 | +2.0 |
| MSW BKH25 | +2.5 |

LENS CLEANERS —

Eyewear Cleaning Wipes

- 100 individually wrapped 5" x 8" wipes
 Contains 15% Isopropyl alcohol
 Pre-moistened wipe
- Excellent on glass or polycarbonate lenses
- 25 boxes/case

AIM 80350



Eyewear Wipes

- 100 individually wrapped
- 5" x 8" wipes
- Anti-fog and anti-static formula
- Ideal for use on goggles, face shields and CRT screens

ANR 70-AB

EYE/FACE PROTECTION & FIRST AID

Honeywell

MERGENCY EYEWASH

EYEWASH STATIONS -

Emergency Eyewash Stations

 Honeywell[®] is a leading manufacturer of premium protective eye and face products that set the standard for comfortable, high quality protection at work

Call for additional information



| Edward and the | Mr. |
|--------------------|---|
| Part # | Description |
| HWL 32-000200-0000 | Fendall Porta Stream II Eyewash Station |
| HWL 32-000100-0000 | Fendall Pure Flow 1000 Eyewash Station |
| HWL 32-000461-0000 | Wall Mount Emergency Eye/Face Wash |
| HWL 32-001100-0000 | Fendall Replacement Water Additive |

9 Gallon Portable Gravity Fed Eyewash Station

- Protect employees as required by law and guard against personal injury claims
- Station comes with water preservative
- Unit measures: 25-1/2" x 20 x 9-1/2"
- One hand operation
- No plumbing required, mounting bracket included
- Compliance: ANSI Z358.1

SAS 5134

Replacement Eyewash Water Preservative SAS 5136-01



FACE SHIELDS -

3M™ W Series Face Shield

- Molded polycarbonate provides impact protection
- Mounts quickly to 3M headgear (sold separately)
- Installation to headgear requires no tools, snaps or cams
- Developed for use in metalworking, utilities and more
- Meets high impact requirements of ANSI Z87.1-2003

3MI 82701

3M™ Ratchet Headgear H8A

• High strength thermoplastic crown with adjustable 5 position ratchet suspension

3MI 82501

FIBRE-METAL Face Shield

- Deeper 4" crown protector extends protection without increasing weight
- Incorporates wide vision (8" x 17") wraparound windows and screens which provide 40% more protective area then standard size face shields
- Fits easily over required spectacles or respirators
- Complete with clear shield Shields are 8"x16-1/2"x.060

| Part # | Description | Tint |
|------------|----------------------|------------|
| NTH F400C | Complete Face Shield | Clear Lens |
| NTH 4178CL | Replacement Shield | Clear Lens |



Standard Full Face Shield, Clear

- Polycarbonate lens
- Ratcheting adjustable headpiece
- Meets ANSI Z87.1

SAS 5140

Replacement Visor, Clear SAS 5150

Deluxe Full Face Shield, Clear

- Extra large spark guard Polycarbonate lens
- Ratcheting adjustable headpiece
- Meets ANSI Z87.1

SAS 5145

Replacement Visor, Clear SAS 5155

FIRST AID KITS



100 person First-Aid Kit, Metal Box

- Multi-functional kit designed for the workplace
- Includes a wide variety of wound management dressings, antiseptics, burn treatment products and personal protective devices
- Wall mount hardware included
- Meets ANSI Z308.1-2009 and OSHA 1910.151

SAS 6099-01





10 Person First Aid Kit, Plastic Box

- Plastic kit is waterproof and contains enough first aid supplies for about 10 people
- Contains economic bulk supplies that can be readily accessed when needed
- Ideal for manufacturing settings where a wide variety of first aid items are required
- All kits are waterproof
- ANSI Z308.1-2003 compliant

NTH 019700-0001L



EAR PROTECTION

EARPLUGS



3M™ E-A-R™ E-Z-Fit™ Earplugs

- Poly bag keeps each pair of earplugs clean before use
- Ideal for smaller ear canals
- 28 dB Noise Reduction Rating (NRR)
- CSA Class AL

| Part # | Туре | |
|-----------|----------|--|
| 3MI 12007 | Uncorded | |
| 3MI 12016 | Corded | |



3M™ No-Touch™ Foam Earplugs

- No roll-down, easy-insertion design keeps tip clean even if hands are dirty
- Push-to-fit live wire stem flexes sideways if impacted during wear
- Cylindrical shape fits most ears comfortably
- 29 dB Noise Reduction Rating * CSA Class AL
- SOLD AS EACH

| Part # | Туре |
|-----------|----------|
| 3MI 98014 | Uncorded |
| 3MI 98015 | Corded |

3M™ E-A-R™ UltraFit™ Earplugs

- Premolded, triple flange earplugs fit comfortably in a wide range of ear sizes
- No need to roll earplugs before fitting so the tips stay clean even if hands are dirty
- Soft polymer is washable and reusable, reducing both waste and costs
- Poly bag keeps each pair or earplugs available or accessible for re-use

| Part # | Туре |
|-----------|----------|
| 3MI 40000 | Uncorded |
| 3MI 40003 | Corded |





by Honeywell



Max® Single-Use Earplugs, Uncorded

- Contoured bell-shape is easier to insert, resists tendency to back-out of ear canal
- Polyurethane foam enhances comfort, especially for long-term wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up
- Polybag packaging
 200 Pair
- 32 dB Noise Reduction Rating CSA Class AL

HLI MAX-1

Laser Lite® Single-Use Earplugs

- Self-adjusting foam expands to fit virtually every wearer
- Contoured T-shape for easy insertion and wear
- Smooth, soil-resistant closed-cell foam skin prevents dirt build-up



| Part # | Cording | Packaging | NRR | CSA Class |
|------------|----------|-------------------------------------|-------|-----------|
| HLI LL-1 | Uncorded | Polybag, 200 PR | 32 dB | AL |
| HLI LL-LS4 | Uncorded | Bulk Refill for Light Source 400 | 32 dB | AL |

AirSoft® Reusable Earplugs with Red Polycord

- Advanced air pocket design features internal noise-blocking fins
- Four-flange profile creates better seal in the ear canal
- Less pressure in the ear canal eliminates that "plugged up" feeling
- Rounded flanges, tapered shape fits better in the ear canal
- Firm stem facilitates easy insertion and removal
- Outstanding noise-blocking protection highest attenuation in reusables
- More comfort than other flanged, reusable earplugs due to the softer flanges not applying as much pressure

HLI DPAS-30R



3M™ E-A-Rsoft™ Yellow Neon Blasts™ Earplugs

- Poly bag keeps each pair of earplugs clean before use
- Regular size fits most ear canals
- Soft foam earplugs are easy to roll down and insert, then expand within the earcanal for maximum comfort
- 33 dB Noise Reduction Rating CSA Class AL

3MI 11062



3M[™] E-A-R[™] Push-Ins[™] Earplugs

- Soft, flexible foam conforms to the unique shape of each ear for comfortable noise reduction
- Flexible stem makes fitting easy without the need to touch the foam tip so the tips stay clean even when hands are dirty
- Poly bag keeps earplugs clean before use
- Cord allows earplugs to be stored conveniently around the neck in between uses
- Noise Reduction Rating of 28 dB CSA Class AL

3MI 18003

MOLDEX Ideas that wear well:

Rockets® Corded Ear Plugs

- 27 dB Noise Reduction Rating Easy grip handle
- Flanged earplug slips easily into the ear
- Air bubble in the tip gives cushioned comfort for all day wear
- Ear plugs can be washed and reused
- 50 Pocket Pak® (in carrying case) per box

MLX 6405

Pura-Fit® Ear Plugs

- Longer length for easy fitting and removal
- · Bright green for easy compliance checks
- 33 dB Noise Reduction Rating





| Disposable Cylinder-Shape |
|---------------------------|





• Cord helps you keep track of your earplugs and prevent loss

NTH 280006





EAR PROTECTION

EARPLUGS ·

MOLDEX

PlugStation® Ear **Plugs Dispenser**

- · Highly visible, affordable, and easily mounted
- 33 dB Noise Reduction Rating
- Made of extra-soft. extra-light foam in bright swirled pattern colors
- Tapered shape fits easily in the ear canal
- · Gives workers easy access to hearing protection







MLX 6645

| Part # | Description |
|----------|-------------------------------------|
| MLX 6644 | Plug Dispenser Plus 250 SparkPlugs® |
| MLX 6645 | Plug Dispenser Plus 500 SparkPlugs® |
| MLX 6604 | 200 PC Refill |

3M[™] Foam Earplugs 1100

- Smooth, dirt resistant surface provides better hygiene
- Earplugs are easy to roll down for quick and easy fitting
- Tapered design fits comfortably in ear canals
- Soft polyurethane foam is hypoallergenic

3MI 29009



Honeywell

FirmFit Disposable Earplugs

- Greater Protection: Effective 30 dB Noise Reduction Rating provides excellent protection in most medium-to-high noise environments
- Easy to Insert: Requires less pressure to roll down. Slow recovery rate gives you plenty of time to correctly insert
- Easy to See: Distinct warning orange color makes compliance checks easy
- Softer: FirmFit is softer to the touch
- Less Pressure: FirmFit exerts less expansion pressure on the ear canal

HWL FF-1



QB2®HYG Banded Earplugs

- Smooth, ergonomic pods fit ear for maximum protection
- · Patented band design prevents ear pods from touching dirty or contaminated surfaces
 - Lightweight and portable designed especially for environments with intermittent noise hazards
 - Soft pods rest partially in the ear canal for a balance of comfort and protection

HLI QB2HYG

EAR MUFFS -

MOLDEX

Over-the-Head Adjustable **Ear Muffs**

- Passively block noise by relying on the insulating materials of the ear cups to dampen sound
- 29 dB Noise Reduction Rating
- Typically worn in areas where workers don't need to speak with one another and the goal is to block all or most surrounding noise
- Comply to ANSI S3.19-1974
- · Adjustable, spring-steel headband

MLX 6100



3M™ PELTOR™ Optime™ 105 Earmuffs H10A, Over-the-Head

- Protection for exposures up to 105 dBA
- Double-shell technology boosts its noise blocking ability
- · Durable stainless steel headband resists bending and warping
- 30 dB Noise Reduction Rating

3MI 08101







Standard Earmuff Hearing Protection

- Lightweight, muff-style hearing protector features universal adjustment for under-the-chin. over-the-head or behind-head wear
- NRR 23

SAS 6105

QM24+ Multiple Position Ear Muffs

- Ultra lightweight design 25 dB NRR
- Multiple-position headband allows wearer to select position over the head, behind the head or under the chin
- Alternative to cap-mounted earmuffs wear with hard hats, face shields, respirators and other PPE
- · Dielectric construction suitable for electrical environments

HLI QM24





PROTECTIVE APPAREL

HARD HATS -



3M™ Hard Hat H-701P, **4-Point Pinlock** Suspension, White



- Suspension sits lower on head to reduce pressure and increase security
- Comfortable, easy adjusting pin lock suspension
- Optimized comfort with three levels of adjustment

3MI 64187

Hard Hat, White

- Grooved HDPE outer shell
- Rain trough and accessory slots







Hard Hat, Yellow

- Superior fit and comfort Flexible PVC construction
- Swiveling pivot head strap
 Lightweight
- Adjustable pin lock strap 4-point nylon suspension

SAS 7160-46

JOBSITE SAFETY -

• Polyester mesh material • 18" x 47"

Description

Orange Mesh

Orange Mesh, M

Orange Mesh, L

Orange Mesh, XL

Lime Green Mesh

• Front hook and loop enclosure

• 3/4" x 8" elastic side straps

Safety Vests

• 3/4" black binding

MSW WCCL20-M MSW WCCL20-L

MSW WCCL20-XL

MSW S220WR

MSW V211R

Part #

- **Hard Cap Knee Pads** Excellent for non-slip, hard surface work environments
- Hook and loop closures

ALG 7103



- Slip-on knee pads (no straps)
- · Protect against constant kneeling on hard/rough surfaces







ALG 7103





ALG 7105

COOLING GEAR -

Evaporative Cooling Products

- Engineered to keep you cool in hot and dry conditions
- To activate, simply wet, wring and snap
- Choose from a skull cap, bandana, towel, neck band or a cooling loop
- Stay cool and INVUE™ with the bright yellow color option
- Reusable and easy to use
- Help reduce heat stress with ThermaSure™ cooling products!



| Part # | Description | | |
|-------------|---------------------------------|--|--|
| SAS 7300-01 | Microfiber Towel, Blue | | |
| SAS 7300-02 | Microfiber Towel, Yellow | | |
| SAS 7300-91 | PVA Towel, Blue | | |
| SAS 7301-01 | Cooling Loop, Blue | | |
| SAS 7301-02 | Cooling Loop, Yellow | | |
| SAS 7302-01 | Cooling Bandana, Blue | | |
| SAS 7302-02 | Cooling Bandana, Yellow | | |
| SAS 7303-02 | Cooling Skull Cap, Blue Paisley | | |
| SAS 7304-01 | Neck Band, Blue | | |
| SAS 7304-02 | Neck Band, Blue Paisley | | |







Deluxe Knee Pads

- Plastic cap over tough nylon fabric with soft foam rubber core
- · Water and abrasion resistant
- · Hook and loop closures

SAS 7102





Deluxe Gel Knee Pads

- Super-thick 1/2" high density closed-cell foam
- Large, low-profile cap designed to prevent "roll-over"
- Anti-compression air injected gel
- Easy-to-use hook and loop closures

SAS 7105

Premium Kneeling Pad

- One inch thick premium NBR rubber ensures greater comfort and pain relief
- · Easily washable. Resists industrial
- chemicals, grease and oil
- Earth friendly (up to 20% recycled material)
- Proudly made in the USA
- 1" x 15" x 20"

SMT KNEELMAT

Big Uggly Kneeling Pad

- Premium closed-cell, automotive grade, engineered polymeric foam
- Oil resistant and water resistant
- GIANT 15" x 22"
- · Cleans easily and air dries

BGU C2003





PROTECTIVE APPAREL

RAIN GEAR-

Rain Suits

- 3PC yellow rain suit
- 0.35mm PVC/polyester
- Strong, waterproof PVC with durable polyester backing
- Snap front jacket with detachable hood and bib overall pants

| Part # | Size |
|------------|------|
| MSW 2003S | SM |
| MSW 2003M | MD |
| MSW 2003L | LG |
| MSW 2003XL | XL |
| MSW 2003X2 | 2XL |
| MSW 2003X3 | 3XL |
| MSW 2003X4 | 4XL |
| MSW 2003X5 | 5XL |
| MSW 2003X6 | 6XL |





| MSW 2003S | SM |
|------------|-----|
| MSW 2003M | MD |
| MSW 2003L | LG |
| MSW 2003XL | XL |
| MSW 2003X2 | 2XL |
| MSW 2003X3 | 3XL |
| MSW 2003X4 | 4XL |
| MSW 2003X5 | 5XL |
| MCM 2002VC | CVI |

COLD WEATHER GEAR

Hi-Viz Knit Beanie, Yellow

- Fold over style 100% knit polyester Reflective knit stripe

SAS 690-1711



Hi-Viz Hooded Bomber Jacket

- 2" wide reflective tape
- Detachable tuck-away hood
- · Pockets: right chest with zipper, left upper chest, 2-zipper slash on side, 2-pen pockets on sleeve
- ANSI/ISEA 107 Class 3 compliant

| Part # | Size |
|--------------|------|
| SAS 690-1508 | MD |
| SAS 690-1509 | LG |
| SAS 690-1510 | XL |
| SAS 690-1511 | 2XL |
| SAS 690-1512 | 3XL |

SWEATBANDS



White Terry Sweat Bands

- Super 3" lightweight 1 ply wristband
- 94% non-allergenic cotton and 6% elastic so bands do not constrict
- Made in USA 2 per package

| Part # | Туре |
|----------|------------|
| AI CHB-1 | Head Band |
| AI CWB-W | Wrist Band |

Cellulose Sweatbands

- . Dip in cold water, squeeze out and wear
- Deluxe style features fine porosity, so is thicker and more absorbent





SF™ SuperFit Overshoes

- Super-sized to fit over bulky leather work boots
- Seamless, molded 100% waterproof PVC
- Kick-off lugs on the heel for easy removal

| Part # | Size |
|-------------------|------|
| NTH 11003-BLM-SML | SM |
| NTH 11003-BLM-MED | MD |
| NTH 11003-BLM-LRG | LG |
| NTH 11003-BLM-1XL | XL |





16" Black Economy Steel Toe Safety Boot

- EVA FOOT FORM cushion insoles
- TRAC 10™ sole design for slip-resistant
 Made in U.S.A. 100% waterproof

| Size | Steel Toe | Standard |
|------|--------------|--------------|
| 6 | NTH 18821-6 | NTH 18822-6 |
| 7 | NTH 18821-7 | NTH 18822-7 |
| 8 | NTH 18821-8 | NTH 18822-8 |
| 9 | NTH 18821-9 | NTH 18822-9 |
| 10 | NTH 18821-10 | NTH 18822-10 |
| 11 | NTH 18821-11 | NTH 18822-11 |
| 12 | NTH 18821-12 | NTH 18822-12 |
| 13 | NTH 18821-13 | NTH 18822-13 |
| 14 | NTH 18821-14 | |



12" White Knee Boot

- Deep angle cleated sole and heel Meet ASTM F2413-05
- Injection molded construction
 Anti-skid™ soles
- Reinforced and washable FOOT FORM cushion insoles
- Made in U.S.A. 100% waterproof

| Size | Part # | Size |
|------|--------------|--|
| 6 | NTH 74928-10 | 10 |
| 7 | NTH 74928-11 | 11 |
| 8 | NTH 74928-12 | 12 |
| 9 | NTH 74928-13 | 13 |
| | 6 7 8 | 6 NTH 74928-10 7 NTH 74928-11 8 NTH 74928-12 |



Work Rubber Overshoe

- Enlarged sizing for bulkiest of work shoes/boots
- Injection molded, seamless construction for 100% waterproof protection
- Stretch and tear resistance for more durability
- No lining for easy cleaning and decontamination

| Part # | Size |
|--------------|------|
| TIN 1300-S | SM |
| TIN 1300-XL | XL |
| TIN 1300-XXI | XXI |

Work Rubber Overshoe, 10"

- Injection molded, seamless construction for 100% waterproof protection
- Deep cleated outsole spits out debris for good slip resistance
- Heavy duty heel kick off cleat for easy no hands removal



| Part # | Size | Part # | Size |
|------------|------|---------------|------|
| TIN 1400-S | SM | TIN 1400-XL | XL |
| TIN 1400-M | MD | TIN 1400-XXL | 2XL |
| TIN 1400-L | LG | TIN 1400-XXXL | 3XL |



MASKING TAPES



Industrial Masking Tape

- Designed specially for the marine & composites industry
- Specially formulated adhesives provide excellent adhesion to semi-permanent mold release agents
- Smooth crepe saturated backing is designed to withstand chemical factors in polyester molding environments

| Part # | Size | Ωty |
|------------|-----------------|---------|
| AMT OM-34 | 3/4" x 60 YDS | 48/CASE |
| AMT 0M-1 | 1" x 60 YDS | 36/CASE |
| AMT 0M-112 | 1-1/2" x 60 YDS | 24/CASE |
| AMT 0M-2 | 2" x 60 YDS | 24/CASE |
| AMT OM-3 | 3" x 60 YDS | 16/CASE |

Premium Grade High Temperature Masking Tape

- Beige, smooth, crepe masking tape with a pressure-sensitive, natural rubber adhesive
- Temperature resistant to 325°F/160°C for high temperature application
- Excellent adhesion and stain resistance
- Provides clean removal when warm

| Size | Ωty |
|-----------------|---|
| 3/4" x 60 YDS | 48/CASE |
| 1" x 60 YDS | 36/CASE |
| 1-1/2" x 60 YDS | 24/CASE |
| 2" x 60 YDS | 24/CASE |
| | 3/4" x 60 YDS 1" x 60 YDS 1-1/2" x 60 YDS |



High Temperature Pressure Sensitive Masking Tape

- Designed for clean removal from a variety of surfaces after exposure to over temperatures up to 325°F for 30 minutes
- Not recommended for outdoor use, but performs well in wet strip applications
- Easy handling, smooth crepe backing exhibits high strength, excellent conformability to irregular surfaces, and exceptional cornering
- Resists paint flaking and provides a clean, well defined paint line
- Perfect for automotive, truck, bus and marine paint
- Recommended for hot to warm removal, but can be removed cold

| Part # | Size | Qty |
|--------------|-----------------|---------|
| AMT PG21-34 | 3/4" x 60 YDS | 48/CASE |
| AMT PG21-112 | 1-1/2" x 60 YDS | 24/CASE |
| AMT PG21-2 | 2" x 60 YDS | 24/CASE |



Utility Paper Masking Tape

- A paint contractor industry staple
- Beige, smooth crepe paper masking tape coated with a pressure-sensitive natural rubber adhesive
- Offers an excellent balance of guick stick, panel adhesion and holding properties
- Not recommended for outdoor exposure

| Part # | Size | Ωty |
|---------------|-----------------|---------|
| AMT PG505-34 | 3/4" x 60 YDS | 48/CASE |
| AMT PG505-1 | 1" x 60 YDS | 36/CASE |
| AMT PG505-112 | 1-1/2" x 60 YDS | 24/CASE |
| AMT PG505-2 | 2" x 60 YDS | 24/CASE |



AQUA MASK



Medium Grade Masking Tape

- Designed to perform in many demanding transportation applications, including marine and composites, bus, truck, RV, automotive after market and automotive OEM
- Rubber-based adhesive provides secure adhesion to both painted and bare metals and plastics, yet removes cleanly without adhesive residue, paint "flaking" from backside or surface staining
- Clean paint lines Resists bleed through
- Sharp color separation on curves or straight lines
- Clean removal; residue free UV resistant up to three days
- Excellent adhesion Holding of masking paper or films
- Designed to adhere to non-skid surfaces
- Excellent adhesion to backing when layered

| Part # | Size | Qty |
|------------|-----------------|---------|
| AMT AM-34 | 3/4" x 60 YDS | 48/CASE |
| AMT AM-1 | 1" x 60 YDS | 36/CASE |
| AMT AM-112 | 1-1/2" x 60 YDS | 24/CASE |
| AMT AM-2 | 2" x 60 YDS | 24/CASE |
| AMT AM-3 | 3" x 60 YDS | 16/CASE |

Utility Paper Masking Tape

- · Beige crepe paper coated with an aggressive pressure-sensitive natural rubber adhesive
- Designed primarily as an ALG purpose product for non-critical applications

| Part # | Size | Ωty |
|---------------|-----------------|---------|
| AMT PG513-34 | 3/4" x 60 YDS | 48/CASE |
| AMT PG513-1 | 1" x 60 YDS | 36/CASE |
| AMT PG513-112 | 1-1/2" x 60 YDS | 24/CASE |
| AMT PG513-2 | 2" x 60 YDS | 24/CASE |
| AMT PG513-3 | 3" x 60 YDS | 16/CASE |
| | | |



Medium Temperature Medium Grade Masking Tape

- · Beige, medium crepe, paper masking tape with pressure-sensitive natural rubber adhesive
- Can withstand exposure to forced drying conditions up to 250°F (121°C) for 30 minutes with warm to hot removal recommended
- · Excellent quick-stick and holding properties
- Designed for applications requiring transfer resistance in conjunction with a variety of paints and surfaces
- · Special release coat provides an extra measure of moisture and solvent resistance
- Not recommended for outdoor exposure

| Part # | Size | Ωty |
|--------------|-----------------|---------|
| AMT PG56-34 | 3/4" x 60 YDS | 48/CASE |
| AMT PG56-1 | 1" x 60 YDS | 36/CASE |
| AMT PG56-112 | 1-1/2" x 60 YDS | 24/CASE |
| AMT PG56-2 | 2" x 60 YDS | 24/CASE |



Medium Grade Double Coated Paper Tape

- Double-coated crepe paper tape for joining surfaces • Ideal for printing and textile industry, and certain
- splicing applications
- Easy-release treated white liner

| | Part # | Size | Ωty |
|--|-------------|-----------------|---------|
| | AMT 592-34 | 3/4" x 60 YDS | 48/CASE |
| | AMT 592-1 | 1" x 60 YDS | 72/CASE |
| | AMT 592-112 | 1-1/2" x 60 YDS | 36/CASE |
| | AMT 592-2 | 2" x 60 YDS | 24/CASE |
| | | | |



MASKING/MOUNTING TAPES

HIGH SHEAR TAPES

| Part # | Туре | Size | Qty |
|--------------|----------------|-----------------|---------|
| TSA 4316-1 | Medium Grade | 1" x 60 YDS | 36/CASE |
| TSA 4316-2 | Medium Grade | 2" x 60 YDS | 24/CASE |
| TSA 4309-34 | Temp Resistant | 3/4" x 60 YDS | 48/CASE |
| TSA 4309-1 | Temp Resistant | 1" x 60 YDS | 36/CASE |
| TSA 4309-112 | Temp Resistant | 1-1/2" x 60 YDS | 24/CASE |
| TSA 4309-2 | Temp Resistant | 2" x 60 YDS | 24/CASE |

High-Shear Masking Tapes

- High-shear creped paper masking tape with a cured rubber-based adhesive
- Provides excellent adhesion to a variety of surfaces in a wide range of applications
- Performs under stress and temperatures where general purpose products fail





FINE LINE TAPES -

Fine Line Masking Tapes

• For a wide range of design painting requirements





| Part # | Туре | Adhesive | Size | Qty |
|----------------|-------------------|----------|-----------------|--------|
| TSA 4174A-12 | Temp Resistant | Rubber | 1/2" x 60 YDS | 72/CS |
| TSA 4174A-14 | Temp Resistant | Rubber | 1/4" x 60 YDS | 144/CS |
| TSA 4174A-34 | Temp Resistant | Rubber | 3/4" x 60 YDS | 96/CS |
| TSA 4334-1 | Precision, Yellow | Acrylic | 1" x 60 YDS | 36/CS |
| TSA 4334-112 | Precision, Yellow | Acrylic | 1-1/2" x 60 YDS | 24/CS |
| TSA 4334-34 | Precision, Yellow | Acrylic | 3/4" x 60 YDS | 48/CS |
| TSA 4244PV0-12 | High Temp, Yellow | Rubber | 1/2" x 72YDS | 72/CS |
| TSA 4244PV0-14 | High Temp, Yellow | Rubber | 1/4" x 72 YDS | 144/CS |
| TSA 4244PV2-12 | High Temp, Gold | Rubber | 1/2" x 60 YDS | 72/CS |
| TSA 4244PV2-14 | High Temp, Gold | Rubber | 1/4" x 60 YDS | 144/CS |
| TSA 4244PV2-34 | High Temp, Gold | Rubber | 3/4" x 60 YDS | 48/CS |
| AMT FM35-12 | High Temp, Blue | Rubber | 1/2" x 36 YDS | 78/CS |
| AMT FM35-14 | High Temp, Blue | Rubber | 1/4" x 36 YDS | 144/CS |
| AMT FM35-18 | High Temp, Blue | Rubber | 1/8" x 36 YDS | 336/CS |
| AMT FM35-38 | High Temp, Blue | Rubber | 3/8" x 36 YDS | 108/CS |

DOUBLE SIDED TAPE -

Transparent Double-Sided Self-Adhesive Tape

- PET backing and modified acrylic adhesive
- Reliable bond even to LSE substrates
- Immediate usability right after assembly
- Suitable for heavy stress, high temperature mounting and bonding

| Part # | Size | Qty |
|-------------|---------------|---------|
| TSA 4965-1 | 1" x 60 YDS | 36/CASE |
| TSA 4965-12 | 1/2" x 60 YDS | 24/CASE |



FOAM TAPES -

NO HARD **FASTENERS** RFO'D!

Acrylic Foam Mounting Tapes

- Double-sided acrylic foam tapes
- Quickly and easily create a long-lasting bond between a variety of materials including aluminum, steel, glass, plastics and painted or powder-coated surfaces





| Part # | Туре | Size | Ωty |
|----------------|-----------------------------------|---------------|-------|
| AMT AFT450G-12 | 45 MIL Double Coated Tape, Grey | 12mm x 33mm | 18/CS |
| AMT AFT450G-34 | 45 MIL Double Coated Tape, Grey | 18mm x 33mm | 12/CS |
| AMT AFT450G-1 | 45 MIL Double Coated Tape, Grey | 24mm x 33mm | 9/CS |
| 3MI 18086 | 3M™ VHB™ Double Sided Tape | 1/2" x 72 YDS | 18/CS |
| 3MI 24375 | 3M™ VHB™ Double Sided Tape | 1" x 36 YDS | 9/CS |
| 3MI 59967 | 3M™ VHB™ Double Sided Tape | 1/2" x 36 YDS | 18/CS |
| 3MI 63869 | 3M™ VHB™ Double Sided Tape, White | 1/2" x 36 YDS | 18/CS |



General Purpose Masking Tape

- · Cost-efficient, creped paper masking tape, for bundling, holding, sealing, and surface protection applications
- Adheres to a variety of surfaces
- · Recommended as a light-duty packaging tape
- 3/4" x 60 YDS 48/CASE

TSA 53120-34



General Purpose Masking Tape

 High adhesion value of this natural/synthetic rubber blend combined with the conformability gives 515 a high degree of versatility

| Part # | Size |
|-----------|------|
| AMT 515-1 | 1" |
| AMT 515-2 | 2" |





MASKING/PACKING TAPES

PACKING TAPES

Standard Packing Tapes

 For box sealing, package repair, bundling and other packaging applications exposed to shipping hazards and stress





| Part # | Туре | Size | Qty |
|----------------|---|--------------|-------|
| AMT P129-255-C | 1.75 MIL, Utility Grade Tape, Clear | 2" x 55 YDS | 36/CS |
| AMT P129-255-T | 1.75 MIL, Utility Grade Tape, Tan | 2" x 60 YDS | 36/CS |
| AMT 170-2 | 1.75 MIL, Utility Grade Tape, Clear | 2" x 110 YDS | 36/CS |
| AMT 400-2 | 2.1 MIL, Medium Duty Tape, Clear | 2" x 110 YDS | 36/CS |
| AMT F4185-2 | 2.5 MIL, Hot Resin Adhesive Tape, Clear | 2" x 55 YDS | 36/CS |
| TX 804-C | 1.8 MIL, Utility Grad Tape e, Clear | 2" x 55 YDS | 36/CS |

Reinforced Filament Strapping Tapes

- Used for palletizing and unitizing corrugated and paper board boxes
- Non-critical bundling applications







| Part # | Туре | Size | Qty |
|--------------|--------------------------------------|---------------|-------|
| TSA 53317-12 | 3.7 MIL BOPP, Economy Tape, Clear | 1/2" x 60 YDS | 72/CS |
| TX 191-1 | 285#, Premium Grade Tape, White | 1" x 60 YDS | 36/CS |
| AMT RG3-12 | 131# PET, Medium Grade Tape, Natural | 1/2" x 60 YDS | 72/CS |
| AMT RG3-2 | 131# PET, Medium Grade Tape, Natural | 2" x 60 YDS | 24/CS |
| AMT RG3-34 | 131# PET, Medium Grade Tape, Natural | 3/4" x 60 YDS | 48/CS |
| AMT RG300-1 | 110# BOPP, Utility Grade Tape, Clear | 1" x 60 YDS | 36/CS |
| AMT RG300-2 | 110# BOPP, Utility Grade Tape, Clear | 2" x 60 YDS | 24/CS |

PERFORMANCE TAPES

3M™ High Performance Masking Tapes

- Industrial strength masking tape that sticks instantly to most surfaces including metal, rubber, glass, plastic
- Bright colors improve visibility during masking process
- Easily identifiable, for paint masking, bundling, holding and identifying
- Removes easily to create sharp paint lines
- Thick backing resists bleed through



| Part # | Туре | Size | Case |
|-----------|----------------------------------|-----------------|-------|
| 3MI 64752 | 3M™ Yellow 301+ Tape | 1/2" x 60 YDS | 24/CS |
| 3MI 64753 | 3M™ Yellow 301+ Tape | 2" x 60 YDS | 24/CS |
| 3MI 64754 | 3M™ Yellow 301+ Tape | 3" x 60 YDS | 12/CS |
| 3MI 64759 | 3M™ Green 401+ Tape | 1/2" x 60 YDS | 48/CS |
| 3MI 64760 | 3M™ Green 401+ Tape | 3/4" x 60 YDS | 48/CS |
| 3MI 64761 | 3M™ Green 401+ Tape | 1" x 60 YDS | 24/CS |
| 3MI 64762 | 3M™ Green 401+ Tape | 1-1/2" x 60 YDS | 16/CS |
| 3MI 64763 | 3M™ Green 401+ Tape | 2" x 60 YDS | 12/CS |
| 3MI 64764 | 3M™ Green 401+ Tape | 3" x 60 YDS | 8/CS |
| 3MI 04698 | SCOTCH® Fine Line Green 218 Tape | 1/2" x 60 YDS | 24/CS |
| 3MI 04699 | SCOTCH® Fine Line Green 218 Tape | 3/8" x 60 YDS | 24/CS |
| 3MI 04700 | SCOTCH® Fine Line Green 218 Tape | 1" x 60 YDS | 12/CS |

UTILITY TAPES -

3M™ Value/Utility Grade Masking Tapes

 Cost-effective crepe paper tape that holds, bundles, seals and performs other non-critical taping jobs

Ideal for marking, temporary holding, wrapping and sealing lines



| Part # | Туре | Size | Case |
|-----------|---------------------|-----------------|-------|
| 3MI 68707 | 3M™ 101+ Value Tape | 3/4" x 60 YDS | 48/CS |
| 3MI 68708 | 3M™ 101+ Value Tape | 1" x 60 YDS | 36/CS |
| 3MI 68709 | 3M™ 101+ Value Tape | 1-1/2" x 60 YDS | 24/CS |
| 3MI 68710 | 3M™ 101+ Value Tape | 2" x 60 YDS | 24/CS |
| 3MI 68711 | 3M™ 101+ Value Tape | 3" x 60 YDS | 12/CS |



VIBAC® Pro-Grade Masking Tape

- 5.7MIL natural rubber based automotive masking tape for applications in the automotive industry
- Specifically designed for high temperature bake cycles
- Temperature resistant up to 230°F for 60 minutes
- UV resistant up to 10 days
- Easy tear, waterproof tape possesses quick stick properties; instantly sticks to a wide range of irregularly shaped surfaces
- Leaves no adhesive residue upon remova
- Excellent solvent and thinner resistance

VIBAC® Pro-Grade Masking Tape

• 4.3 MIL natural rubber based utility grade masking tape for non-critical applications

| Part # | Туре | Size | Ωty |
|--------------|-------------------------------|-----------------|-------|
| VIB 313-0008 | VIBAC® Pro-Grade, Yellow Tape | 3/4" x 60 YDS | 48/CS |
| VIB 313-0009 | VIBAC® Pro-Grade, Yellow Tape | 1-1/2" x 60 YDS | 24/CS |
| VIB 313-0014 | VIBAC® Pro-Grade, Yellow Tape | 2" x 60 YDS | 24/CS |
| VIB 313-0041 | VIBAC® Pro-Grade, Yellow Tape | 1" x 60 YDS | 12/CS |
| VIB 216-0002 | VIBAC® Utility Grade Tape | 1" x 60 YDS | 36/CS |
| VIB 216-0004 | VIBAC® Utility Grade Tape | 3/4" x 60 YDS | 48/CS |
| VIB 216-0005 | VIBAC® Utility Grade Tape | 2" x 60 YDS | 24/CS |
| VIB 216-0027 | VIBAC® Utility Grade Tape | 1-1/2" x 60 YDS | 24/CS |



Bluecoat Masking Paper

- Poly coating on outside
- · No bleed through
- 7 pounds of poly applied



FPR 3918

FPR 3936

Gator Back Masking Paper

- Green polycoating on outside
- No bleed through
- Strong and affordable

6" X 700'

12" X 700'

18" X 700'

36" X 700'



Poly Gold Masking Paper Corona treated for

- superiour paint adhesion
- **Excellent tear** resistance and corners easily

| FPR 3406 | 6" X 700' |
|----------|-----------|
| FPR 3412 | 12" X 700 |
| FPR 3418 | 18" X 700 |
| FPR 3436 | 36" X 700 |





Import Fine Mesh Strainers

- Nylon, lint-free
- Designed for basecoat and clearcot finishes
- Supreriou straining for all paints

FPR 4583 1000/Case





Floor Mats

FPR 3023 250/Case



Kentucky Paint Paddles

- Excellent for stirring any type of
- Heavy enough to mix polyester and epoxy products

PAD 1000



Wheel Maskers

FPR 3022 50/Case

Assembled

• 500 Lb Capacity

FPR PB1

Body Stands

Kraft Paper

Varying basis weights and footages

FPR PACKPAPER 50 Per Pallet

Can custom produce any size you need

available

DROP SHIP ONLY

MASKING PAPERS

Masking Papers • Offer protection again

- Offer protection against bleed-thru from gelcoat and urethane, enamel and lacquer paint systems, as well as solvents and water
- Protect against fiber contamination and conforms easily to irregular surfaces





| Part # | Туре | Size | Ωty |
|-----------|---------------------------------|--------------|--------|
| MP 12 | 40# Machine Finished, Green | 12" x 500 FT | 3/L0G |
| MP 18 | 40# Machine Finished, Green | 18" x 500 FT | 2/LOG |
| MP 24 | 40# Machine Finished, Green | 24" x 500 FT | 1/L0G |
| MP 36 | 40# Machine Finished, Green | 36" x 500 FT | 1/L0G |
| 3MI 06537 | 1.5 MIL, Heat Resistant, White | 6" x 750 FT | 6/CASE |
| 3MI 06538 | 1.5 MIL, Heat Resistant, White | 12" x 750 FT | 3/CASE |
| 3MI 06539 | 1.5 MIL, Heat Resistant, White | 18" x 750 FT | 2/CASE |
| 3MI 06540 | 1.5 MIL, Heat Resistant, White | 36" x 750 FT | 1/CASE |
| USC 38012 | Polycoated, Premium Grade, Blue | 12" x 750 FT | 3/CASE |
| USC 38018 | Polycoated, Premium Grade, Blue | 18" x 750 FT | 2/CASE |
| USC 38036 | Polycoated, Premium Grade, Blue | 36" x 750 FT | 1/CASE |

KRAFT PAPER



Kraft Paper

- Made from 100% recycled material
- Non-abrasive
- Naturally biodegradable and recyclable

| Part # | Weight | Width | Length |
|-------------------|--------|-------|--------|
| PC KP-940 | 40# | 9" | 765 FT |
| PC KP-1840 | 40# | 18" | 765 FT |
| PC KP-2440 | 40# | 24" | 765 FT |
| PC KP-3630 | 30# | 36" | 871 FT |
| PC KP-3640 | 40# | 36" | 765 FT |
| PC KP-3650 | 50# | 36" | 612 FT |
| PC KP-3670 | 70# | 36" | 425 FT |
| PC KP-3675 | 75# | 36" | 475 FT |
| PC KP-4850 | 50# | 48" | 603 FT |
| PC KP-6050 | 50# | 60" | 603 FT |
| PC KP-6070 | 70# | 60" | 429 FT |
| MC PE00VS0720700* | | 72" | 700 FT |

*Perforated

SPECIALTY PAPERS -

Reinforced Construction Paper, Tan

 Pliable protection for floors, countertop, stairs, and other surfaces during remodeling

· Skid, slip and scratch resistant

• 36" × 300 FT

AMT K73214

Floor Paper, White

• 305# protective paper

• 39" x 1450 ft

MC FP30539



Micro Perforated Paper

• For Eastman Gerber vinyl upholstery cutting machines

| Part # | Weight | Size |
|------------------|--------|---------------|
| MC PE02300721075 | 30# | 72" x 1075 FT |
| MC PE02400980900 | 30# | 96" x 900 FT |



Plastic Poly Overlay

- Use with Eastman Gerber machines
- For protection between foam rubber and vinyl cushions

| Part # | Weight | Size |
|--------------------|--------|----------------|
| MC POLH106001031A | .001 | 106" x 3800 FT |
| MC POLOH0760102CAA | 1.0 | 76" x 2400 FT |




PRESERVATION TAPE -

Preservation Sealing Tapes

- Durable, polyethylene, moisture resistant tape with a rubber-based pressure-sensitive adhesive
- Bonds well to a variety of surfaces
- High degree of conformability without excessive stretch







USC Purple Masking Tape

- Use with solvent and waterborne paints
- Flexes for tight corners
- Double the strength, yet tears (straight) with ease
- Good initial adhesion and sustain
- Easily dispenses from the roll
- Sticks well to itself

| Part # | Size |
|-----------|--------|
| USC 83002 | 2" |
| USC 83015 | 1-1/2" |
| USC 83034 | 3/4" |



PLASTIC PROTECTIVES

PROTECTIVE FILMS



Premium Hand Masking Film

- · Provides the flexibility and bleed through resistance of film, yet holds paint and gelcoat like paper
- Prevents overspray and resists paint flaking
- Designed with reinforced top edge formulated for easy positioning and the prevention of film sticking

Pre-Folded Hand Masking Film



99" x 90 FT

| Part # | Туре | Size |
|---------------|-------------------------------------|---------------|
| AMT PTHMF-120 | Premium Pre-Taped Hand Masking Film | 120" x 115 FT |
| AMT PTHMF-21 | Premium Pre-Taped Hand Masking Film | 21" x 115 FT |
| AMT PTHMF-43 | Premium Pre-Taped Hand Masking Film | 43" x 115 FT |
| AMT PTHMF-72 | Premium Pre-Taped Hand Masking Film | 72" x 115 FT |
| AMT HMF-24 | Pre-Folded Hand Masking Film | 24" x 180 FT |
| AMT HMF-48 | Pre-Folded Hand Masking Film | 48" x 180 FT |
| AMT HMF-72 | Pre-Folded Hand Masking Film | 72" x 90 FT |


AMT HMF-99


Surface Protection Film

- · Polyethylene backing with an ageresistant acrylic adhesive
- Ensures easy, residue, residue-free removal within four weeks of application
- · Resistant against different chemical ingredients, physical stress and moisture

| Part # | Туре | Size |
|------------------|---------------------------------------|---------------|
| TSA 4848PV1-10 | PV1 Surface Protection Film, Clear | 10" x 109 YDS |
| TSA 4848PV1-20 | PV1 Surface Protection Film, Clear | 20" x 109 YDS |
| FTC 24X200E | CARPET SHIELD® Protective Film, Clear | 24" x 500 FT |
| FTC 24X600CMP3 | MARBLE SHIELD® Protective Film, Clear | 24" x 600 FT |
| FTC DCR324200B | SURFACE SHIELD® UV Film, Blue, 3 MIL | 24" x 200 FT |
| FTC W2B24600 | WINDOW SHIELD® Protective Film, Blue | 24" x 600 FT |
| RTP 30X40-12-150 | PRESTO® Carpet Protection Film, B/W | 12" x 150 FT |
| RTP 30X40-24-250 | PRESTO® Carpet Protection Film, B/W | 24" x 150 FT |

Stretch Wrap Film





| Part # | Weight | Size |
|------------------|----------|---------------|
| AMT HR2031500-00 | 0.8 MIL | 15" x 1500 FT |
| AMT HR2031800-00 | 0.8 MIL | 18" x 1500 FT |
| AMT HR2291800-00 | 0.9 MIL | 18" x 1500 FT |
| AMT HY1200457-00 | 47 GAUGE | 18" x 1500 FT |



PLASTIC SHEETING

Clear Plastic Sheeting

· Commonly used as equipment covers, vapor barrier, cover for curing concrete, insulation, paint protection and moisture barrier

| | The same of the sa | |
|--------------------|--|-----------|
| Part # | Size | Thickness |
| PSW C0109 | 9 FT x 400 FT | 1 MIL |
| PSW 1512C | 12 FT x 200 FT | 1.5 MIL |
| PSW 220C | 20 FT x 200 FT | 2 MIL |
| PSW 320C | 20 FT x 200 FT | 3 MIL |
| PSW 408C | 8 FT x 100 FT | 4 MIL |
| PSW 410C | 10 FT x 100 FT | 4 MIL |
| PSW 412C | 12 FT x 100 FT | 4 MIL |
| PSW 420C | 20 FT x 100 FT | 4 MIL |
| PSW 608C | 8 FT x 100 FT | 6 MIL |
| PSW 610C | 10 FT x 100 FT | 6 MIL |
| PSW 612C | 12 FT x 100 FT | 6 MIL |
| PSW 620C | 20 FT x 100 FT | 6 MIL |
| PSW CF0-0712-400-C | 12 FT x 400 FT | 0.7 MIL |
| PSW CF0-1520-200-C | 20 FT x 200 FT | 1.5 MIL |
| PSW RS210-100 | 10 FT x 100 FT | 2 MIL |
| PSW SW403C | 3 FT x 100 FT | 4 MIL |

HAND MASKERS -

Hand Masking

· Specialty grade masking solution for large areas, particularly car body repair







| Part # | Туре | Size |
|-------------|---------------------------------------|--------------|
| 3MI 06802 | 3M™ Hand-Masker™ Film Blade | 12" |
| 3MI 86806 | 3M™ Hand Masker™ Contractor's Plastic | 48" x 180 FT |
| 3MI 90038 | 3M™ AMF48 Masking Paper, Cloth & Film | 48" x 180 FT |
| 3MI 95255 | 3M™ AMF24 Advanced Masking Film | 24" x 180 FT |
| TSA 4378 | Easy Cover® Auto System* | KIT |
| TSA 4378-39 | Easy Cover® Masking Film/Paper | 39" x 22YDS |

^{*}INCLUDES: Masking tape, Masking paper border, and HDPE masking film



PREMIUM PRE-TAPED MASKING FILM FEATURING PG21 MASKING TAPE

- Stain resistant, temperature resistant, PG21 paper masking tape combined with strong, corona-treated HDPE film for marine, industrial, and automotive painting
- Film is pre-taped and pre-folded for easy use
- One person can apply then extend the film to desired length to protect surfaces, reducing masking time and waste

Just another reason why many OEM's can say, "I tape with IPG!"



Learn more about our full line of products for the Marine & Composites industries at www.itape.com/marine



INDUSTRIAL SEALANTS

MARINE GRADE SEALANTS





3M™ Marine Adhesive Sealant 5200

- FAST cure version of 3M[™] Marine Adhesive Sealant 5200
- Tack free in 1 hour; completely cures within 24 hours
- Ideal for applications requiring a fast, long-term seal, above or below waterline

| Part # | Color |
|-----------|----------|
| 3MI 06500 | White |
| 3MI 06501 | Tan |
| 3MI 06502 | Mahogany |
| 3MI 06504 | Black |

3M™ Marine Adhesive Sealant 5200FC Fast Cure





- Maintains its flexibility, absorbing shocks, vibrations, swelling, shrinking and structural movements
- Tack free in 24-48 hours; cures in 5-7 days without shrinking
- Ideal for large surface-area applications requiring long open times

3MI 06520



3M™ Marine Grade Silicone Sealant

- High quality silicone sealant designed
 specifically to withstand the rigors of harsh marine environments
- Forms a non-yellowing seal that remains flexible even after years of exposure
- · Mildew resistant, non-sagging and moisture curing
- Adheres to bare and painted metal, fiberglass, glass, non-oily woods, and many plastics and abraded rubbers

| Part # | Color |
|-----------|-------|
| 3MI 08027 | White |
| 3MI 08029 | Clear |



3M[™] Marine Adhesive Sealant 4200FC Fast Cure

- Medium-strength adhesive allows for disassembly of parts after prolonged use
- Forms watertight, weather-resistant seals on hardware and in joints both above and below the waterline

| Part # | Color |
|-----------|-------|
| 3MI 06560 | White |
| 3MI 06564 | Black |

3M™ Marine Adhesive Sealant 4000 UV

- High performance, color-stable adhesive sealant that can be removed if rework or repair is necessary
- Ideal for installing thru-hull fittings and deck hardware where a durable seal is required and where cosmetics are important, both above and below the waterline

3MI 06580

AIM 100 OEM APPROVEI

100% RTV ACETOXY SILICONE SEALANT

FEATURES

- 100% Anti-Microbial Formula
- Approved for Cultured Marble
- Excellent Adhesion
- Non-Sag & Slump
- 75 Year Durability
- Quick Curing
- Consistent Gunablility & Tooling

| INL OLALAIN | • |
|-------------|----------|
| Part # | Color |
| AIM 100-00 | Clear |
| AIM 100-01 | White |
| AIM 100-02 | Black |
| AIM 100-03 | Aluminum |
| AIM 100-05 | Almond |
| | |

Bostik



Bostili, Parine Grade P20 Urethane Scalant Sc

Bostik 920 Fast Set

 One part, gun-grade urethane sealant/adhesive

| Part # | Color |
|----------------|-------|
| BO 920-WFS-MBG | White |
| BO 920-BFS-MBG | Black |

Bostik Marine 940 Fast Set

| Part # | Туре | Color | Size |
|--------------------|----------|-------|---------|
| BO 940-WFS-MBG | Fast Set | White | 10 oz |
| BO 940-WFS-S13-MBG | Fast Set | White | 13.5 oz |
| BO 940-BFS-MBG | Fast Set | Black | 10 oz |
| BO 940A-W-S13-MBG | Standard | White | 13.5 oz |
| BO 940A-W-S20-MBG | Standard | White | 20 oz |

CONSTRUCTION CAULKS -



DAP® ALEX® Painters Caulk, White

- All purpose interior/exterior acrylic latex painter's caulk
- Applies smoothly and easily
 Paintable
- Adheres to wood, plaster, drywall and masonry
- Resists cracking and chalk in Water clean-up Meets ASTM Specification C 834 for extrudability, artificial weathering, extension-recovery and slump
- 10.1 oz Tube White

DAP 18670

DAP® ALEX PLUS® Acrylic Latex Caulk Plus Silicone

- Superior quality, multi-purpose acrylic latex caulk plus silicone
- Highly flexible and durable Excellent adhesion Paintable
- Cured caulk is mildew resistant
- Interior/exterior use Water clean-up

| Part # | Size | Color |
|-----------|--------------|-----------|
| DAP 18156 | 10.1 oz Tube | Clear |
| DAP 18122 | 10.1 oz Tube | Cedar Tan |
| DAP 18152 | 10.1 oz Tube | White |

DAP® BEATS THE NAIL® ALG Purpose Construction Adhesive, Gray

- For general construction, remodeling, maintenance and repair projects
- Quick-grab formula provides a high-strength, heat and water resistant bond to a variety of substrates
- Meets ASTM Specification C 557
- Interior/exterior use
- 10.3 oz Tube Gray

DAP 25082



SIKA

ka ®

Skaflex* 221

Sikaflex® 221

- High-quality multi-purpose non-sag
 1C polyurethane sealant/adhesive that cures on exposure to atmospheric humidity to form a durable elastomer
- Meets approvals ASTM C920 types
- Tested and classified in accordance with ANSI/UL 723 "Test for Surface Burning-Characteristics of Building Materials"



Sikaflex® 252

- Polyurethane adhesive with extremely high thixotropy and high strength
- Particularly suited to bonding applications in the manufacture of transportation and other industrial markets
- One-component
- Moisture cured



Sikaflex® 295 UV

- Flexible, high performance polyurethane-based adhesive that bonds and seals in one step for bonding and sealing of windows and portholes
- Fast curing UV resistant
- One-component



Sikasil® N Plus

- General purpose, one-component, non-sag, elastomeric, 100% RTV neutral cure silicone sealant
- Excellent flexibility for dynamic joint movement
- Bonds to most substrates without priming
- All season ease of application

Sika® Adhesives & Sealants

Full line of one and two component sealants and adhesives for a variety of markets and applications. Find the right adhesive or sealant for your specific needs, whether it is to reduce production time or to ensure a life time bond.

| Part # | Туре | Color |
|-------------------------|--|--------------|
| SIK 221-A | Sikaflex® 221 Urethane Adh <mark>esive, 10.3 oz Tube</mark> | Aluminum |
| SIK 221-B | Sikaflex® 221 Urethane Adhesive, 10.3 oz Tube | Black |
| IK 221-CW | Sikaflex® 221 Urethane Adhesive, 10.3 oz Tube | Colonial Whi |
| SIK 221-W | Sikaflex® 221 Urethane Adhesive, 10.3 oz Tube | White |
| SIK 252-B | Sikaflex® 252 Elastic Urethane Adhesive, 10.3 oz Tube | Black |
| SIK 252-W | Sikaflex® 252 Elastic Urethane Adhesive, 10.3 oz Tube | White |
| SIK 255-FC | Sikaflex® 255 Fast Cure Urethane Adhesive, 10.3 oz Tube | Black |
| SIK 255-FC- 6600 | Sikaflex® 255 Fast Cure Urethane Adhesive, 20 oz Sausage | Black |
| SIK 291-B | Sikaflex® 291 Fast Set Marine Urethane Adhesive, 10.3 oz Tube | Black |
| SIK 291-W | Sikaflex® 291 Fast Set Marine Urethane Adhesive, 10.3 oz Tube | White |
| SIK 291LOT-W | Sikaflex® 291 Elastic Marine Urethane Adhesive, 10.3 oz Tube | White |
| SIK 291LOT-W- S400ML | Sikaflex® 291 Elastic Marine Urethane Adhesive, 400 ml Sausage | White |
| SIK 292I-W | Sikaflex® 292 High Strength Urethane Adhesive, 10.3 oz Tube | White |
| SIK 295-UV | Sikaflex® 295 UV, UV Resistant Urethane Adhesive, 10.3 oz Tube | Black |
| SIK 295-UV-W | Sikaflex® 295 UV, UV Resistant Urethane Adhesive, 10.3 oz Tube | White |
| SIK 296-B | Sikaflex® 296 Urethane Window Adhesive, 20 oz Sausage | Black |
| SIK 505-UV-W | Sikaflex® 505 UV, Fast Cure UV Resistant Silane-Terminated Polymer Sealant, 10 oz Tube | White |
| SIK 3131S | SikaFast® 3131S High Strength Acrylic Adhesive, 490 ml Dual Cartridge | Straw |
| SIK 91283 | SikaAktivator® 199 Liquid Activator, 250 ml | Clear |
| SIK 106096 | Sikaflex® 521 UV, UV Resistant Silane-Terminated Polymer Adhesive, 10 oz Tube | White |
| IK 423734 | SikaPrimer® 215 Liquid Primer, 250 ml | Black |
| SIK 432029 | Sikasil®-N Plus Neutral Cure Silicone Sealant, 10 oz Tube | White |
| SIK 432056 | Sikasil®-N Plus Neutral Cure Silicone Sealant, 10 oz Tube | Aluminum |
| SIK 432062 | Sikasil® GP Silicone Sealant, 10 oz Tube | Black |
| SIK 432063 | Sikasil® GP Silicone Sealant, 10 oz Tube | Clear |
| SIK 432064 | Sikasil® GP Silicone Sealant, 10 oz Tube | White |
| SIK 442994 | Sikaflex® 211 Urethane Adhesive, 20 oz Sausage | Gray |
| SIK 451588 | SikaPrimer® 209-D Liquid Primer, 250 ml | Black |
| SIK 563890 | Sikaflex® 521 UV, UV Resistant Silane-Terminated Polymer Adhesive, 10 oz Tube | White |
| SIK 587329 | SikaPrimer® 207 Liquid Primer, 250 ml | Black |
| SIK 1290203 | Sikaflex® 290 DC Pro Deck Caulk Adhesive, 20 oz Sausage | Black |
| SIK 1552203 | Sikaflex® 552 Low Voc Silane-Terminated Polymer Adhesive, 10 oz Tube | Black |
| SIK SP-206GP | SikaPrimer® 206 G+P Liquid Primer, 250 ml | Black |
| SIK SP-210T | SikaPrimer® Primer-210 Liquid Primer, 250 ml | Clear |

CAULKING GUNS

Ergonomically Enhanced Ergo/Tech ETS Series Heavy-Duty Caulking Gun

- 100% patented dripless feature 18:1 ratio
- Engineered ergonomic construction Rotating barrel
- Rugged composite construction
 Reinforced cage for extra strength
- Sharp precision cutter
 Extra long clean out
- Drip/no drip feature for bead control

RECOMMENDED FOR USE WITH:

All Caulks and Construction / Adhesives Included Polyurethanes / Concrete / Masonry and Roofing / Sealants

DRP ETS3000





Manual Style Caulk Gun

- Body composed of a die cast zinc alloy
- Built-In ladder hook allows for hanging gun in between uses
- Catch plate is made with high quality steel and ensures a high thrust rate

| Part # | Description |
|-----------|--|
| COX 41001 | Open Frame 10 oz Cartridge |
| COX 41004 | Cradle Barrel 10 oz Cartridge |
| COX 51000 | Barrel 10 oz Cartridge/Sausage |
| COX 51001 | Barrel 10/20 oz Cartridge/Sausage/Bulk |

Pneumatic Style Caulk Gun

- Made with an aluminum housing and replaceable parts for durability
- Cartridge plunger features air action for efficiency
- Adjustable air regulator allows for consistent application with a maximum PSI of 75
- Quick release end cap provides effective operation
- Silencer ensures quiet operation
- · Rotating air hose connector included

| Part # | Description |
|---------------|------------------------|
| COX 63001 | Barrel 10 oz Cartridge |
| COX 63006-300 | Barrel 10 oz Sausage |
| COX 63006-600 | Barrel 20 oz Sausage |





| Description | |
|------------------|--|
| 10 oz Cartridge | |
| 29 oz Cartridge | |
| 20 oz Bulk | |
| 10/20 oz Sausage | |
| 12 Volt Charger | |
| | |



- · Lightweight quick change aluminum barrel
- Safety valve in handle
- · Air dump valve stops flow instantly
- Quick disconnect nipple

NEW 710AL-20



NEW 012DC

INDUSTRIAL ADHESIVES

3M™ NauticGrip™

Bring reliability, portability and profitability to your next project with the best marine adhesive in the industry 3M™ NauticGrip™. The self-contained canister systems require virtually no set-up or clean-up, take up little space and offer water resistant, UV-stable performance.

3M™ NauticGrip™ Spray Adhesive IF is designed to hold reinforcing fibers in place during infusion process of the resin without affecting surface finish or structural integrity. This adhesive is typically used in marine bonding applications.



| Part # | Туре | Size |
|---------------|-------------|-------|
| 3M NG-IF-15-G | Aerosol Can | 15 oz |
| 3M NG-IF-30-G | Canister | 30 LB |

3M™ Hi-Tack Composite Spray Adhesive 71

Delivers a consistent fine mist spray with a high adhesive solids content for exceptional coverage. It is ideal for use in a wide variety of composite production applications, including the dry lay up and infusion process. The high tack formula allows faster lay up of fiber sheets and also faster bonding of layered composite

- Specifically designed to optimize the ultimate strength of resin-infused composite parts
- · Consistent fine mist spray with high adhesive solids content for exceptional
- · Available in clear, or in green for better visual control during application
- Meets CARB and OTC VOC requirements



| Part # | Color | Size |
|-----------|-------|-------|
| 3MI 14329 | Green | 15 oz |
| 3MI 14505 | Clear | 30 LB |
| 3MI 14506 | Green | 30 LB |



3MI 07861


3M™ Scotch-Weld 77 **Clear Spray Adhesive**

- · High tack, high coverage fast drying adhesive
- Temporary and permanent lightweight bonds on substrates like papers, cardboard, fabrics, foams, wood, metal, glass and most plastics

3MI 25776



Camie 373 High **Performance Adhesive**



- Colorless, mist spray
 Low soak in
- Recommended for labeling, palletizing, bonding of fabric and foam

| Part # | Description |
|---------|--|
| CMI 373 | High Performance Adhesive, 13 oz |
| CMI 313 | Fast Tack Upholstery Adhesive, 12 oz |
| CMI 303 | High Performance Foam & Fabric Spray Adhesive, 13 oz |
| | • |





Titebond Original Wood Glue

- Provides a strong initial tack and fast speed of set to reduce clamp time
- Offers excellent sandability and is unaffected by finishes



Titebond II Premium Wood Glue

- Passes the ANSI Type II waterresistance specification

| Deal for exterior woodworking projects | | | |
|--|----------|-----------|--|
| Original | Premium | Size | |
| TBG 5063 | TBG 5003 | 8 oz | |
| TBG 5065 | TBG 5005 | Quart | |
| TBG 5066 | TBG 5006 | Gallon | |
| TBG 5067 | TBG 5007 | 5 Gallon | |
| | TBG 5008 | 55 Gallon | |



3M™ Super 77™ Multipurpose Spray Adhesive

- Provides professional, industrial strength for demanding applications
- Offers a fast, aggressive tack for a quick bond that reduces set time





3M™ Foam Fast™ 74 Spray Adhesive Clear Foam

- 15 min cure time
- Maximum operating temperature is +230 F
- Reformulated to have lower VOC content
- 6.9 oz can Meets CARB/OTC requirements

3MI 50045

Insulating Foam Sealants

• Fills, air-seals and insulates small gaps, blocking smoke, gas, drafts, moisture and insects





| 'nSeal | TIONS |
|----------------|--|
| Part # | Description |
| TNS 4004520170 | Touch-n-Seal™ Spray Foam 170 2 Part Kit |
| TNS 4004528712 | Touch-n-Seal™ Polyurethane Foam, 24 oz Can |
| PBS 34006FB | XtraFoamFB™ Polyurethane Foam, 24 oz Can |



INDUSTRIAL ADHESIVES

ES 99

Infusion Adhesive, Blue


- Specifically formulated for infusion molding process
- Designed to adhere and hold reinforcing fiber glass materials (mats, pads, strips) in place prior to and during resin infusion
- Will not interfere with the polymer matrix integrity and will cross-link with resins to create an integrated matrix
- Low Shrinkage during Cure NO HAPS

| Part # | Description |
|---------------|--------------------------|
| PSY ES99-13B | 13 oz Can |
| PSY ES99-30B | 30# Disposable Canister |
| PSY ES99-140B | 140# Returnable Canister |









ES 20

Upholstery Adhesive, Clear

- Specifically formulated for upholstery

| oz Can |
|------------------------|
| |
| # Disposable Canister |
| O# Returnable Canister |
| O# Returnable Canister |
| |



Carpet Adhesive, Clear

- Specifically formulated for carpet
- NO HAPS LOW VOC

| Part # | Description |
|--------------|--------------------------|
| PSY ES20-30 | 30# Disposable Canister |
| PSY ES20-140 | 140# Returnable Canister |

ES 30

High Pressure Laminate Adhesive, Clear/Red

- High performance versatile industrial strength contact adhesive
- Water resistant and temperature resistant to over 200°F
- Designed for bonding a wide range of substrates to include decorative laminates and veneers, fiberglass, glass, upholstery, fabrics, foam, auto headliners, cork and particle board
- Cost effective, high coverage rate
- No ODS (Ozone Depleting Substances)

| Part # | Description |
|----------------|--------------------------|
| PSY ES30-15C | 15 oz Aerosol Can |
| PSY ES30-38C | 38# Disposable Canister |
| PSY ES30-190-C | 190# Returnable Canister |
| PSY ES30-38C | 375# Returnable Canister |



RE AND HOLD REINFORCING MALS IN PLACE PRIOR TO AND DURING RESIN INFUSION

ADHESIVE

ndustrial specialty adhesive design um infusion molding process. ES99 is do forcing fiberglass materials in place profile. n. Applied correctly, ES99 will not expense x integrity and will cross-link with res

nulated for Infusion Vacuum Molding Curing reinforcing materials in mold

NET 13 OZ



Get the job done right the first time.

3M™ Hi-Tack Composite Spray Adhesive 71

Time is money and deadlines impact reputation. With valuable materials and high pressure to complete jobs quickly, selecting the correct composite adhesive solution is critical. 3M™ Hi-Tack Composite Spray Adhesive 71 is designed specifically to optimize the ultimate strength of composite parts. This product will protect your investment with a process that is faster and cleaner with a lower potential for rework. 3M™ Hi-tack Composite Spray Adhesive 71 allows you to get the job done right the first time and every time.







Clear











INDUSTRIAL ADHESIVES

Quik Tack Spray Adhesive

- Quantity: 15 oz. High strength
- Fast tack Lace spraypattern
- Pressure sensitive
- · Permanent or temporary bond
- Water resistant
- Price to performance

AIM 92200



Cyanoacrylate Adhesives (Superglue)

- AIM cyanoacrylates are a medium viscosity, fast cure, surface insensitive adhesive. They are specially formulated to bond to difficult surfaces with high industrial strength.
- Ideal for bonding rough, porous and acidic surfaces including wood, cardboard, balsa wood, rubbers, plastics, metals, leather, etc.
- Bonds to wood in 1-5 seconds, metal in 8-10 second, full cure in 24 hours
- Gap filling 0.2mm, tensile shear strength 18-28n/ mm2

| Part # | Description |
|--------------|---------------------------|
| AIM 31010-15 | 2 oz Clear, Thin 8-12 CPS |
| AIM 31032-15 | 2 oz Clear, Thick 300 CPS |
| LOT 49550 | 1 oz Clear |
| PRN 32042 | 2 oz Clear |
| PRN 34011 | 1 oz Clear |
| MS SUP-A | 0.07 oz Clear |

Super Glue Remover, 4oz

- Can remove all 3 types of superglue
- Ultra fast and ultra strong
- Do not use on silk, leather, suede or acrylic

KLE FG677





Adhesive Methacrylate

- Tough/durable bonds
- · Bonds to similar/dissimilar surfaces
- · Excellent aging and weathering properties
- Excellent impact resistance
- Easy to use

| Part # | Description |
|------------|--|
| ASI 5530-5 | Adhesive Methacrylate 50ML 1-T0-1 MP55300 |
| ASI 5535-5 | Adhesive Methacrylate 50ML MP55305 |
| ASI 5531-5 | Adhesive Methacrylate 50ML MP55310 |
| ASI 5550-8 | Adhesive Methacrylavte 400 ML MP55350 |

Methacrylate Adhesives 2-part 1:1 Ratio

- Methyl Methacrylate Adhesives are commonly used as structural adhesives due to their excellent strength, impact resistance, thermal shock, fatigue resistance and peel strength
- They are based on thermoset adhesives formulations that give excellent structural properties to bond a wide variety of durable substrates

| Part # | Size/Color | Working Time | Min Fixture Time | Tensile Elongation | Shear Strength (PSI) | Viscosity (CPS) |
|------------------------------|-------------------------|-----------------|---------------------|-----------------------|-------------------------|-----------------|
| AIM 35030-50 AIM 35030-40 | 50 ml / N* 400 ml/N* | 4-6 Min | 12-15 Min | 20-30 | 3,200-3,750 | 40,000 - 60,000 |
| AIM 35031-40 AIM 35031-50 | 400 ml/N* 50 ml/N* | 15-18 Min | 30-35 Min | 7-18 | 3,000-3,500 | 40,000 - 60,000 |
| AIM 35050-40 | 400 ml/N* | 25-30 Min | 60-75 Min | 9-20 | 3,000-3,200 | 40,000 - 60,000 |
| AIM 35035-50 | 50 ml/N* | 40-45 Min | 90-120 Min | 40-45 | 3,250-3,500 | 40,000 - 60,000 |
| AIM 35003-03 AIM 35005-06 | 3"/Sq 6"/Sq | Square Shaft | | | | 16 Element |



Static Mixer Tips

Precision engineered for the continuous mixing of fluid materials

| | Part # | Length | Size |
|--|---------------|--------|--------|
| | AIM 35003-03 | 3" | 50 ml |
| | ASI DS295-620 | 3" | 50 ml |
| | ASI DS991018 | 8-1/2" | 490 ml |
| | ASI DS99550 | 6" | 50 ml |



50 ml Twin Cartridge Manual Epoxy Applicator

- Plunger racks included for all mix ratios Lightweight and powerful
- Rigid glass reinforced nylon engineered plastic Easy loading breech-secure fit

COX MPD



400 ml Dual Component Manual Adhesive Dispenser

- Side loading frame for accurate cartridge placement
- Catch plates Sintered Steel
- Wear compensating device
- All component replaceable parts
- · High viscosity materials

COX M400XMAR-1-2

CUTOFF/GRINDING WHEELS

CARBO GOLD DEPRESSED CENTER WHEELS

Good Tier / Aluminum Oxide





A24 Aluminum Oxide Abrasive – For Steel/Metal The choice for grinding all types of ferrous metals and various alloy steels.

ZA30 Aluminum Oxide Abrasive – For Stainless Steel Ideal for grinding all types of stainless steel and various hard alloys. Clean bond is formulated to meet nuclear industry standards; no iron, sulphur or chlorine in bond specification to contaminant workpieces.



A46 Aluminum Oxide Abrasive – For Aluminum Engineered for grinding aluminum weld beads and fabricated parts. Special filler in the bond mixture to enhance metal removal without loading.

| FEATURES | BENEFITS |
|---|--|
| Premium aluminum oxide abrasive | Fast stock removal due to extra grain sharpness |
| Advanced resin bond | Free cutting without a reduction in wheel life |
| Exceptional balance | No vibration No burning of workpiece Less grinder maintenance Less operator fatigue |
| Unique glass cloth reinforcement design | No fraying or spalling of abrasive grit |



TYPE 27

For Steel/Metal/Stainless Steel

Use with right angle grinders

| Part # | Wheel Size | Grading | Max. RPM | Wheels Per Box |
|----------|-----------------------|---------|----------|----------------|
| CM 02837 | 4" x 1/4" x 5/8" | A24 | 15,280 | 20 |
| CM 02842 | 4-1/2" x 1/4" x 7/8" | A24 | 13,580 | 20 |
| CM 02843 | 4-1/2" 1/4" x 5/8-11" | A24 | 13,580 | 20 |
| CM 02853 | 7" x 1/4" x 7/8" | A24 | 8,600 | 20 |
| | 7" x 1/4" x 5/8-11" | A24 | 8,600 | 10 |
| CM 02872 | 4-1/2" x 1/4" x 7/8" | A24 | 13,580 | 20 |
| CM 03588 | 4-1/2" x 1/4" x 7/8" | A46 | 13,580 | 20 |
| CM 03594 | 7" x 1/4" x 5/8" | A46 | 8,600 | 10 |

Carbo Gold Chop Saw Cut-Off Wheels

- For use on table-top machines
- Ideal for cutting light tubing, angle iron, exhaust pipes and steel extrusions
- Quality aluminum oxide abrasive
- Fast cut rate
- Resin bond
- · Burn-free cutting
- High-strength, externally reinforced construction
- Resists breakage and provides straight cuts
- Grading: A36
- Max RPM: 6,360

| Part # | Wheel Size |
|----------|------------------|
| CM 07068 | 20" x 3/16" x 1" |
| CM 07086 | 14" x 3/32" x 1" |



WIRE BRUSHES

- Long lasting wire brushes
- Great flexibility in a wide variety of heavy-duty applications such as edge blending and removal of surface film, rust, scale or paint
- For light to medium-duty, general purpose applications



| Part # | Size | Wire | Туре | RPM | Arbor |
|----------|--------|------|------------------|--------|-------------|
| ATD 8228 | 3" | .020 | Knot Wire Cup | 14,000 | 5/8"-11 UNC |
| ATD 8229 | 3" | .014 | Crimped Wire Cup | 14,000 | 5/8"-11 UNC |
| ATD 8230 | 4" | .020 | Crimped Wire Cup | 9,000 | 5/8"-11 UNC |
| ATD 8231 | 5" | .020 | Crimped Wire Cup | 8,000 | M10 x 1.25 |
| ATD 8232 | 6" | .020 | Crimped Wire Cup | 6,000 | 5/8"-11 UNC |
| ATD 8234 | 3" | .014 | Crimped Wire End | 14,000 | M10 x 1.25 |
| ATD 8240 | 1" | .014 | Crimped Wire End | 22,000 | 1/4" Shank |
| ATD 8253 | 1" | .020 | Crimped Wire End | 22,000 | 1/4" Shank |
| ATD 8254 | 1-1/8" | .020 | Knot Wire End | 22,000 | 1/4" Shank |
| ATD 8255 | 1-1/2" | .020 | Crimped Wire Cup | 20,000 | 1/4" Shank |
| ATD 8258 | 1-3/4" | .118 | Crimped Wire Cup | 13,000 | 1/4" Shank |
| ATD 8284 | 4" | .023 | Knot Wire Cup | 9,000 | 5/8"-11 UNC |

FIBER GRINDING DISCS

BACKING PADS & HOLDERS

7" Sanding KitsIncludes disc holder with nut lock, backing disc, and wrench

• For use on 1287, 1287L, 1290, 1290L & VS20 Series









3M

5" Fibre Disc Backup Pad

- Hard rubber construction works with fiber disc backing for consistent support
- Designed to resist chunking for longer abrasive life

3MI 05637

7" Plastic Backing Pad

- Made from virgin polypropylene resin
- Unbreakable and long lasting
- Perfect flex for the needs of a body man

GLE 1407







Type III Disc Holders

- Medium-density, rubber backup pad is ideal for contour work, feathering and edging into corners
- Type III fastener features a roll-on/roll-off style

| Party # | Туре |
|----------|-------------------------|
| ATD 6601 | 2" Type III Disc Holder |
| ATD 6602 | 3" Type III Disc Holder |

GRINDING DISCS

3M™ Grinding Discs

 Designed for shaping of plastic filler and removing paint around damaged area



| Part # | Description | Grit | Size |
|-----------|--------------------------------------|------|------|
| 3MI 00380 | Imperial™ Stikit™ 740i Grinding Disc | 36E | 8" |
| 3MI 00379 | Imperial™ Stikit™ 740i Grinding Disc | 40E | 8" |
| 3MI 00377 | Imperial™ Stikit™ 740iGrinding Disc | 60E | 8" |
| 3MI 00525 | Green Corps™ Hookit™ GrindingDisc | 36E | 8" |
| 3MI 00524 | Green Corps™ Hookit™ GrindingDisc | 40E | 8" |
| 3MI 00522 | Green Corps™ Hookit™ GrindingDisc | 60E | 8" |
| 3MI 00521 | Green Corps™ Hookit™ GrindingDisc | 80E | 8" |

RESIN FIBER DISCS

Heavy Duty Aluminum Oxide (A/O)

- Good cutting performance and economy in an all purpose disc
- No grinding additives provides safer working environment

Premium Aluminum Oxide (Prem A/O)

- Blend of advanced abrasive alloys and bonding agents delivers superior rates and longer useful life
- Provides optimal value when used in high stock removal applications where a cool cutting action is required Zirconia (ZIRC)
- Extremely hard abrsive alloy sharpens itself in use, delivering outstanding cutting rates and maximum useful life

| Advar grain reducMost | nced bon shreddir ing glazi effective | and maximum useful life id extends disc life by minimizi ng, while promoting cool grindi ng and loading e in high production applicatior are monitored | ng action | |
|--|--|--|------------|------------|
| Size | Grit | A/0 | Prem A/O | ZIRC |
| 5" | 16 | BAR 510016 | BAR 511016 | BAR 513016 |
| 5" | 24 | BAR 510024 | BAR 511024 | BAR 513024 |
| 5" | 36 | BAR 510036 | BAR 511036 | BAR 513036 |
| 5" | 50 | BAR 510050 | BAR 511050 | |
| 5" | 60 | BAR 510060 | BAR 511060 | BAR 513060 |
| 5" | 80 | BAR 510080 | BAR 511080 | BAR 513080 |
| 7" | 16 | BAR 710016 | BAR 711016 | BAR 713016 |
| 7" | 24 | BAR 710024 | BAR 711024 | BAR 713024 |
| *************************************** | ··• | 7 | ···• | |

BAR 711036

BAR 711050

BAR 711080

Mini Resin Type R Grinding Discs

BAR 710036

BAR 710050

BAR 710080

36

50

80

7"

- Manufactured utilizing a multi-layer, heavy duty vulcanized fiber backing
- Covered with a formulated bond coat to resist loading, glazing and grain stripping
- Powerful, versatile, flexible, safe and economical
- Outperform and outlast conventional 2-ply and 3-ply cloth backed discs
- Type "R" quick change screw on fastening systems
- Available with an aluminum oxide or zirconia abrasive grain





BAR 713036

BAR 713050

BAR 713080

SANDING DISCS/SHEETS

SANDING DISCS



For random orbital and rotary sanders
 Industry's highest performing and recognitions.

Industry's highest performing and broadest selection of paper discs in PSA (pressure sensitive adhesive) disc rolls, individual discs, and hook and loop discs

NO-FIL ADALOX A275

NORTON

APPLICATIONS: Stripping and preparing primed and painted surfaces for finishing, sanding of plastics, fiberglass and composites, bare wood sanding, light weld blending, preparing and finishing metal, and sanding of all gel coat and body filler compounds

| | 36 Rot | 40 ughing | 60 to Int | 80 ermed | 100 iate | 120 | 150 | 180 | 220 | 240 | 280 | 320 | 360 | 400 | 500 | 600 | 800 | | | | | |
|----------------|-----------|--------------|--------------|--------------------|-------------|--------|---------|--------|-----|-----|-----|-----|---------|---------|-----|-----|-----|------|-----------|---------|------|------|
| ~ | | | | | In | termed | iate to | Finish | ing | | | | | | | | | 1000 | 1200 | 1500 | 2000 | 2500 |
| _ _ | | | | | | | | | | | | | Fine Fi | nishing | | | | | | | | |
| U | | | | | | | | | | | | | | | | | | U | Itra Fine | Finishi | ng | |

| Grit | PB273 5" PSA Disc (100/Roll) | PB273 5" Hookit (100/Box) | A275 5" PSA Disc (100/Roll) | A275 5" Hook & Loop (100/Box) | A275 5" Hook & Loop Vac (100/Box) |
|------|------------------------------|---------------------------|-----------------------------|-------------------------------|--|
| 80 | NTN 666233-62930 | NTN 666233-62950 | NTN 662611-31464 | NTN 662611-31549 | NTN 662611-31583 |
| 100 | | | NTN 662611-31463 | NTN 662611-31548 | NTN 662611-31582 |
| 120 | NTN 666233-62929 | NTN 666233-62949 | NTN 662611-31462 | NTN 662611-31547 | NTN 662611-31581 |
| 150 | NTN 666233-62928 | NTN 666233-62948 | NTN 662611-31461 | NTN 662611-31546 | NTN 662611-31580 |
| 180 | NTN 666233-62927 | NTN 666233-62947 | NTN 662611-31460 | NTN 662611-31545 | NTN 662611-31579 |
| 220 | NTN 666233-62926 | NTN 666233-62946 | NTN 662611-31459 | NTN 662611-31544 | NTN 662611-31578 |
| 240 | NTN 666233-62925 | NTN 666233-62945 | NTN 662611-31458 | NTN 662611-31543 | NTN 662611-31577 |
| 280 | | | NTN 662611-31457 | NTN 662611-31542 | NTN 662611-31576 |
| 320 | NTN 666233-62924 | NTN 666233-62944 | NTN 662611-31456 | NTN 662611-31541 | NTN 662611-31575 |
| 400 | NTN 666233-62923 | NTN 666233-62943 | NTN 662611-31454 | NTN 662611-31539 | NTN 662611-31573 |
| 500 | | | NTN 662611-31453 | NTN 662611-31538 | NTN 662611-31572 |
| 600 | NTN 666233-62922 | NTN 666233-62942 | NTN 662611-31452 | NTN 662611-31537 | NTN 662611-31571 |
| 800 | NTN 666233-62921 | NTN 666233-62941 | NTN 662611-31451 | NTN 662611-31536 | NTN 662611-31570 |
| 1000 | | | NTN 662611-31450 | NTN 662611-31535 | NTN 662611-31569 |
| 1200 | | | NTN 662611-31449 | NTN 662611-31534 | NTN 662611-31568 |
| 1500 | | | NTN 662611-31448 | NTN 662611-31533 | |

ABRASIVE SHEETS/ROLLS -

CORA MERIT PB273

| Part # | Grit | Size | Туре | Slv |
|------------------|-------|------------------|-----------------------------------|-----|
| NTN 662611-00315 | 80 | 9" x 11" | Adalox A211/A213 Dry Only Sheet | 50 |
| NTN 662611-00320 | 60 | 9" x 11" | Adalox A211/A213 Dry Only Sheet | 50 |
| NTN 662611-00330 | 40 | 9" x 11" | Adalox A211/A213 Dry Only Sheet | 50 |
| NTN 662611-00335 | 36 | 9" x 11" | Adalox A211/A213 Dry Only Sheet | 50 |
| NTN 662611-01170 | 80 | 9" x 11" | TufBak T461 Wet/Dry Sheet | 50 |
| NTN 662611-01160 | 120 | 9" x 11" | TufBak T461 Wet/Dry Sheet | 50 |
| NTN 662611-01155 | 150 | 9" x 11" | TufBak T461 Wet/Dry Sheet | 50 |
| NTN 662611-01150 | 180 | 9" x 11" | TufBak T461 Wet/Dry Sheet | 50 |
| NTN 662611-30331 | 240 | 9" x 11" | TufBak T461 Wet/Dry Sheet | 50 |
| NTN 662611-30333 | 400 | 9" x 11" | TufBak T461 Wet/Dry Sheet | 50 |
| NTN 662611-30334 | 600 | 9" x 11" | TufBak T461 Wet/Dry Sheet | 50 |
| NTN 662611-23608 | 80E | 2-3/4" x 16-1/2" | BlueFire H875P File Strip | 50 |
| NTN 662611-23609 | 40E | 2-3/4" x 16-1/2" | BlueFire H875P File Strip | 50 |
| NTN 662611-23610 | 36E | 2-3/4" x 16-1/2" | BlueFire H875P File Strip | 50 |
| NTN 662611-23611 | 80E | 2-3/4" x 16-1/2" | BlueFire H875P Vacuum File Strip | 50 |
| NTN 662611-23613 | 36E | 2-3/4" x 16-1/2" | BlueFire H875P Vacuum File Strip | 50 |
| NTN 662611-23614 | 80E | 2-3/4" x 16-1/2" | BlueFire H875P NorGrip File Strip | 50 |
| NTN 662611-23615 | 40E | 2-3/4" x 16-1/2" | BlueFire H875P NorGrip File Strip | 50 |
| NTN 662611-23616 | 36E | 2-3/4" x 16-1/2" | BlueFire H875P NorGrip File Strip | 50 |
| NTN 662611-23620 | 80 | 2-3/4" x 17-1/2" | BlueFire H875P Non-PSA File Strip | 50 |
| NTN 662611-23621 | 40 | 2-3/4" x 17-1/2" | BlueFire H875P Non-PSA File Strip | 50 |
| NTN 662611-30836 | 40 | 2-3/4" x 17-1/2" | H290 Non-PSA File Strip | 50 |
| NTN 662611-31643 | P150 | 2-3/4" x 16-1/2" | A2750P H&L NorGrip File Strip | 50 |
| NTN 662611-31644 | P120 | 2-3/4" x 16-1/2" | A2750P H&L NorGrip File Strip | 50 |
| NTN 662611-31648 | P180B | 2-3/4" x 17-1/2" | A2750P H&L Clip On File Strip | 50 |
| NTN 662611-62213 | 220B | 2-3/4" x 9" | Wet/Dry Sheet | 50 |
| NTN 662611-62214 | 320B | 2-3/4" x 9" | Wet/Dry Sheet | 50 |
| NTN 662611-62215 | 400B | 2-3/4" x 9" | Wet/Dry Sheet | 50 |
| NTN 662611-62216 | 600B | 2-3/4" x 9" | Wet/Dry Sheet | 50 |

Abrasive Sheets & Rolls

Engineered for optimum performance when sanding metal, wood, composites and painted surfaces





| Part # | Grit | Size | Туре |
|------------------|-------|-----------------|----------------------------------|
| NTN 662611-49557 | P400B | 2-3/4" x 45 YDS | Dry Ice® Stick & Sand Sheet Roll |
| NTN 662611-49561 | P220B | 2-3/4" x 45 YDS | Dry Ice® Stick & Sand Sheet Roll |
| NTN 662611-49564 | P120C | 2-3/4" x 30 YDS | Dry Ice® Stick & Sand Sheet Roll |
| NTN 662611-31679 | P600B | 2-3/4" x 45 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31680 | P500B | 2-3/4" x 45 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31681 | P400B | 2-3/4" x 45 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31683 | P320B | 2-3/4" x 45 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31686 | P220B | 2-3/4" x 45 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31687 | P180B | 2-3/4" x 45 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31688 | P150B | 2-3/4" x 45 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31689 | P120B | 2-3/4" x 30 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 662611-31690 | P100B | 2-3/4" x 30 YDS | A2750P Stick & Sand Sheet Roll |
| NTN 666233-06884 | P220 | 2-3/4" x 45 YDS | A475 Stick & Sand Sheet Roll |
| NTN 666233-15257 | P600 | 2-3/4" x 45 YDS | A475 Stick & Sand Sheet Roll |

Black Ice™ T402 Waterproof Sheets

• Ultimate finish in wet applications • Premium abrasive grain • Improved flexible backing

 \bullet Extremely flexible for easy folding and tearing, wet or dry \bullet Resists cracking and tearing

| Part # | Size | Description | Grit |
|------------------|--------|---|-------|
| NTN 662611-39369 | 5"x9" | Black Ice [™] Abrasive Sheets, 50/PK | 2500G |
| NTN 662611-39370 | 5"x9" | Black Ice [™] Abrasive Sheets, 50/PK | 2000G |
| NTN 662611-39371 | 5"x9" | Black Ice [™] Abrasive Sheets, 50/PK | 1200A |
| NTN 662611-39372 | 5"x9" | Black Ice [™] Abrasive Sheets, 50/PK | 1200A |
| NTN 662611-39373 | 5"x9" | Black Ice [™] Abrasive Sheets, 50/PK | 1000G |
| NTN 662611-39378 | 9"x11" | Black Ice [™] Abrasive Sheets, 50/PK | 2000A |
| NTN 662611-39379 | 9"x11" | Black Ice [™] Abrasive Sheets, 50/PK | 1500A |
| NTN 662611-39380 | 9"x11" | Black Ice [™] Abrasive Sheets, 50/PK | 1200A |
| NTN 662611-39381 | 9"x11" | Black Ice [™] Abrasive Sheets, 50/PK | 1000A |









BEST CHOICE FOR A BOAT-LOAD OF APPLICATIONS:

Fiberglass | Paint | Primer | Plastic | Metal | Wood



SANDING DISCS/SHEETS/PADS

Carbo® Premier™ Red **Aluminum Oxide Stick-On Paper Disc Rolls**

- Great choice for sanding all paints, primers, metals, plastics and fiberglass
- Also suited for sealer and wash coats in wood furniture
- P-Graded, heat treated aluminum oxide abrasive with full resin bond system



| Grit | 5" PSA Disc Roll | 6" PSA Disc Roll | 6" Individually Tabbed | Discs/Roll |
|-------|------------------|------------------|------------------------|------------|
| P80 | CM 18114 | CM 18173 | | 100 |
| P100 | CM 18113 | CM 18172 | | 100 |
| P120 | CM 18112 | CM 18171 | | 100 |
| P150 | CM 18111 | CM 18170 | | 100 |
| P180 | CM 18110 | CM 18169 | | 100 |
| P220 | CM 18109 | CM 18168 | | 100 |
| P240 | CM 18108 | CM 18167 | | 100 |
| P280 | CM 18107 | CM 18166 | | 100 |
| P320 | CM 18106 | CM 18165 | | 100 |
| P400 | CM 18105 | CM 18164 | | 100 |
| P500 | CM 18104 | CM 18163 | | 100 |
| P1000 | CM 18101 | CM 18162 | CM 20296 | 100 |
| P1200 | | | CM 20295 | 100 |

| Part # | Grit | Discs/Roll |
|----------|------|------------|
| CM 10567 | P80 | 100 |
| CM 10565 | P120 | 100 |
| CM 10563 | P150 | 100 |
| CM 10562 | P180 | 100 |
| CM 10561 | P220 | 100 |
| CM 10560 | P240 | 100 |
| CM 10558 | P320 | 100 |
| CM 10557 | P400 | 100 |

Carbo® Gold **Aluminum** Oxide Stick-On Paper Disc Rolls

- 6" PSA Discs
- Ideal for sanding paints, primers, plastics and fiberglass as well as whitewood sanding, clean-up and repair



High Quality Silicon Carbide Abrasive Discs with PSA Backing

- Use wet or dry Dust free dry sanding
- Wet use prevents quick clogging No long soaking

| Part # | Grit | Ωty |
|-------------------|------|-----|
| SKA 991C-5T-P060 | 60 | 50 |
| SKA 991C-5T-P080 | 80 | 50 |
| SKA 991C-5T-P120 | 120 | 100 |
| SKA 991C-5T-P220 | 220 | 100 |
| SKA 991C-5T-P320 | 320 | 100 |
| SKA 991C-5T-P400 | 400 | 100 |
| SKA 991C-5T-P600 | 600 | 100 |
| SKA 991C-5T-P800 | 800 | 100 |
| SKA 991C-5T-P1000 | 1000 | 100 |
| SKA 991C-5T-P1200 | 1200 | 100 |
| SKA 991C-5T-P1500 | 1500 | 100 |

High Quality Silicon Carbide 9" x 11" Waterproof Abrasive Sheets

- Flexible with anti-slip coating Dust free dry sanding
- Wet use prevents quick clogging No long soaking

| Part # | Grit | Qty | |
|----------------|------|-----|--|
| SKA 991A-P0320 | 320 | 50 | |
| SKA 991A-P0400 | 400 | 50 | |
| SKA 991A-P0800 | 800 | 50 | |
| SKA 991A-P1000 | 1000 | 50 | |
| SKA 991A-P2000 | 2000 | 50 | |



BACKING PADS

· Allow air flow behind the sanding disc, substantially increasing the life of the disc



NORTON



FERRO INDUSTRIES, INC.



| Part # | Size | Туре | EΑ |
|------------------|------|---|----|
| 3MI 05539 | 2" | 3M™ Roloc™ Disc Pad Assembly | 1 |
| NTN 636425-05459 | 3" | Liquid Ice® Blue Cutting Foam Pad | 1 |
| NTN 662610-55105 | 3" | Blaze® Medium Speed-Lok TR Rapid Strip | 1 |
| 3MI 05540 | 3" | 3M™ Roloc™ Disc Pad Assembly | 1 |
| DYN 50120 | 3" | Hook & Loop Foam Backing Pad | 1 |
| DYN 50125 | 3" | Hook & Loop Rigid Backing Pad, 1/4"-20 Female | 1 |
| DYN 50126 | 3" | Hook & Loop Rigid Backing Pad, 3/8"-24 Female | 1 |
| DYN 56084 | 3" | Medium Non-Vacuum Disc Pad, Vinyl-Face, 16mm | 1 |
| DYN 90028 | 3" | Synthetic Wool Polishing Pad, Hook-Face Backing | 1 |
| FER 5143 | 3" | PSA Replacement Medium Disc Pad, 12,000 Max RPM | 1 |
| BFS 358 | 3" | Velcro™ Backing Pad | 1 |
| CPT 8940158330 | 3" | Velcro™ Backing Pad | 1 |
| NBP 1930 | 3" | Velcro™ Flex Edge Backing Pad, 1/4" Arbor Shaft | 1 |
| NTN 636425-06131 | 5" | PSA Medium Plain Face, 15,000 Max RPM | 1 |
| NTN 636425-06129 | 5" | Soft NorGrip® H&L, 12,000 Max RPM | 1 |
| NTN 636425-06132 | 5" | PSA Pad, 5 Vacuum Holes, Medium | 1 |
| 3MI 05545 | 5" | 3M™ Stikit™ Low Profile Finishing Disc Pad | 1 |
| SKA 151417 | 5" | Tapered Edge Backup Pad, 5/8-11 | 1 |
| SKA 151444 | 5" | Soft Edge Backup Pad 5/8-11 | 1 |
| SKA 151445 | 5" | Thick Edge Backup Pad 5/8-11 | 1 |
| DYN 56102 | 5" | Soft Non-Vacuum Disc Pad, Vinyl-Face, 10mm | 1 |
| DYN 56106 | 5" | Medium Non-Vacuum Disc Pad, Vinyl-Face, 10mm | 1 |
| DYN 56185 | 5" | Soft Non-Vacuum Disc Pad, Vinyl-Face, 16mm | 1 |
| FER 5115 | 5" | PSA Firm Low Profile Disc Pad, 12,000 Max RPM | 1 |
| FER 5135 | 5" | PSA Medium Non-Vacuum Disc Pad, 10,000 Max RPM | 1 |
| FER 53115 | 5" | PSA Soft 5 Hole Disc Pad | 1 |
| FER 65146 | 6" | PSA Medium Tapered Disc Pad, 10,000 Max RPM | 1 |
| DYN 56107 | 6" | Medium Non-Vacuum Disc Pad, Vinyl-Face, 10mm | 1 |
| FER 5116 | 6" | PSA Firm Low Profile Disc Pad, 10,000 Max RPM | 1 |
| FER 5136 | 6" | PSA Medium Non-Vacuum Disc Pad, 10,000 Max RPM | 1 |
| FER 6158 | 8" | PSA Medium Disc Pad, 4,800 Max RPM | 1 |
| FER 6168 | 8" | PSA Soft Disc Pad, 4,800 Max RPM | 1 |



NorGrip Air File Shoe

• Eliminates the need for clips

· Quick-change backing positively locks and unlocks every time, for fast, easy-to-manage use of hook and loop file sheets

NTN 636425-52835

HAND SANDERS

Ergonomic Sanding Blocks


Ergonomically-shaped flexible foam blocks used with 2-3/4 ln. rolls, fit comfortably in your hand





| Part # | Туре | Size |
|------------------|------------------------|-----------------|
| NTN 636425-42090 | Soft Handle; PSA Paper | 2-3/4" x 5" |
| NTN 636425-42091 | Firm Handle; PSA Paper | 2-3/4" x 5" |
| NTN 636425-42094 | Soft Handle; PSA Paper | 2-3/4" x 7-3/4" |

SANDING DISCS/SHEETS





3M™ Stikit™ Low Profile Finishing Disc Pad

- · An aluminum oxide open coat, non-loading Hookit™ disc with precise hole design for improved dust extraction constructed on a film backing

| | • Max RPM 12,000 | | |
|-------|------------------|--------|--|
| | | 070000 | |
| | Qty | | |
| 45YDS | 10/RL | | |
| | · | | |



234"x 25YDS

234"x 25YDS

Size

3M™ Stikit™ Gold **Abrasive Sheet Roll 216U**

- Use for fine featheredging or last final sanding step before priming Suggested backup pads 3M™
- Stikit™ Low Profile Disc Pad (3MI 05556) or 3M™ Stikit™ Disc Pad (3MI 05576)



Part #

3MI 02598

3MI 02599

Grade

P100A

P80

3M™ Stikit™ Purple **Abrasive Disc 740L**

10/RL

10/RL

- Performance abrasive disc with Stikit™ attachment
- · Aggressive shaping of plastic filler and removing paint around damaged area

| Part # | Grade | Size | Qty |
|-----------|-------|-------|--------|
| 3MI 00377 | P80E | 8"xNH | 100/DC |
| 3MI 00380 | P36E | 8"xNH | 100/DC |
| 3MI 00379 | P40E | 8"xNH | 100/DC |





3M™ Stikit™ Film Disc Roll 360L

- An aluminum oxide open coat, non-loading Stikit™ abrasive product constructed on a film backing
- 125 discs per roll

| Part # | Grade | Size | Qty/Box |
|-----------|-------|-------|---------|
| 3MI 06213 | P220 | 5"xNH | 4/RL |
| 3MI 06217 | P320 | 5"xNH | 4/RL |
| 3MI 06219 | P400 | 5"xNH | 4/RL |
| 3MI 06220 | P500 | 5"xNH | 4/RL |
| 3MI 06221 | P600 | 5"xNH | 4/RL |
| 3MI 06222 | P800 | 5"xNH | 4/RL |
| 3MI 06223 | P1000 | 5"xNH | 4/RL |

| Part # | Grade | Size |
|-----------|-------|--------|
| 3MI 55500 | P180 | 5"x NH |
| 3MI 55501 | P220 | 5"x NH |
| 3MI 55502 | P240 | 5"x NH |
| 3MI 55503 | P320 | 5"x NH |
| 3MI 55504 | P400 | 5"x NH |
| 3MI 55505 | P500 | 5"x NH |
| 3MI 55598 | P80 | 5"x NH |
| 3MI 55600 | P120 | 5"x NH |
| 3MI 55601 | P150 | 5"x NH |



3M™ Green Corps™ **Abrasive Discs**

· Designed for grinding door skins, MIG welds and on metal, plastic or fiberglass

| 3M ⁷ San | | |
|------------------------|--|-----------------|
| San | | |
| San | ······································ | |
| San | | 9 |
| San | | |
| San | ······································ | |
| San | ······································ | |
| San | ······································ | 3M ¹ |
| | <u>.</u> | San |

™ Hookit™ Clean nding Disc 236U

- Premium aluminum oxide Hookit™ disc with precise hole design for improved dust extraction constructed on paper backing
- Qty: 250/DC

| Part # | | Grit | Size |
|-----------|---------------------------|------|------|
| 3MI 01551 | Green Corps™ Stikit™ Disc | 36E | 8" |
| 3MI 01550 | Green Corps™ Stikit™ Disc | 40E | 8" |
| 3MI 01549 | Green Corps™ Stikit™ Disc | 80E | 8" |
| 3MI 01923 | Green Corps™ Disc | 24 | 7" |
| 3MI 01922 | Green Corps™ Disc | 36 | 7" |

WETORDRY™ SHEETS

| Part # | Туре | Grade |
|-----------|------|--------|
| 3MI 02015 | 4310 | P150 |
| 3MI 02016 | 4310 | P120C |
| 3MI 02017 | 4310 | P100 |
| 3MI 02018 | 4310 | P80 |
| 3MI 02020 | 4010 | P2000 |
| 3MI 02021 | 4010 | P1000 |
| 3MI 02022 | 4010 | P1200 |
| 3MI 02023 | 4010 | P1500 |
| 3MI 02032 | 4010 | P1500 |
| 3MI 02033 | 4010 | P1200 |
| 3MI 02034 | 4010 | P1000A |
| 3MI 02035 | 2130 | P800A |
| 3MI 02036 | 2130 | P600A |
| 3MI 02037 | 2130 | P500 |
| 3MI 02038 | 2130 | P400 |
| 3MI 02039 | 2130 | P360 |
| 3MI 02040 | 2130 | P320 |
| 3MI 02042 | 2130 | P240 |
| 3MI 02043 | 2130 | P220 |



Wetordry™ 9"x11" **Abrasive Sheets**

- Used in wet sanding, fine featheredging, rough featheredging and scuffing the blend area prior to painting
- Flexible backing with more consistant scratch pattern
- 50/sleeve



| | _ | |
|-----------|----------------------|-------|
| Part # | Туре | Grade |
| 3MI 02105 | 210N Sanding Sheets | P150 |
| 3MI 02106 | 210N Sanding Sheets | P120 |
| 3MI 02107 | 210N Sanding Sheets | P100 |
| 3MI 00543 | 255U Abrasive Sheets | 36E |
| 3MI 00542 | 255U Abrasive Sheets | 40E |
| 3MI 00540 | 255U Abrasive Sheets | 60E |
| 3MI 00539 | 255U Abrasive Sheets | 80E |
| 3MI 00538 | 255U Abrasive Sheets | 100E |



Dry Sanding Abrasive Sheets

· For dry sanding by hand or machine

255U 2.75"x6.5" 3M™ Hookit™ Green **Corps™ Abrasive Sheet**

• Ideal for shaping filler and stripping paint to metal

SURFACE CONDITIONING

CONDITIONING DISCS

2" Coarse Lockit Disc, 100PK

- Quick change surface conditioning scrim black (SCSB) discs with R fastening system
- Fast and heavy abrasive action with high unloading properties
- Max RPM: 25,000
- Compact design fits into hard-to-reach areas
- $\bullet \text{ Type III fastener features a roll-on/roll-off style (equivalent to 3M$^{\text{TM}}$ Roloc$^{\text{TM}}$ fasten style) }$
- Good for steel, stainless steel, aluminum, titanium and alloys, fiberglass, plastic and glass

ATD 3150

| Part # | Grit | Qty |
|----------|-----------|---------|
| ATD 3151 | 2" Coarse | 25/PACK |
| ATD 3152 | 2" Medium | 25/PACK |
| ATD 3153 | 3" Coarse | 25/PACK |
| ATD 3154 | 3" Medium | 25/PACK |



Bear-Tex Surface Blending Discs (2" & 3")

- Superior, consistent finishes whenever you need to clean, deburr, blend or finish
- Higher rate of cut for increased productivity and much longer life
- Thick, reinforced non-woven backing with tough aluminum oxide abrasive



| Grit | 2" | 3" |
|-----------------|------------------|------------------|
| Coarse (Brown) | NTN 662610-09191 | NTN 662610-09194 |
| Medium (Maroon) | NTN 662610-09190 | NTN 662610-17522 |
| Fine (Blue) | NTN 662610-09189 | NTN 662610-09192 |

2" & 3" Norzon TR Discs

- Self sharpening zirconia abrasive
- Heavy Y-wt backing, two ply construction
- Cooler cut, longer life Enhanced durability
- Reduced edge-wear 25 per box

| ,00 | NORTON |
|-------------------|-----------------|
| rasive | NEIXIEN |
| ly construction | MARINE |
| hanced durability | $C \rightarrow$ |
| er box | |
| | |

| Grit | 2" | 3" |
|------|------------------|------------------|
| 80 | NTN 662611-21049 | NTN 662611-21054 |
| 50 | NTN 662611-38670 | NTN 662611-38673 |
| 36 | NTN 662611-38671 | NTN 662611-38674 |
| 24 | NTN 662611-38672 | NTN 662611-38675 |

SANDING SPONGES-

- Specially designed forhard-to-reach areas like door jambs, headlight openings and around doorhandles
- Ideal for bumpers, contours, jambs and small parts
- Generates a uniform finish



| Part # | Style, Grit | Part # | Style, Grit |
|------------------|-----------------------|------------------|-------------------|
| NTN 076607-03074 | SoftTouch, Medium | NTN 076607-49504 | MultiSand, F/M* |
| NTN 076607-03075 | SoftTouch, Fine | NTN 076607-49505 | MultiSand, M/C* |
| NTN 076607-03076 | SoftTouch, Super Fine | NTN 076607-49506 | MultiSand, F/F* |
| NTN 076607-03077 | SoftTouch, Ultra Fine | NTN 076607-49507 | MultiSand, M/M* |
| NTN 076607-03078 | SoftTouch, Micro Fine | NTN 636425-52868 | Economy, Fine** |
| NTN 076607-49502 | MultiSand, F/M | NTN 636425-52869 | Economy, Medium** |
| NTN 076607-49503 | MultiSand, M/C | NTN 636425-52870 | Economy, Coarse |

* Case of 24 ** Case of 250

HAND BLOCKS-



Hard Hand Blocks

- Use with abrasives for leveling of repair area or following contours
- Embossed rubber face allows good adhesion to rolls and sheets

| Part # | Description |
|-----------|---------------------------------------|
| 3MI 05440 | 3M™ Stikit™ Hand Block,, 2-3/4" x 5" |
| 3MI 05740 | 3M™ Hookit™ Hand Block, 2-3/4" x 5" |
| 3MI 05741 | 3M™ Hookit™Hand Block, 2-3/4" x7-3/4" |

Dura-Block

Dura-Block Sanding Blocks

 Molded of closed-cell EVA rubber for just the right amount of sturdiness and "give" as you sand, wet, or dry




| Part # | Туре | Part # | Туре |
|--------------|--|------------|-------------------------|
| DRB AF4400 | 11" Standard | DRB AF4411 | 6" Dura Disc |
| DRB AF4401 | 1/3 Block | DRB AF4412 | 1/3 Radius Block |
| DRB AF4402 | 2/3 Block | DRB AF4413 | 2/3 Radius Block |
| DRB AF4403 | Full Size Block | DRB AF4414 | Full Radius Block |
| DRB AF4404 | 11" Round | DRB AF4415 | Composite 2/3 PSA Block |
| DRB AF4405 | Scuff Pad | DRB AF4417 | 1/3 Hook & Loop Block |
| DRB AF4406 | Tear Drop Block | DRB AF4418 | 2/3 Hook & Loop Block |
| DRB AF4409 | 24" Long Block | DRB AF4419 | Full Size Hook & Loop |
| DRB AF4410 | Marine Block | | |
| DRB AF44A | 6PC Dura-Block Set (Standard, 1/3 Block, 2/3 Block, Round, 2 Scruffs) | | |
| DRB AF44HL | 7PC Hook & Loop Type Dura-Block Set (Standard, 1/3 Blk, 2/3 Blk, Full, Round, Scruff + Soap) | | |
| DRB AF44L | 7PC Dura-Block Set (Standard, 1/3 Blk, 2/3 Blk, Full, Round, Scruff + Soap) | | |
| DRB AF44XDVD | 5PC Dura-Block Set (1/3 Block, 2/3 Block, Full, Long, Marine) | | |

HAND PADS -

Scotch-Brite™ General Purpose Hand Pad 7447, 3 Pack, 6" x 9"

 Superior alternative to steel wool, wire brushes, sandpaper, and other nonwoven products for cleaning or finishing tasks




- Suitable for use on wood, metal, plastics, ceramics, porcelain, glass, rubber, or composites
- Reusable pad resists tearing, splintering, shredding, loading and will never rust, providing a long, useful life

3MI 37447

Bear-Tex Hand Pads (6" x 9")

- Flexible, Gentle and Non-loading Resilient construction
- Easily cut to desired size Conforms to work surface
- Easily removes surface defects without affecting dimensions
- Constant supply of new cutting edges
- Solvent resistant, waterproof and waste reduction
- No "bleed through" or work piece contamination
- Long life, increased productivity 20 per box



| Part # | Туре | Use |
|------------------|----------------------|-----------------|
| NTN 662610-45600 | Non-abrasive (White) | Cleaning |
| NTN 662610-74600 | Medium (Gray) | Blending |
| NTN 662610-74800 | Medium Fine (Gray) | Final Shine |
| NTN 662610-74700 | Very Fine(Maroon) | General Purpose |
| NTN 662610-79600 | Very Fine (Green) | Scouring |



CLEAN

RESTORE

PROTECT

The premium choice for marine detailing and surface correction products that clean, restore, and protect a boat inside and out. Whether it's tooling gel, gel coat, painted surfaces, non-skid, vinyl, plastic, or glass

we have the solution you need.





COMPOUND & POLISH



Shopline Cutting Compound

Cuts quickly and is designed to remove P1200 and finer sand scratches on most new and aged clear coat paint surfaces over a broad range of buffing

- · Contains no waxes, fillers or silicones
- · Water-based formula is easy-to-use
- Significantly reduces buffing and cleanup time when used in conjunction with Shopline Finishing Polish

| Part # | Size |
|------------|--------|
| PST 131432 | 32 oz |
| PST 131401 | Gallon |



Shopline Finishing Polish

High gloss and swirl-free

finish that will not wash away

- · Contains no waxes, fillers or silicones
- · Water-based formula is easy-to-use
- Significantly reduces buffing and cleanup time when used in conjunction with Shopline **Cutting Compound**

| Part # | Size |
|------------|--------|
| PST 132332 | 32 oz |
| PST 132301 | Gallon |

Super Cut Compound

Aggressive compound easily removes P800 grit and finer sand scratches and oxidation

- · Use on gel coat and fiberglass surfaces
- Use with 100% white wool pad for heavy oxidation
- · Contains no waxes or fillers

| Part # | Size |
|------------|--------|
| PST 134532 | 32 oz |
| PST 134501 | Gallon |



Gel Coat Compound

Trusted compound easily removes P1000 grit and finer sand scratches and oxidation

- · Immediate cutting action won't overheat
- Use with 100% white wool pad for heavy to medium oxidation
- · Contains no waxes or

| Size |
|--------|
| 32 oz |
| Gallon |
| |



Ultra Cutting Crème

Perfect compound to remove P1500 grit and finer sand scratches and lighter damage and swirls

- · Use on gel coat and painted surfaces
- · Removes moderate to light oxidation
- · No waxes or fillers

| Part # | Size |
|------------|--------|
| PST 131932 | 32 oz |
| PST 131901 | Gallon |



Ultra Polish

Trusted polish to remove minor surface imperfections and light oxidation from marine gel coats and painted surfaces

- · Creates a very high gloss finish
- No wayes scratch

| fillers or silic | | Ultra |
|------------------|--------|---|
| Part # | Size | FOIISI Actions there may supply the and add added a sign about the sign and added a sign about the sign about |
| PST 133532 | 32 oz | FART NO. 133501 #14870 House Sec. |
| PST 133501 | Gallon | |
| | | |

MaxProduction Compound

Ultra-aggressive cutting compound for heavy scratch removal, P600 and finer sand scratches - Use on gel coat and other solid surfaces

- · Produces a moderate gloss finish
- · Water-based, easy cleanup formula
- · Designed for marine and industrial applications
- 1 gallon size

PST 165001



MaxComplete Compound

Next generation cutting compound that provides aggressive cutting action for P800 and finer sand scratches and light-heavy oxidation removal

- Use on fiberglass, gel coat and painted surfaces
- Produces a high gloss finish
- · Water-based, easy cleanup
- · No waxes, fillers or silicones

| Part # | Size |
|------------|--------|
| PST 163032 | 32 oz |
| PST 163001 | Gallon |



MaxFinishing Polish

Part of the innovative MAX family, its diminishing abrasives polish the surface for a flawless, swirl-free finish

- · Use on gel coat and composite surfaces
- · Water-based formula for quick and easy cleanup
- · Contains no waxes, fillers or silicones

| Part # | Size |
|------------|--------|
| PST 163532 | 32 oz |
| PST 163501 | Gallon |



HydroProtek Ceramic Coating

Advanced technology ceramic spray-on formula applies 4x faster than traditional waxes

- · Produces a season long hydrophobic barrier
- · Recommend using DeckSpray All Purpose Cleaner to remove residual wax prior to application
- · Creates the ultimate high gloss finish
- Repels water and residue
- · Protects against UV rays and oxidation

| Part # | Size |
|------------|--------|
| PST 169622 | 22 oz |
| PST 169601 | Gallon |



TRUSTED PROFESSIONAL SOLUTIONS TO CLEAN RESTORE PROTECT

MARINE SURFACES

UV Crème Wax

Traditional wax creates a high gloss finish

- Provides long lasting shine and up to 6 months UV protection
- · Apply by hand or machine
- Use on fiberglass, gel coat and painted finishes

| Part # | Size |
|------------|--------|
| PST 166132 | 32 oz |
| PST 166101 | Gallon |



COMPOUND & POLISH

PACE™ Compounds & Polishes for Painted Surfaces

Removes sand scratches

- Polishes to deep gloss in one step Reduces cycle times
- Specially formulated for use with dual-action orbital polishers
- Contains no waxes, fillers or silicones

| Part # | | | Size |
|------------|---------------------------|-----------------------------------|-------|
| PST 133116 | PACE™ Heavy Cut Compound | Removes up to 1500 sand scratches | 16oz |
| PST 133132 | PACE™ Heavy Cut Compound | Removes up to 1500 sand scratches | 32 oz |
| PST 133216 | PACE™ Medium Cut Compound | Removes up to 2500 sand scratches | 16oz |
| PST 133232 | PACE™ Medium Cut Compound | Removes up to 2500 sand scratches | 32 oz |



PACE™ Ultimate Polish

A one-step finish for enhancing the appearance where light correction with a deep gloss is desired

- Can be used as a final step after PACETM Heavy/Medium Cut Compounds to achieve deep gloss
- Specially formulated for use with dual-action orbital polishers

| Part # | Size |
|------------|-------|
| PST 133316 | 16oz |
| PST 133332 | 32 oz |







3M[™] Marine Compounds and Finishing Materials

- Removes light to heavy oxidation
- Eliminates sand scratches and swirl marks
- Fast cutting action saves time

| Part # | Size |
|-----------|--------|
| 3MI 36044 | Quart |
| 3MI 36045 | Gallon |



- Compound removes scratches caused by sanding
- Formula effectively removes oxidation, stains and surface blemishes
- Use of this product creates a high gloss shine
- Product is wax and silicone free
- Fast-cut formulation reduces compounding time

3MI 06025





3M[™] Finesse-It[™] Series Machine Polish and Finishing Materials

- Removes compound swirls from clear coat and delivers a high gloss, smooth surface finish
- Excels at removing minor surface imperfections such as small scratches, swirl marks after compounding, and water spots

| Part # | Description | Size |
|-----------|---|----------|
| 3MI 13084 | Finesse-it™ Polish/Finishing Material, White | 1 Gallon |
| 3MI 05928 | Finesse-it II [™] Finishing Material | Quart |
| 3MI 05929 | Finesse-it II [™] Finishing Material | 1 Gallon |
| 3MI 13084 | Finesse-it™ Polish/Finishing Material | 1 Gallon |
| 3MI 06039 | Finesse-It™ Marine Compound | 1 Gallon |



3M[™] Perfect-It[™] Series Rubbing Compounds

- Highest level of performance
- Easiest clean up
- Less sling and powdering
- Very smooth handling Performs better than other compounds in all conditions, especially hot and humid conditions
- Unique formula quickly removes P1200 grade and finer sand scratches and other surface defects

| Part # | Description | Size |
|-----------|--------------------------------|--------|
| 3MI 36060 | Perfect-it™EX Rubbing Compound | Quart |
| 3MI 36061 | Perfect-it™EX Rubbing Compound | Gallon |



3M™ Perfect-It™ Series Machine Polish and Finishing Materials

- Uniquely formulated to remove compound swirl marks and scratches
- Best for dark colored paint finishes
- Less clean up required
- Perfect-It[™] series is 3M's highest performing polishes & compounds

| Part # | Description | Size |
|-----------|---|----------|
| 3MI 05996 | 3M™ Machine Polish | Quart |
| 3MI 39809 | 3M™ Machine Polish | 1 Gallon |
| 3MI 06064 | Perfect-It [™] Machine Polish | Quart |
| | Perfect-It [™] Machine Polish | 1 Gallon |
| 3MI 06068 | Perfect-It [™] EX Ultrafine Machine Polish | Quart |
| 3MI 06069 | Perfect-It [™] EX Ultrafine Machine Polish | 1 Gallon |
| 3MI 36065 | Perfect-It [™] 1 Finishing Material | 1 Gallon |

CLEANERS & PROTECTANTS



DeckSpray All Purpose Cleaner

Powerful non-skid cleaner quickly removes black streaks, heavy soils, grease and grime

- Recommended for wax removal before applying HydroProtek Ceramic Coating
- Ideal for cleaning stubborn bilge and fish well stains
- Biodegradable, non-caustic, phosphate-free
- · Aluminum safe



| Part # | Size |
|------------|--------|
| PST 166022 | 22 oz |
| PST 166001 | Gallon |

BOAT WASHES & SPECIALTY CLEANERS

Ultra Concentrated Boat Wash

Powerful phosphate-free formula removes algae, salt, fish residue, dirt and grime

- Ultra-concentrated, 1:400 dilution
- · High foaming, biodegradable
- · Safe for use on all waxed or coated surfaces

| Part # | Size |
|------------|--------|
| PST 166232 | 32 oz |
| PST 166201 | Gallon |



WAX

Mold Release Wax

- A high production paste release with excellent breakdown for fast, even coverage
- · Formulated for fast drying with a pure carnauba base
- · Extremely easy to apply and wipe off



| Part # | Description | Size |
|-------------|--|----------|
| WX TR-102 | Regular TR® Mold Release Wax | 14 oz |
| WX TR-104 | High Temperature TR® Mold Release Wax | 14 oz |
| WX TR-108 | Basic TR® Mold Release Wax | 14 oz |
| WX TR-111-1 | TR® Slurry Release Wax | 1 Gallon |
| WX TR-210 | TR® Mold Release Self-Stripping Liquid | 1 Gallon |
| WX TR-216-1 | High Temperature TR® Mold Release Liquid | 1 Gallon |
| WX TR-301 | TR® Sealer Glaze | 1 Gallon |
| WX TR-309 | TR® Regular Compound | 1 Gallon |
| WX TR-311-G | TR® Super Duty Rubbing Compound | 1 Gallon |
| WX TR-315 | TR® Course Buffing Compound | 1 Gallon |
| WX TR-500 | TR® Resin Cleaner, Sealer, Finish | 1 Gallon |
| WX TR-905-1 | TR® Mold Prep Cleaner/Solvent | 1 Gallon |
| WX TR-910 | TR® Semi-Permanent Sealing Liquid | 1 Gallon |
| WX TR-920-1 | TR® Semi-Permanent Liquid Release System | 1 Gallon |





Wax

- Strong, protective wax barrier on your paint that locks in shine and gloss
- Tried-and-true formulations utilize high grade ingredients toprotect all paint surfaces

| Part # | Description |
|-------------|---|
| MGL A2216 | Deep Crystal® Carnauba Wax, 16 oz |
| MGL G12718 | NXT Generation® Tech Wax® 2.0 - Liquid, 18 oz |
| MGL M5001 | Boat/RV Cleaner Wax - Liquid, 1 Gallon |
| MGL M0811V2 | Mold Release Wax, 11 oz Can |
| MGL M5016 | Boat/RV Cleaner Wax - Liquid, 16 oz |
| MGL M5916 | Quik Wax® Spray Wax, 16 oz |

Express Detailer

Powerful protectant and cleaner to quickly remove light dirt and grime between washes

- Preserves wax protection Leaves a high, glossy shine
- Safe for use on all surfaces 22 oz spray bottle

PST 166622

Vinyl & Plastic Cleaner

Ready to use formula powers away mildew, dirt, grime and spider droppings

- Leaves no residue or film 22 oz spray bottle
- Designed for vinyl, plastic and rubber surfaces
- Powers away grease, grime, mildew and dirt from vinyl, rubber, plastic and leather
- Penetrates deep into the pores to remove deeply embedded soils and leaves surfaces clean and film-free

PST 166322



Aerosol Glass Cleaner

Phosphate and ammonia free formula removes dirt, salt water residue and bird droppings

- Clinging foam formula works fast
- Leaves a clean, film-free surface
- 19 oz spray bottle

PST 166920

Heavy Duty Citrus Degreaser

Extra strong aerosol degreaser for removing black streaks, grease, and grime

- Great for cleaning industrial molds, gel coats and production parts
- Made with natural citrus
- 15 oz spray bottle

PST 167115

Citrus Cleaner

- Can be used as a degreaser and adhesive remover
- Non-corrosive Pleasant citrus scent
- Removes adhesives, oil stains, road tar, rubber marks, decals, stickers, heel marks, graffiti, lipstick, release agents, soap films, and degreases equipment
- Recommended for use where chlorinated solvents cannot be used


CMI 2280







SURFACE FINISHING SPECIALISTS







BUFFING & POLISHING

PADS

3M™ Perfect-It™ Wool Blend Polishing Pad, Yellow

- · A high performance, double sided yellow blended wool polishing pad
- Removes swirl marks and fine paint surface defects
- For use with 3M™ Quick Connect Adaptor (below)

3M™ Quick Connect Adaptor

- SAVES TIME & LABOR!
- · Polisher adaptor used to quickly connect and disconnect double sided buffing pads
- Use with 3M[™] Perfect-It[™] brand pads 5/8" threads
- Centers pads for more effective use.
- Easy to change between compound and polishing

3M™ Hookit™ 7-inch Backup Pad

- System provides a quick change advantage yet produces exceptional finishes on todays paints
- · Easy attachment, quick removal and accurate centering of either the compounding or polishing pad with the Hookit™ attachment system

| Part # | Size | Туре |
|-----------|------|--|
| 3MI 05707 | 8" | Perfect-It™ Single-Sided Hookit™Foam Polishing Pad, Black |
| 3MI 05723 | 8" | Single-Sided Hookit™ Foam Compounding Pad, White |
| 3MI 05725 | 8" | Single-Sided Hookit™ Foam Polishing Pad, Black |
| 3MI 05738 | 8" | Perfect-It™ Single-Sided Hookit™ Foam Polishing Pad, Black |
| 3MI 33282 | 9" | Double-Sided Hookit™Wool Polishing Pad, Blue |
| 3MI 33283 | 9" | Single-Sided Hookit™ Wool Polishing Pad, Blue |
| 3MI 05705 | 9" | Double-Sided Hookit™Soft Edge Wool Polishing Pad, Yellow |
| 3MI 05713 | 9" | Single-Sided Hookit™Soft Edge Wool Polishing Pad, Yellow |
| 3MI 05719 | 9" | Perfect-It™ Single-Sided Hookit™ Wool Compounding Pad, Wheat |
| 3MI 05754 | 9" | Perfect-It™ Double-Sided Hookit™ Wool Polishing Pad, Yellow |
| 3MI 33274 | 8" | Hookit™ Foam Compounding Pad, Yellow |
| 3MI 33275 | 8" | Hookit™ Foam Polishing Pad, Blue |
| 3MI 05752 | 5/8" | Perfect-It™Quick Connect Adaptor |
| 3MI 05710 | 5/8" | Superbuff™ Double-Sided Screw On Adaptor for Polisher |
| 3MI 05717 | 7" | Hookit™ Back-up Pad |
| 3MI 05718 | 7" | Perfect-It™ Back-up Pad |



Wool Compounding Grip Buffing Pad

- 100% 4-ply Wool
- Quality hook and loop material
- Strong and washable backing structure
- 7.5" Diameter 1.5" Velcro™ Pile

BFS 7503G

Wool Polishing Pad

• Wool Blend 4-ply for light compounding or polishing

· Pads are made with a strong backing construction and reinforced center hub

• The extra thick pile and washable backing will handle all your buffing needs over time

• 7.5" Diameter • 1.5" Velcro™ Pile

BFS 7503GY

3" Curved Back Mini Foam Pads

- Hook & loop material for fast easy pad loading
- · Domed face for improved buffing
- Reinforced plastic backing
- · Suitable for small buffing areas

| Part # | Туре | |
|----------|---------------------------|--|
| BFS 330G | 3" Foam Pad for Polishing | |
| BFS 320G | 3" Foam Pad for Finishing | |

6" Grip Foam Pads

· Quality hook & loop material for fast easy pad loading with a strong adhesive that prevents delaminating

| 6" | 8" | Color/Type |
|----------|-----------|---------------------------------|
| BFS 619G | BFS 3000G | Yellow for Light Compounding |
| BFS 612G | BFS 2900G | Black for Finishing |
| BFS 613G | BFS 2000G | White for Ultimate Finish |






8" G•Mop Advanced Wool **Compounding Pad**

- Hook and loop system allows rapid fitting and removal from backing plate
- Maximum cut High quality dense weave
- Red wear indicator line of red fibers woven into the pad to indicate when it is worn

8" G•Mop Advanced Lambswool Pad

- Hook and loop system allows rapid fitting and removal from backing plate
- · Centering assured Farecla centering tool
- Gives a greater cut than foam
- · Leaves few swirl marks and polishes to a high gloss





| Part # | Size | Туре |
|------------|------|--|
| FAR 10045 | 8" | G·Mop™ Double-Sided Wool Compounding Pad |
| FAR 32098 | 8" | G-Mop™ Red Euro Foam Waffle Finishing Grip Pad |
| FAR 40012 | 8" | G-Mop™ 100% Twisted 4-Ply, Wool Compounding Grip Pad |
| FAR 50099 | 8" | G·Mop™ Backing Pad |
| FAR LPS801 | 8" | G-Mop™ Advanced Wool Compounding Pad |
| FAR PFR801 | 8" | G·Mop™ Advanced Red Waffle Finishing Pad |



Velcro Buffing Pads

- 7-1/2" Diameter
- 1-1/2" Pile

SCH 175C

Schlegel®

7-1/2" Velcro Polishing Pads

- Wool-synthetic blend
- Long time industry favorite #275C
- 1-1/2" Velcro™ pile height 7-1/2" diameter
- · For light compounding, final polishing & waxing **SCH 275C**





BUFFING & POLISHING

SINGLE SIDED PADS -

7-1/2" Single-Sided Velcro™ Wool Pads for Compound Buffing

- Vinyl backing Re-enforced arbor hole
- Four ply 100% wool

| Part # | Туре |
|----------|------------------|
| NBP 7123 | 1-1/2" Twisted |
| NBP 7127 | 1-1/2" Untwisted |

7-1/2" Buffing Pads

- Flexible, durable and washable for reuse
- Dense 100% virgin wool for consistent long wear
- All canvas backing

| Part # | Pile |
|----------|-------------|
| NBP 8751 | 1" Pile |
| NBP 8753 | 1-1/2" Pile |



NESCO.



7-1/2" Single-Sided Wool/Acrylic **Velcro™** Pad for Polishing

- 1-1/2" untwisted deep dish
- Combination wool/acrylic
- Great for marble polishing also

NBP 7147



7-1/2" Wool Pad for Polishing and Compounding

- 1-1/2" pile 4-ply 100% twisted wool
- Vinyl backing Re-enforced arbor hole

NBP 7125









| Part # | Sz | Туре | Removes |
|------------|----|--|---------------------------|
| PST 810176 | 9" | Single Wool Pad, White, H&L | Heavy to Medium Oxidation |
| PST 810073 | 9" | Double Wool Pad, White, H&L | Heavy to Medium Oxidation |
| PST 890142 | 9" | Single Blended Wool Pad, Yellow, H&L | Medium to Light Oxidation |
| PST 810074 | 9" | Double Blended Wool Pad, Yellow, Screw | Medium to Light Oxidation |
| PST 890143 | 9" | Single Blended Wool Pad, Green, H&L | Light Sand Scratches |
| PST 890163 | 9" | Double Blended Wool Pad, Green Screw | Light Sand Scratches |

DOUBLE SIDED PADS -

Double-Sided 8" Specialty Buffing Pads

- Made from a blend of 100% wool and synthetic specially designed for final polishing and waxing
- 4-ply twist

| Part # | Pile |
|----------|-------------|
| NBP 8223 | 1-1/2" Pile |
| NBP 8225 | 1-1/2" Pile |





MINI BUFFS -

Mini Buff with Roloc

- Helps in producing a high gloss surface
- Cuts labor which saves time & money
- Improves the mold quality and gelcoat finish
- Can be used with any 1/4" tool
- 1" to 1-1/2" pile
- Easy to change
- Washable for hundreds of applications

| Part # | Туре |
|----------|--------------|
| NBP 2500 | 2" Mini Buff |
| NBP 3500 | 3" Mini Buff |

3" Hook-it Buffing Pad

- Softest lambs wool material for buffing
- Great to get into those tight areas
- Longer pile height for durability
- Velcro backing

NBP 3000

3" Backing Pad, 1/4" Shaft **NBP 1930**







TOOLS & ACCESSORIES



7" Rubber Backing Pad

- For use on 7" polisher and sander
- Fits a 5/8"- 11 spindle thread
- Lifetime warranty

TTN 22508

Flange Nut & Wrench Set for Back Up Pads

- 5/8" x 11 flange nut & flange wrench
- Fits most polishers and grinders with 5/8" x 11 spindle threads

TTN 22511

Backing Pad For Velcro Pads

- Vinyl backing Re-enforced arbor hole
- 4-ply 100% twisted wool Velcro pads

| Part # | Туре | |
|----------|-------------------------|--|
| BFS 500Y | 5" x 5/16- 24 mount | |
| BFS 350Y | 3" x 5/16- 24 mount | |
| NBP 1BP | 6-1/2" x 5/8 - 11 mount | |



Pad Cleaning Spur

- Great tool to clean your wool pads and bonnets
- Extends the life of wool pad or bonnet

BFS 1600



Buffing Pad Washer, 5 Gallon Bucket System

- Clean and condition pads in 3 easy steps
- Versatile and durable Powered by rotary buffer
- · Cleans foam and wool pads
- Cleans most sizes/thicknesses of pads
- No plug-ins or attachments required
- Extends useful life of padresulting in less pad replacement
- Self-contained; making it easy to move to your work station
- Biodegradable, non-sudsing citrus cleaning/degreasing solution

NBP 90-2000P



POLYESTER FILLERS



HIGH QUALITY POLYESTER FILLER SYSTEM • BROAD RANGE OF APPLICATIONS

P-17 high heat resistant filler set-fast system has uses in aerospace, aircraft, automotive, marine tooling, manufacturing and final fabrication where potential exposure to elevated temperatures up to 230°C/446°F

| PART NO | DESCRIPTION | COLOR | SIZE |
|----------------------------|-------------------------|-------|-----------|
| SIK F011043 | FILLER POLYESTER APF-07 | GREY | QUART/EA |
| SIK F011048 | FILLER POLYESTER APF-07 | WHITE | GALLON/EA |
| SIK F017028 | FILLER POLYESTER P-17 | BLACK | QUART/EA |
| SIK F017038 | FILLER POLYESTER P-17 | BLACK | GALLON/EA |
| SIK F017138 | FILLER POLYESTER P-17 | GREY | GALLON/EA |
| SIK F017338 | FILLER POLYESTER P-17 | WHITE | GALLON/EA |
| HARDENER CREAM | | BLACK | 4OZ/EA |
| SIK F024685 | HARDENER CREAM | WHITE | 4OZ/EA |
| SIK F024645 HARDENER CREAM | | RED | 4OZ/EA |

- Smooth workable paste with set-fast cure to expedite those applications for repair or finish
- Can be applied with a squeegee, spatula or flat tool
- Cured material can be finished by mechanical sanding, grinding, scraping to a feather edge
- Excellent adhesive and bond strength to fiberglass, SMC, BMC, RIM, FRP, epoxy, graphite and Kevlar ®composites as well as aluminum, plaster and other substrates
- High heat resistant filler when cured and finished accepts virtually all types of coatings and decorative film without any blush or discoloration
- Repairs to vacuum form molds, drill fixtures, potting bushings, gel- oat repairs on production molds, SMC mold porosity in molded parts, and many other applications

BUILDING TRUST

FIBERGLASS/LAMINATION FILLERS & PUTTIES



3M™ Lightweight **Body Filler**

- Lightweight polyester body filler
- Cures to a tack-free state in 15 to 20 minutes
- Creamy texture, spreads smoothly, easy to sand and is vacuum processed to minimize pinholing

| Part # | Size |
|-----------|----------|
| 3MI 05801 | 1 Gallon |
| 3MI 05804 | 5 Gallon |

3M™ Quick Grip Body Filler

- Reduces the time to shape and sand, and delivers rapid adhesion to multiple surfaces
- Vacuum processed to reduce pinholes
- Stain-free/tack-free finish helps avoid extreme loading of sandpaper

| Part # | Size |
|-----------|----------|
| 3MI 33181 | 1 Gallon |
| 3MI 33185 | 5 Gallon |







3M™ Milled Fiberglass Filler

- Short-strand milled fiberglass adds strength and stability
- Excellent for reinforced repairs to holes, cracks and tears under traditional body filler
- · High-resin gel makes for exceptional sag resistance and gap spanning hulls and decks on boats

3MI 05816



3M™ Marine Premium Filler

- Unique and easy to sand formula designed with 3M™ Scotchlite™ Glass Bubbles
- Designed for marine filling and fairing applications above and below the waterline
- Excellent moisture resistance Fast curing Easy to sand
- Easy spreading Premixed Blue creme hardener

| Part # | Size | |
|-----------|----------|--|
| 3MI 46005 | 1 Quart | |
| 3MI 46006 | 1 Gallon | |

3M™ Marine High Strength Repair Filler

• Filler restores damaged fiberglass hulls and decks on boats 3MI 46014

Duraglass® Fiberglass-Filled Filler, 1 Gallon

- Formulated with short-strand fiberglass fibers, Duraglass® provides ultimate strength and durability
- Ideal for use on metal and fiberglass panels
- Reinforced for superior strength
- Use with fiberglass cloth for large repairs
- Rustproof and waterproof

USC 24030





Feather-rite® Quality Lightweight Filler, 1 Gallon

- Lightweight body repair filler with superb spreadability and workability
- · Ultra smooth, creamy formula is easy to apply and sand
- Virtually pinhole free
- Tack free Clog free

USC 21330



Cream Hardeners

- Non-separating cream hardener
- · Formulated for use in premium, lightweight, heavyweight and specialty fillers as well as finishing and blending putty

| Part # | Color | Size |
|-----------|-------|---------|
| USC 27170 | Red | 2.75 oz |
| USC 27110 | Red | 4 oz |
| USC 27112 | Blue | 4 oz |
| USC 27114 | White | 4 oz |





Spreaders

| Part # | Description | | |
|----------|------------------------------|--|--|
| GLE 1204 | 3" x 4" Spreader (Yellow) | | |
| GLE 1205 | 3" x 5" Spreader (Yellow) | | |
| GLE 1206 | 3-1/2" x 6" Rigid Spreader | | |
| GLE 1226 | 3-1/2" Double Edge Spreader | | |
| KN SQG36 | 36" Rubber Squeegee Spreader | | |
| BND 344 | 3" x 4" Spreader, 144/CS | | |
| BND 354 | 3" x 5" Spreader | | |

FIBERGLASS/LAMINATION FILLERS



AL-Grip Pro Body Filler

- Easier sanding than commodity fillers
- Proprietary resin blend and adhesion promoter additive delivers excellent adhesion to all surfaces including the new aluminum alloys
- Faster curing builds adhesion to the surface faster allowing technician to sand sooner increasing productivity
- Advanced surface technology spread easier with decreased possibility of pinholes
- · Sands to a very smooth feather-edge reducing the need for finishing putty
- Stain resistant Excellent adhesion to all automotive metals
- Approved for aluminum repairs

FPR 202



EVERC AT

Everglass Short Strand Filler (Green), 1 Gallon

- Corrosion resistant Will not sag
- Superior adhesion to zinc and galvanized metals
- Mixes and spreads with ease
- Waterproof and rustproof
- Should be finished with body filler or polyester glazing putty





- Can be applied to bare steel, body filler, fiberglass and wood
- Sands ultra fine without shrinkage

| Part # | Size |
|---------|------------|
| FIB 400 | 20 oz |
| FIB 407 | 1/2 Gallon |

Lite Weight 3 Filler

- High quality lightweight body filler
- Non-clog formula
- Red cream hardener is included

| Part # | Size |
|---------|-------------------------|
| FIB 156 | 1 Gallon, with hardener |
| FIB 159 | 3 Gallon |
| FIB 167 | 5 Gallon |







Super Build 4:1 (Gray)

- Eliminates repair defects related to over/under catalyzed primer
- Exceptional filling capability
 Long pot life
- Eliminates the need for costly epoxy or self-etch primers over bare metal

| Part # | Description |
|---------|--------------------------------------|
| FIB 730 | Super Build, 1 Gallon |
| FIB 733 | 4:1 Polyester Primer Catalyst, Quart |



Slick Sand[™] Polyester Primer Surfacer (Gray)

- High-solids, extra high-build polyester based primer surfacer offers excellent adhesion to metal, galvanized metal, aluminum, wood, fiberglass, SMC, and body filler
- · Ideally suited for large uneven surfaces
- MEKP activator included

| D . // | D |
|---------|---------------------------------|
| Part # | Description |
| FIB 709 | Slick Sand, 1 Gallon |
| FIB 713 | FeatherFill G2™, Gray, 1 Gallon |

Z-Grip Non-Clog Lightweight Filler

- METALWORKS product containing ZNX-7 for superior adhesion and feather-edging on corrosion treated metals, including hot dipped steel
- Can maintain OEM corrosion warranties when used in conjunction with other METALWORKS products
- Vacuum processed for increased shelf life and reduced pinholes
- Creamy texture for smoother spreading

| Part # | Size |
|---------|---------------|
| FIB 282 | 1 Gallon |
| FIB 285 | 5 Gallon Pail |



Rage Gold Premium Lightweight Body Filler, 1 Gallon

- Contains Hattonite, which greatly improves sandability
- METALWORKS product that contains ZNX-7TM, which offers superior adhesion to galvanized steel and aluminum, and honors the OEM corrosion warranty
- Formulated with the finest quality resin available; the same as EVERCOAT'S polyester glazing putties
- Vacuum processed, extra smooth formula for improved spreadability and reduced pinholes

FIB 112

Tack Free Lightweight Filler, 1 Gallon

- Non-clogging, sands to a fine finish
- Perfect for heavy filling up to 1/4" in depth
- Cures faster than many other fillers and shapes
- Excellent overall adhesion
- Highly compatible with a variety of paint systems

FIB 141

EVERCOAT OF FILLER EASY SANDING LIGHTWEIGHT EASY SPREADING TACK FREE CONTINUE AUS CALLON EXCITISES ARREST RABBAGE TORS.

High Production Lite Weight, 1 Gallon

- · Creamy texture for smooth spreading
- · Contains microspheres for easy sanding
- Sands to a fine finish
- Tack free, clog free formula provides improved sanding with no sand paper clogging
- Vacuum processed for reduced pinholes
- Substrates: cold rolled steel, galvanized steel, aluminum and fiberglass
- Blue cream hardener included

FIB 151



APPLICATION BRUSHES

Mohair





- Made from the highest quality materials, including natural, woven fabric & knit fabric
- Plastic (PVC) or Solvent-resistant Phenolic Cores
- Top quality synthetic blend materials are spiral wound onto cores
- Covers are combed and vacuumed for clean, uniform application
- Edges are accurately beveled for neater painting

| Part # | Length | Nap | Material |
|--------------|--------|-------|-----------------------|
| RC 4D38 | 4" | 3/8" | Woven Polyester |
| RC R-101-F-4 | 4" | 1/8" | Woven Mohair Blend |
| RC R-201-F-4 | 4" | 1/4" | All Purpose Polyester |
| RC 7C | 7" | 3/8" | Woven Polyester |
| RC 7C-Y | 7" | 3/16" | White Woven |
| RC R-101-F-7 | 7" | 1/8" | Woven Mohair Blend |
| RC R-201-F-7 | 7" | 1/4" | All Purpose Polyester |
| RC 9C | 9" | 3/8" | Woven Polyester |
| RC 9C-Y | 9" | 3/16" | White Mohair |
| RC R-101-F-9 | 9" | 1/8" | Woven Mohair Blend |
| RC R-201-F-9 | 9" | 3/8" | All Purpose Polyester |



Disposable Paint Brushes

- LESS EXPENSIVE ALTERNATIVE!
- Designed and constructed for the application of industrial enamels and protective coatings as well as epoxy and polyester resins
- Pure white bristle Tin ferrule
- Solvent resistant plastic foam beavertail handle

| Part # | Part # Description Oty | |
|--------|------------------------------|--------|
| PB 1 | 1" Industrial Paint Brush | 36/B0X |
| PB 2 | 2" Industrial Paint Brush | 24/B0X |
| PB 3 | 3" Industrial Paint Brush | 12/B0X |
| PB 4 | 4" Industrial Paint Brush | 12/B0X |
| PB 4R | 4" Paint Brush, Single Thick | 24/B0X |



Bright Metal Tray

2-quart capacity

RC 9T

Plastic Tray Liner

• 9" Black

RC R-1303



Paint Tray Liner, Plastic, 1 Quart

- Suitable for 1 qt Roller Tray
- Disposable
- Minimizes paint cleanup
- · Easy to use and clean

LIN RM410



"A" Blue

Hole molded undersize to mount tightly to the galvanized steel frames. Threaded and steel reinforced.



"B" Black


Rubberized Polypropylene with wood grain finish. Smaller than other handles and threaded.



What Style Head to Use

Finned-Standard: Most common style. Excellent air relief in nearly all applications. Reduces sheared fiber by insuring a radius is machines on each fin.


Slotted Paddle: Excellent in new low VOC & heavily filled resins.



Paddle Wheel: Very effective air relief and easy cleanup. Preferred when working with knitted or uni-directional fibers.

| | Blue Poly Pro | Block Bolynyonolono |
|------------------------------|------------------------|---------------------|
| F: 10: 1 1 | Dille Puly Pro | Black Polypropolene |
| Finned-Standard | * | ······ |
| 3/8" Diameter x 3" Long | KN 720A-037-300 | KN 720N-037-300 |
| 3/8" Diameter x 5" Long | KN 720A-037-500 | KN 720N-037-500 |
| 1/2" Diameter x 3" Long | KN 720A-050-300 | KN 720N-050-300 |
| 1/2" Diameter x 6" Long | KN 720A-050-600 | KN 720N-050-600 |
| 3/4" Diameter x 6" Long | KN 720A-075-600 | KN 720N-075-600 |
| 776 Aluminum Hybrid (Slotted | d Paddle) Quick Change | |
| 1/2" Diameter x 3" Long | KN 776A-060-300 | KN 776N-060-300 |
| 1/2" Diameter x 4" Long | | KN 776N-060-400 |
| 1/2" Diameter x 5" Long | KN 776A-060-500 | KN 776N-060-500 |
| 1/2" Diameter x 6" Long | KN 776A-060-600 | KN 776N-060-600 |
| 3/4" Diameter x 3" Long | KN 776A-075-300 | KN 776N-075-300 |
| 3/4" Diameter x 6" Long | KN 776A-075-600 | KN 776N-075-600 |
| 774 Aluminum Bubble Buster | Quick Change | |
| 3/4" Diameter x 3" Long | | KN 774A-075-300 |
| 772 Aluminum Long Groove (F | Paddle) Quick Change | |
| 1/2" Diameter x 3" Long | KN 772A-060-300 | KN 772N-060-300 |
| 1/2" Diameter x 6" Long | KN 772A-060-600 | KN 772N-060-600 |
| 3/4" Diameter x 6" Long | KN 772A-075-600 | KN 772N-075-600 |





Roller Frames

- Heavy-duty use. Threaded plastic handle with metal ring
- Five-wire birdcage 5/16" diameter steel shank

| Part # | Туре |
|-------------|----------------------------|
| RC 4H | 4" Roller Frame |
| RC 7H | 7" Roller Frame |
| RC 9H | 9" Roller Frame |
| RC R-611T-9 | 9" Heavy Duty Roller Frame |
| RC 60-WDT | 5' Extension Pole |
| RC 72-WDT | 6" Extension Pole |

Wood Extension Poles

• Unlacquered hardwood extension pole with heavy-duty die cast metal thread

CLOTHS

MICROFIBER CLOTHS -



MicroWORKS

16x16 300 GSM Microfiber Cleaning Wipes, White

SOLID WHITE * NO BLEEDING WITH CHEMICALS

- Highly effective at removing dust/ bacteria
- Lifts and traps dirt Scratch free/Non-abrasive
- Low lint and streak-free Very absorbent
- Can be used wet or dry

NTR 2502-W-DZ



"Scratchless" Microfiber Finish Cloth

- Best AIM microfiber cloth that will not scratch!
- Use this super-fine polishing cloth to remove waxes and polishes including the newer "spray on and wipe off" type products.
- Plush 2-sided terry microfiber cloth makes it easy to clean inside hard-to-reach cracks and crevices that ordinary cloths can't touch
- Polish even the most delicate surfaces without the fear of scratching
- Absorbs 8 times its weight in water
- Can be washed without fabric softeners

| Part # | Description | Color | Ωty |
|------------|------------------------|--------|--------|
| AIM 17900 | 16x16 Microfiber Cloth | Blue | 16/PKG |
| AIM 17902 | 16x16 Microfiber Cloth | Blue | 12/PKG |
| AIM 17905 | 16x16 Microfiber Cloth | Yellow | 12/PKG |
| AIM 17910Y | 14x14 Microfiber Cloth | Yellow | 12/PKG |
| AIM 17912 | 12x12 Microfiber Cloth | Blue | 12/PKG |

Edgeless Microfiber Cloths

- Plush, absorbent, edgeless microfiber cloths, each cloth is 16" x 16"
- Edgeless, will not scratch
- Comes in a pack of 5

PST 800137CS





TACK CLOTHS -





Tack Cloths

• Completely remove surface particulates without leaving harmful residue

| , , , , , , | 3 | | |
|-------------|---|--------|--------|
| Part # | Description | Color | Ωty |
| GER 020001G | 20×12 Economy Mesh Cotton Tack Cloth | Gold | 12/B0X |
| GER 020001W | 20×12 Economy Mesh Cotton Tack Cloth | White | 12/B0X |
| GER 020002R | 20×16 Standard Mesh Cotton Tack Cloth | Orange | 12/B0X |
| GER 020002W | 20×16 Standard Mesh Cotton Tack Cloth | White | 12/B0X |
| GER 020008B | 18x18 Synthetic Blend Prep™ Tack Cloths | Blue | 10/B0X |

RAGS & WIPING CLOTHS





Rag

- Variety of cotton, knit and terry cloth rags
- New, remnants and recycled

| I'MS WIF | | |
|--------------|--|--------|
| Part # | Description | Qty |
| AIM 46403-25 | New Bleached Balbriggan Knit T-Shirt Rags, White | 25 LBS |
| AIM 46411-10 | New Washed Cotton French Terry Towel Rags, White | 10 LBS |
| AIM 46411-25 | New Washed Cotton French Terry Towel Rags, White | 25 LBS |
| AIM 46411-50 | New Washed Cotton French Terry Towel Rags, White | 50 LBS |
| AIM 46414-25 | New Washed Cotton T-Shirt Rags, White | 25 LBS |
| AIM 46415-10 | New Bleached Cotton T-Shirt Rags, White | 10 LBS |
| AIM 46415-50 | New Bleached Cotton T-Shirt Rags, White | 50 LBS |
| AIM 46417-5 | New Washed Cotton T-Shirt Rags, Desert Storm | 5 LBS |
| AIM 46416-50 | New Cotton T-Shirt Rags, Mixed | 50 LBS |
| AIM 46418-10 | New Washed Knit T-Shirt Rags, Pastels | 10 LBS |
| AIM 46418-50 | New Washed Knit T-Shirt Rags, Pastels | 50 LBS |
| AIM 46420-10 | New Bleached Premium Knit T-Shirt Rags, White | 10 LBS |
| AIM 46420-25 | New Bleached Premium Knit T-Shirt Rags, White | 25 LBS |
| AIM 46760-50 | New Terry Towel Remnant Rags, White | 50 LBS |
| AIM 47407-25 | Recycled Colored Polo Rags, Mixed | 25 LBS |
| | | |

SELLARS.

Reclaimed Rags

- All purpose wiping cloth
- · Ideal for painting, furniture or wood staining
- Rags are cut to wiper size with zippers and buttons removed

| Part # | Description | Ωty |
|-----------|--|--------|
| SEL 99202 | Reclaimed Colored Fleece Rags | 50 LBS |
| SEL 99205 | Reclaimed Colored Knit/T-Shirt Rags | 25 LBS |
| SEL 99206 | Reclaimed Colored Knit/T-Shirt Rags | 50 LBS |
| SEL 99209 | Reclaimed Pure White Rags | 25 LBS |
| SEL 99210 | Reclaimed Pure White Rags | 50 LBS |
| SEL 99212 | Reclaimed White Turkish/Terry Towel Towel Rags | 25 LBS |
| SEL 99215 | Reclaimed White Knit/Polo Rags | 25 LBS |



PAINT SUPPLIES

MEASURING & MIXING -

Dispenser, 16 oz

- Accurate measurements 2-1/2" to 35cc graduations
- Tapered graduate for greater accuracy of small amounts that are more critica1
- Instantly repeatable Co-polymer stem for longer life
- Dispensers come with lid to eliminate evaporation

KN MEK-2



Jiffy Mixers

| Part # | Туре |
|----------|---------------------------|
| Al 1 | 2-1/2" x 10" for Quarts |
| Al 2 | 5-1/2"x 30" for 5-Gallon |
| AI EM-80 | 2-1/2" x 16" for 1-Gallon |



Paint Strainers

· Economical strainer for use when filtering all conventional coatings



| Part # | Description |
|----------------|--|
| AST 4583F | Long Narrow Nylon Mesh Paint Strainer, Fine Mesh |
| GER 010601 | Elite™ 190 Micron Paint Strainers, Fine Mesh - 1000 CT |
| GER 010701 | Elite™ 260 Micron Paint Strainers, Medium Mesh - 1000 CT |
| GER 010701-250 | Elite™ 260 Micron Paint Strainers, Medium Mesh - 250 CT |
| GER 71207 | 5 Gallon Strainer Bag with Elastic Top - 100 CT |

FEED ROLLERS



Chopper Wheels / Feed Rollers

| Part # | Туре |
|-------------|---------------------------------|
| KN ES-19417 | .531 x 1.25 White, 60 Hardness |
| KN ES-19602 | .915 x 1.715 White, 60 Hardness |
| KN FS-28279 | 531 x 1 25 Grev 75 Hardness |

1 Hole Chopper / Feed Roller Blades

- Fiberglass blades can be used in chopper guns for high powered, efficient work
- 100 per box

| Part # | Ωty |
|-------------|---------|
| ASR 88-0120 | 100/Box |
| KN 53-51678 | 100/Box |



SPRAYERS -

PREVAL **Auto Sprayer**

• Fastest professional auto sprayeris also the cheapest and easies • Sprays all automotive paints

Match colors, touch-up and customize professionally

| Part # | Description |
|------------|----------------------|
| PRV 268 | Power Unit |
| PRV 465 | Power Unit (100/BOX) |
| PRV 465-10 | Power Unit (10/PACK) |

CONTAINERS -

Round Metal Paint Cans

- USC Round metal paint cans with triple tight lid provide a non-reactive barrier between the container and the product/atmosphere protecting the contents and preventing rust
- Ideal for oil and water based paints, glue and adhesive

| Part # | Description | Qty |
|------------------|-----------------------|---------|
| CXE 8-MC | 8 oz Can with Lid | 50/CASE |
| CAN BWPNT | 16 oz Can with Lid | 50/CASE |
| CAN BWQT | 32 oz Can with Lid | 56/CASE |
| CAN BWGAL | 1 Gallon Can with Lid | 34/CASE |



Painter's Pails™

- Accurately measure and mix primers clears, single stage, basecoat and any refinishing product in these sturdy, solvent resistant clear plastic mixing cups
- US/Metric liquid measurements
- Includes most common mix ratios
- Lids available for all pails
- Markings visible from the inside or outside Made in U.S.A

| Size | PAIL - Part # | LID - Part # |
|----------|---------------|--------------|
| 1/2 Pint | USC 36182 | USC 36183 |
| Pint | USC 36170 | USC 36171 |
| Quart | USC 36174 | USC 36175 |
| 2-1/2 Qt | USC 36176 | USC 36177 |
| 5 Qt | USC 36178 | USC 36179 |

| Part # | Description |
|-----------|--------------------------------------|
| KN 4-W | 4" x 1-1/4" Rigid Wedge, White |
| KN 6-W | 6" x 2" Rigid Wedge, White |
| KN 10-W | 10" x 3" Rigid Wedge, White |
| KN 6-PK | 6" x 2" Flexible Wedge, Pink |
| KN 10-PK | 10" x 3" Flexible Wedge, Pink |
| KN 7-B | 7" x 3" Heavy Duty Wedge, Blue |
| KN 10-B | 10" x 3-1/8" Medium Flex Wedge, Blue |
| KN 12-B | 12" x 3-1/2" Heavy Duty Wedge, Blue |
| KN 66-06G | 6" x 2-1/4" Rigid Super Wedge, Gray |
| KN 66-10R | 4" x 10" Wedge, Red |

Plastic Demolding Wedges



Modeling Clay

Non-toxic

| Part # | Description |
|------------|-----------------------------|
| AI ART20 | Non-Drying, Beige, 1 LB BOX |
| MC 90075-C | Permoplast, Grey, 5 LB BOX |



INDUSTRIAL PAINTING SUPPLIES


PRESSURE TANKS

2-1/4 Gallon Pressure Tank with Spray Gun and Hose

- Sturdy construction and compact design makes this the ideal choice for both amateur and professional
- Pressure spray gun equipped with 1.0mm nozzle, pressure gauge and fluid pressure regulator for accurate settings
- 12 FT twin set of hose permits easy movement and operation of spray gun
- · Excellent for spraying large areas

AST PT2-4

AST PT-4 Tank and Lid Only





2-Quart Pressure Pot Spray Gun & Hose Kit

- Includes 1.2mm, 1.5mm & 1.8mm nozzles for primers, base & clear coats
- Perfect for spraying large areas such as trucks, vans & busses
- Equipped with pressure regulator and gauge for accurate settings
- 5 FT hoses allow for easy movement
- Cup Size: 2 Quart
- Average Air Consumption: 16 CFM
- Air Inlet Thread: 1/4" NPT
- Fluid Inlet Thread: 3/8" NPT
- Net Weight with Cup: 6 LBS

ATD 16843

VACUUM PUMPS

6 CFM Two Stage Vacuum Pump

- Ultimate Vacuum: 15 Microns
- Pump Motor: 1/3 HP Pump Speed: 3440 RPM
- Electrical: 110 V/220 V / 50/60 Hz
- Dimensions in cm: 35 x 14.3 x 26.5

MSC 90066-2V-110

6 CFM Single Stage Vacuum Pump MSC 90066-B



VacuMaster 8 CFM Vacuum Pump

- Inlet fitting allows maximum airflow while preventing oil backflow
- 1 HP thermally protected motor
- Finned surfaces dissipate heat faster, keeping pump cooler

ROB 15800

6 CFM Two Stage Vacuum Pump **ROB 15600**





3-1/2" General Purpose Vacuum Gauge

- PowerFlex™ movement provides superior resistance to shock, vibration and pulsation
- True Zero™ reduces reading errors by using a "zero zone" instead of conventional dial pins

9PC HVLP Spray Gun Set

- Operating pressures of 15-45 PSI
- Air inlet: 1/4" Air consumption: 7.0 to 9.0 CFM
- Stainless steel needle and nozzle sets
- Knob for spray pattern adjustment
- Set Contains: (1) 1.8mm Primer Spray Gun, (1) 1.4mm Topcoat Spray Gun, (1) 1.0mm Touch-up Spray Gun, (2) 1L Aluminum Cups, (1) 125cc Stainless Steel Cup Lid, (1) Locking Pressure Regulator, (3) Face Masks, Cleaning Kit: (1) Spanner Wrench, (1) Hex Wrench, (1) Brush, (2) Filters







- · Great for primers and glue
- Precision machined nozzle for even spray patterns
- Two-finger pistol grip for easy operation
- · Fluid control adjustment knob for accurate fluid metering

AST AS7SP



2.0mm Nozzle HVLP Gel Coat Spray Gun

- Comes with a 0.12 liter plastic cup
- Strainer prevents foreign particles from entering the paint flow cup
- Separate adjustments for air flow, pattern width and material volume
- Designed for detailing and touching up small areas

KN G830-20







Five-Stage Desiccant Air Drying System

Stage 1: 5 Micron ParticulateFilter Element,

EH35-5 Removes water in a liquid form as well as dirt, debris, and pipe scale

Stage 2: 0.01 Micron Oil Removing Filter Element, **EK55A** Removes oils, aerosols and microscopic

particles

Stage 3: Desiccant Dryer Dispersion Element, Intake Tube Element, O-Ring Desiccant dryer absorbs water vapor from the air producing a -30°F dew point

Stage 4: 3 Micron Absolute Filter Element, EK35-3 Removes desiccant dust

Stage 5: Precision regulator reduces pressure to required level

| Part # | Description | Inlet / Consumption |
|----------|--|----------------------|
| ATD 7888 | Five-Stage Desiccant Air Drying System | NPT: 1/2" / CFM: 100 |
| ATD 7880 | Two-Stage Economy Desiccant Dryer | NPT: 1/2" / CFM: 100 |
| ATD 7820 | Mini in-Line Deciccant Dryer | NPT: 1/4" / CFM: 15 |



SPRAY GUN & PAINTING SYSTEMS




Accuspray[™] ONE Spray Gun System

All inclusive spraying solution providing the equivalent of multiple brand new spray guns on demand, for a fraction of the cost

 The innovative Accuspray[™] replaceable atomizing head spray gun eliminates spray gun maitnenance kits and the replaceable transparent atomizing heads allow the user to visually confirm the spray gun is clean

3M™ Accuspray™ Spray Gun Kit

- 1 HVLP Spray Gun, 3 1.8 mm Nozzles & Air Control Valve
- Durable, lightweight 1-piece composite spray gun body eliminates maintenance kits



- · Complete selection of replaceable atomizing heads allows for a range of applications and fluid viscosities
- Air control valve helps regulate up to 12" vertical or horizontal spray patterns
- Accuspray™ system affords the performance of a brand new gun on demand, at a fraction of the cost

3MI 16578

Spray Gun Accessories

| | : |
|--------------|----------------------------------|
| Part # | Description |
| PSY PSG-121 | Spray Gun with 6501 Tip |
| PSY PSH-12 | 12 FT Hose for PSG-121 Spray Gun |
| PSY PSH-25 | 25 FT Hose for Adhesives |
| PSY PST 4001 | Brass Spray Tip |
| PSY PST 6501 | Brass Spray Tip |



PPS™ Painting System

- Complete painting system from 3M™ which produces cleaner jobs, saves on solvent usage and gun cleaning time and can improve operator efficiency by as much as 15%
- Specifically designed adapters allow painters to use the PPS™ system with virtually any spray gun
- Replaces traditional mixing cups and filters and drastically reduces the amount of solvent required for gun cleaning
- Liner, lid and built-in filter are all disposable, leaving only the adapter and spray gun to be cleaned
- Possible to clean your paint gun with as little as 3 ounces of solven
- With these disposable parts, shops can see a 70% savings in cleaning solvent use -- meaning less operator exposure to solvents and reduction in VOCs
- Uses the same cup for mixing and spraying for less risk of outside contamination, less time spend mixing and cleaning







| Part # | Description | Contents |
|-----------|---------------------------------------|--|
| 3MI 16000 | PPS™ Kit Standard Size, 22oz (650 ml) | 50 disposable lids with 200 micron filters* 50 disposable liners 20 sealing plugs |
| 3MI 16024 | PPS™ Kit Large Size, 28oz (840 ml) | 25 disposable lids with 200 micron filters* 25 disposable liners 10 sealing plugs |
| 3MI 16114 | PPS™ Kit Mini Size, 6oz (175 ml) | 50 disposable lids with 200 micron filters* 50 disposable liners 20 sealing plugs |
| 3MI 16023 | PPS™ Cup & Collar, 28 oz | 1 EACH |
| 3MI 16115 | PPS™ Cup & Collar, 6 oz | 2/B0X |
| 3MI 16325 | PPS™ Lid & Liner Kit, Large | |
| 3MI 16348 | PPS™ Liners, Mini | 100/B0X |
| 3MI 16351 | PPS™ Liners, Large | 100/B0X |

*200 micron filters are recommended for traditional solvent based paint or primer applications

SPRAY BOOTH FILTERS

| Part # | Description |
|-----------------|--|
| AFT 0155202020 | 20x20 Tacky Panel Filter, Intake Series 55 |
| AFT 0155202024 | 20x20 Tacky Panel Filter, Intake Series 55 |
| AFT 0155202524 | 20x25 Tacky Panel Filter, Intake Series 55 |
| AFT 14AGP202050 | 20x20 Fiberglass Paint Arrestor, 15 gram |





Series 55 Tacky Intake Panels

- Designed as an economical solution for crossdraft intake air filtration in paint spray booths in the automotive and industrial finishing markets
- 75% efficiency on 10 microns
- 2 layers, 100% polyester with downstream tackfier
- Heat sealed to 9 gauge internal support frame

INDUSTRIAL PRODUCTION SUPPLIES

INFUSION SUPPLIES

POLY TUBING

Linear Low Density Polyethylene Plastic Tubing (LLDPE)

- Superb stress-crack resistance, ideal for applications requiring low-temperature flexibility and durability
- Widely used in transporting air, water and chemicals
- Raw materials meeting FDA requirements

STANDARD HOSE

| STANDARD HOSE | | |
|-----------------|---------------------|--------|
| Part # | Diameter* (ID X OD) | Length |
| HUD 01250-100 | .125" x .25" | 100 FT |
| HUD 0170250 | .17" x .25" | 100 FT |
| HUD 0170250-500 | .17" x .25" | 500 FT |
| HUD 02500 | .375" x .25" | 100 FT |
| HUD 03750 | .375" x .5" | 100 FT |
| HUD 03750-500 | .375" x .25" | 500 FT |
| HUD 0625X100 | .625" x .75" | 100 FT |
| HUD 07500 | .75" x .875" | 100 FT |
| * ID 1 '1 D' | | |

^{*} ID=Inside Diameter OD=Outside Diameter

HUDSON



SPIRAL WRAP

| Part # | Diameter | Length |
|--------------|---------------|--------|
| HUD 12SPIRAL | .5" or 1/2" | 100 FT |
| HUD 38SPIRAL | .375" or 3/8" | 100 FT |
| HUD 58SPIRAL | .625" or 5/8" | 100 FT |
| HUD 34SPIRAL | .75" or 3/4" | 100 FT |



INFUSION TAPE

Tacky Tape

 High performance elastic butyl tape usedfor bonding of galvanized metal, aluminized steel, aluminum, FRPs, silicone polyester, painted glass, wood, and concrete



| Part # | Description | Length |
|-----------------------|--|--------|
| SIK 136151 | SikaLastomer® 65 Butyl Tape, 1/8" x 1-1/2" x 50' | 50 FT |
| SIK 136157 | SikaLastomer® 68 Butyl Tape, 1/8" x 1" x 50' | 50 FT |
| SIK 136159 | SikaLastomer® 68 Butyl Tape, 5/16" x 1" x 20' | 20 FT |
| SIK 136172 | SikaLastomer® 95 Butyl Tape, 1/2" x 1/8" x 50' | 20 FT |
| NCI ST-SM5142-400-BYL | Tacky Tape, 1/2" x 1/8", Yellow | 25 FT |

Pressure-Sensitive Silicone Adhesive Polyester Tapes



Shurtape[®]

- Multi-purpose translucent polyester film coated
- Perfect for holding release films and fabrics, bleeders and breathers, metal and composite details in place
- Recommended for long term exposures over 350°F (400°F max)

| • Neconinended for long term exposures over 550 T | | | |
|---|-------|--------|--|
| Part # | Width | Length | |
| NCI DT-1/2-FLASHTAPE | 1/2" | 72 YDS | |
| NCI DT-1-FLASHTAPE | 1" | 72 YDS | |
| NCI DT.2.FI ASHTAPE | 2" | 72 YDS | |

Infusion Tape


- Premium performance grade double coated cloth tape
- High tensile strength
 Residue-free removal

SHP DF545-1





Vacuum Bagging Film





· Ideal for use resin infusion and prepreg molding applications

| Series | Description | Max Temp | Elongation | Color |
|-------------|---|------------------|------------|-------|
| NCI NBF-120 | F-120 Medium elongation nylon based economical film standard widths - 60" Vsheet, 393", 472", 630"003" or .0315" | | 490% | Green |
| NCI NBF-150 | Medium elongation nylon based economical film .002 or .027 Standard widths - 60", 60" Vsheet, 236", 413" | 300°F (149°C) | 445% | Blue |
| NCI HS-8171 | Co-Extruded Nylon 6 with heat stabilizers002" & .003" Sizes: 48" to 80" Lay flat tube, Sheet or V-sheet | 400°F (205°C) | 415% | Green |

NYLON TEES -

P₂

Nylon Tees

 NPT threaded and barbed tees offering strength and durability

| Part # | Description | Size |
|-----------------|---------------------------|------|
| THO TC7088N | Straight Barbed Connector | 1/2" |
| THO TE2088-TN | Barbed Elbow | 1/2" |
| THO TT9101010/N | Barbed Tee | 5/8" |
| THO TT9666/N | Barbed Tee | 3/8" |
| THO TT9888/N | Barbed Tee | 1/2" |
| NEX 5005385T | Barbed Tee | 5/8" |
| NEX 500524550T | Barbed Tee | 3/8" |
| NEX 5005245100T | Barbed Tee | 3/8" |





SOLVENTS & CLEANERS



General Purpose Lacquer Thinner

- 100% virgin solvents
- For cleaning tools and paint equipment

| Part # | Size |
|-------------|-----------|
| FPR 5000-1 | 1 Gallon |
| FPR 5000-5 | 5 Gallon |
| FPR 5000-55 | 55 Gallon |

Lacquer Thinner

- Klean-Strip® Lacquer Thinner is a highsolvency medium-drying thinner for lacquer
- Also excellent for cleaning brushes and equipment immediately after use to keep them in their best condition
- Not intended for sale or use in California

| Part # | Size |
|-------------|-----------|
| KLE GML170 | 1 Gallon |
| KLE CML170 | 5 Gallon |
| KLE DML170* | 55 Gallon |
| | |

*SPECIAL ORDER





Odorless Mineral Spirits, Gallon

- Klean-Strip® Odorless Mineral Spirits is a premium, highly refined solvent formula which effectively thins and blends well into oil-based paint, stain and varnish
- It is very low odor and dries with minimal residue, so it is an excellent cleaner for paint brushes, tools and equipment immediately after us
- Not intended for sale or use in California

KLE GKSP94006



Acetone

- 100% virgin solvents
- This strong, fast acting solvent is a thinner and remover for specified coatings, including polyester and epoxy resins, ink, adhesives and contact cement
- Effective cleanup solvent after the completion of a fiberglass project, for removal of excess fiberglass resin or foreign material from solvent-tolerant surfaces

| Part # | Size |
|------------|-----------|
| FPR 6500-1 | 1 Gallon |
| FPR 6500-5 | 5 Gallon |
| KLE DAC18* | 55 Gallon |

*SPECIAL ORDER





Denatured Alcohol

- Cleans glass and is used as a fuel for marine stoves
- Not intended for sale or use as a thinner

| Part # | Size |
|-----------|----------|
| KLE GSL26 | 1 Gallon |
| KLE CSL26 | 5 Gallon |







Mineral Spirits for SCAQMD

- Klean-Strip[®] Mineral Spirits for SCAQMD is a strong solvent that effectively cleans and degreases paint brushes, tools and equipment immediately after use
- The four counties of SCAQMD are Los Angeles, Riverside, San Bernadino, and Orange

MP 105004

HAZ-MAT SHIPPING CHARGES MAY APPLY

REMOVES THE TUFF STUFF™

GOOF OFF PROFESSIONAL

- Goof Off® Professional Strength is the Miracle Remover that cuts through the toughest spots and stains quickly
- It even removes spots that would otherwise ruin materials, surfaces, and tools
- Use it to eliminate costly messes and mistakez around the garage, workshop and outdoors.
- Use Goof Off® Professional on: adhesive, glue, asphalt, tar, caulk, dried latex paint
- It's also great for: stains, crayon, pen, marker, graffiti, varnish, gum, candle wax, scuff marks, stickers & decals, lipstick & makeup, tar & road grime, bugs, tree sap
- Use Goof Off® Professional Strength to remove stains from: concrete, metal, glass, laminate, brick, wood, fiberglass, carpeting & fabrics (test for colorfastness first), and more.....

| Part # | Description | Size |
|-----------|--|----------|
| KLE FG654 | Professional Strength Goof Off Remover, Pourable | 16 oz |
| KLE FG657 | Professional Strength Goof Off Remover, Pourable | 1 Gallon |

GOOF OFF HEAVY DUTY

- Goof Off® Heavy Duty Spot Remover & Degreaser works like magic to quickly remove difficult mistakes, spots and messes that ordinary household cleaners can't
- 22oz Spray Bottle Biodegradable
- No oily residue
- No harsh fumes
- Safe for hard and soft surfaces (when used as directed)
- Is non-flammable when used as directed
- GREAT FOR: grease and grime, sticker and adhesive residue, asphalt and tar, stains, crayon, pen and marker, gum, caulk, scuff marks, lipstick,

nail polish and makeup, bugs and tree sap, fresh latex paint and more!

KLE FG659

GOOF OFF Super Glue Remover

Removes super glue, epoxy adhesive, Gorilla Glue®







CLEANERS & SOAPS

HAND CLEANERS -



KRESTO® Select Hand Cleaner Softbottle

- Low solvent content Does not damage the skin
- Contains all-natural walnut shell scrubber for ground- in soils

| Part # | Description |
|-----------|--|
| SHN 87045 | Classic Hand Cleaner 2000 ml |
| SHN 87044 | Classic Hand Cleaner 2000 ml, One Pump Cartridge |

Kresto GT Hand Cleaners

Kresto

GT Turbo Hand Cleaner

- Scented automotive hand cleaner with biodegradable cornmeal pumice scrubbers
- · Ideal for removing graphite, grease and more

GT Paint Shop Hand Cleaner

- Heavy duty paint hand cleaner for automotive paint
- Formula removes oil-based paints, lacquers, adhesives, sealants, and tar
- Natural, biodegradable, walnut shell scrubbers
- Ideal for replacing thinners and other technical solvents

| Part # | Description |
|--------------|---|
| SHN KGTC2LP | Turbo, 2000 ml Softbottle, Cherry Scented |
| SHN KGTO2LP | Turbo, 2000 ml Softbottle, Orange Scented |
| SHN KGTPS2L | Paint Shop, 2000 ml Softbottle |
| SHN HVY2LKGT | 2L GT Wall Dispenser Only, Black |

MAYFAIR™ Anti-Bacterial Hand Sanitizer, 2 mL



- · Convenient- no soap, water or towel necessary • Formulated with Aloe & Vitamin E to minimize drying or irritation of skin
- Clear green gel Fresh Aloe fragrance
- Great for food service, childcare, healthcare, schools, health clubs, offices, retail stores, supermarkets
- Minimum Pumps/Gallon: 266 pumps
- Made in the USA •12 per case

SEL 99803

TOOLBOX® Shop Tough™ Hand Soap, Gallon

- An industrial hand cleaner designed to clean "working hands"
- Natural pumice, heavy-duty waterless hand cleaner
- Contains d-limestone and lanolin Light orange color
- Ideal for grease, tar, oil, ink and other stubborn stains
- Pleasant citrus fragrance USDA E4 Maximum ml/Pump: 30 ml
- Added emollients prevent hands from feeling dry
- Minimum Pumps/Gallon: 126 pumps
- Made in the USA •4 per case

SEL 99800

TOOLBOX® Shop Tough™ Hand Soap

- Fortified with a natural citrus solvent and extremely fine polyethylene scrubbers for heavy duty cleaning
- · Great for factories, shops, garages, industrial facilities, maintenance areas or wherever heavy-duty hand cleaning is required
- Removes dirt, grease, inks and many other embedded soils from skin
- Cleans and moisturizes hands quickly and effectively
- Waterless hand soap Made in the USA





| Waterless hand soap Wade in the cort | | | |
|--|--|---------|--|
| Part # | Description | Qty | |
| SEL 99802TOOLBOX® Shop Tough™ Hand Soap 800ml12/CASE | | 12/CASE | |
| SEL 99917 | TOOLBOX® Shop Tough™ Hand Soap Dispenser | 1 EACH | |

SURFACE CLEANERS -

- Non-Ammonia Glass Cleaner • For cleaning and polishing glass, mirrors, windshields and window
- Easy-to use, fast acting, clinging foam to breakup soils and hold them - even on vertical surfaces
- No dripping, no running and no streaking
- Dries quickly, requires no rinsing and leaves a pleasant, fresh aroma

SPW 50

Industrial Citrus Cleaner & Adhesive Remover, 15oz Can

- · Dissolve and flush away dirt, grease, and tar
- Works great as an adhesive remover
- Safe on most surfaces New and improved formula
- Pleasant citrus scent Leaves no residue
- CA VOC compliant Contains no CFCs

CMI 2280



Formula 409 Cleaner

Degreaser-Disinfectant

- 32 oz trigger bottle
- Advanced anti-grease agents quickly clean and penetrate tough soils and grease

Cleaner

CLO 35306

Pure Bright Liquid Bleach

- 1 gallon jug
- Laundry bleach and liquid disinfectant
- Removes odors, stains, and keeps whites bright

KIK BLEACH6

DEGREASERS

HydroForce® Industrial Strength Degreaser

- Break down and remove deposits of grease, oils, and dirt without harmful contamination or hazardous disposal
- Clean cooking surfaces, machinery, drain lines, and grease pits in restaurants, food service, and food and beverage manufacturing
- 20 oz sprav can
- Unscented

CRC 14414

D3 Citrus Degreaser

- Natural citrus degreaser attacks oil, grime, grease, tar and other oil based contaminants on hard surfaces
- · Works on contact and leaves little or no residue
- Non chlorinated
- Natural citrus base
- Works instantly
- · Leaves no film **SPW SW286**







LUBRICANTS

NEVER-SEEZ

ANTI-SIEZE LUBRICANTS -

Loctite® Anti-Seize Lubricant, 4 oz Tube

- Compatible with brass, copper, iron, plastic and steel
- Temperature ranges: -20°F minimum operating temperature to +1800°F maximum operating temperature
- Also has corrosion-resistant properties
- CFIA Approved and meets MIL-PRF-907E standards

LOCTITE

Loctite® Superlube with Teflon, 3 oz Tube

- Lasts 4 times longer than petroleum-based lubricants
- Withstands temperatures from -45°F to 450°F (550°F intermittent
- Contains PTFE for added protection against friction and wear
- Non-flammable (aerosol is flammable)
- Contains no ODCs NLGI #2 grease
- Meets requirements of USDA for incidental food contact

LOT 82325

LOT 51002

Never-Seez® Anti-Seize Lubricant, Regular Grade, 8 oz Brush Top

- Formulated with copper, graphite, aluminum and other ingredients to protect metal parts against rust, corrosion and seizure up to 1800°F
- Fine metallic and graphite particles in special grease protect parts in high heat, high pressure and corrosive environments

NVS NSBT-8

Anti-Seize Lubricant, 16 oz Brush Top

- Heavy-duty blend of aluminum, copper and graphite lubricants in a petroleum base
- Salt, corrosion and moisture resistant
- Temperature range: -60°F to 1600°F (-51°C to 871°C)

PER 80208

SILICONE SPRAYS ———

Camie® Heavy Duty Silicone Lubricant

- High solids (6%) blend of medium and high viscosity silicone fluids
- · Leaves a colorless, tenacious wet film
- Recommended for difficult release or high friction applications

Camie® Silicone Release Spray

- · Colorless, non-staining liquid
- Universal plastic mold release agent
- · Prevents adhesion of tape, glue, rubber, wax, and other sticky material on non-porous substrates

CMI 610

CRC® Marine Heavy Duty Silicone

- Lubricates wood, nylon, rubber, metals, canvas and leather
- Eliminates squeaking and binding Fights corrosion
- Lubricates from -40°F to 400°F

CC 06077

Sprayon® LU™ 206 Multi-Purpose Silicone Lubricant, 10 oz Aerosol Can

- Economical lubricant for applications where petroleum based products are not desired
- 5% silicone formula protects against air and moisture to retard oxidation and corrosion

KYL 206

Silicone Lubricant - Dry Version, 8.5 oz


- Eliminates rubber squeaks and prevents sticking
- Formula contains no petroleum oils to stain fabrics
- Cold hardy formula will not freeze at -28°F

3MI 08897

MULTI-PURPOSE LUBRICANTS

WD-40

- · Heavy-duty lubricant has thousands of uses
- Loosen rusted parts, free sticky mechanisms and drive out moisture
- · Clean grease, grime and other marks from most surfaces, even removes stickers and adhesives
- Protect metal from moisture and corrosive elements
- · Application: gears, hinges, moving parts, sliding, doors, tools



Multi-Purpose Lubricant

- Plastic safe lubricant, penetrant and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion
- Restores resistance values and helps stop current leakage

| | 3- | | |
|----------|---|--|--|
| Part # | Description | | |
| CC 02005 | 2-26 Multi Purpose Lubricant, 16 oz | | |
| CC 02006 | 2-26 Multi Purpose Lubricant, 1 Gallon | | |
| CC 03005 | 3-26 MulTI Purpose Precision Lubricant, 16 oz | | |
| CC 06006 | 6-56 MulTI Purpose Lubricant, 12 oz | | |



The Original PB Blaster Penetrant, 11oz

- #1 selling penetrant since 1957, PB B'laster quickly busts loose rusted or frozen parts caused by rust and corrosion
- It also contains a non-evaporating lubricant that saves time and equipment and protects against further rust and corrosion
- · Use on automotive, industrial, marine, plumbing, and other equipment





Sprayon[®] LU™ 711 The Protector™ Light Amber Multi-Purpose Lubricant

- Ultra-thin film, transparent blend of high quality petroleum distillates resists the collection of abrasive particles on delicate contacts and connectors
- Penetrates and prevents rust while displacing moisture
- No silicone

KYL 711

High Performance Wet Lubricant

- Penetrates deep into corroded areas to clean and dissolve rust grease and dirt even in the tightest tolerance
- Displaces moisture lubricates and provides a protective film to guard against humidity and corrosion over a wide temperature range

KYL 727

Marine White Lithium Grease

- Superior lubrications & durability in any weather and most temperatures
- Designed for applications requiring a long grease life
- · Will not wash off, melt or freeze









MOPPING & TRASH RECEPTACLES

MOPPING SUPPLIES -

35 Quart Mop Bucket with Wringer

- WaveBrake® commercial mop bucket and wringer system reduces splashing, which means a safer environment, cleaner floors
- Massive capacity No lifting required, for worker well-being
- Foot pedal water evacuation conveniently located

RCP 758088YW



Wet Floor Safety Sign

- Multi-Lingual caution imprint
- 2-sided bright yellow plastic floor sign
- Can be read from 30 FT away
- Two-sided sign is ideal for doorways and narrow spaces
- Folding design for convenient storage or transport on cart

| Part # | Height |
|-------------|--------|
| RCP 6112YEL | 25" |
| RCP 6114YEL | 37" |



• Meets NCHRP-350 Certification • Meets MUTCD Standards

OKL 831-03-500-05



Kink Free Water Hose

- High burst strength Features Guard-N-Grip connector
- Heavy-duty, crush-proof solid brass couplings

| Part # | Length |
|--------------|--------|
| FXN FXG5825 | 25 FT |
| FXN FXG5850 | 50 FT |
| FXN FXG5875 | 75 FT |
| FXN FXG58100 | 100 FT |



FLEX 741LLA



Flexzilla™ Pro ZillaGreen Water Hose

- Kink and abrasion resistant Spiral bend restrictors
- Reusable aluminum fittings 150 PSI working pressure
- 3/4" male/female thread fittings

| Part # | Size |
|---------------|---------------|
| LEG HFZWP550 | 5/8" x 50 FT |
| LEG HFZWP5100 | 5/8" x 100 FT |

Fire Hose Water Nozzles

- Large ON/OFF lever for longer use with less fatigue
- Adjustable pressure control from jet to mist
- Easily connects to any standard garden hose

ATD 9105

- Nozzle made of heavy-duty brass
- Will not corrode like cheaper aluminum versions
- Adjustable from gentle fan spray to powerful jet stream
- Heavy-duty rubber insulation and grip
- Standard 3/4" hose thread

ATD 9101

Pistol Grip Adjustable Water Nozzle

- Adjustable brass valve and adjusting nut
- Adjustfrom fine mist to powerful stream Clip locks on spray pattern



Water Hose Spray Nozzles

| | · · · · · · · · · · · · · · · · · · · |
|-----------|---------------------------------------|
| Part # | Description |
| TTN 11090 | Fireman's Power Spray Nozzle |
| TTN 11104 | Power Nozzle with Lever Handle |

TRASH CONTAINERS


Brute® Roll Out Containers

- Wide base increases stability and includes a molded-in lift bar for semi and automatic dumping
- Domed, hinged lid locks in open position for better access
- Molded-in, non-slip handles ease transport
- Also includes 8" heavy-duty non-marking wheels
- Molded polyethylene

| Part # | Description |
|--------------|-------------------------------------|
| RCP 9W21GRAY | 65 Gallon Brute® Roll Out Container |
| RCP 9W22GRAY | 95 Gallon Brute® Roll Out Container |

Brute® Round Containers

- All plastic, professional grade construction will not rust, chip or peel, resists dents
- Strong, snap-on lids are available for secure, stable stacking
- Built-in handles allow easy, non-slip lifting and anti-jam nesting







Brute® Dolly, Black

- Swivel casters afford easy mobility
- Easy twist on, twist off action
- Fits 32, 44 and 55 gallon models

RCP 264000BK





Wastebasket, Black

- Lightweight containers are easy to handle
- Rolled rims add durability and are a breeze to clean
- All plastic construction Won't chip, rust or dent
- Capacity : 3.5 Gallons Shape : Rectangular
- Size : 12 1/8"H x 8 1/4"D x 11 3/8"W

RCP 2955BLA

HUSKY.

Heavy-Duty Trash Liners

- Tear and puncture resistant
- Ideal for use in offices, schools, restaurants, hotels and industrial





| Heavy Duty Trash Bags | MIL | Capacity | Count | Color | Size |
|-------------------------|------|----------|-------|-------|------------|
| PTB HK33WC060B | 0.8 | 33 | 60 | Black | 33"x 37.5" |
| PTB PA5555DB | 3 | 55 | 55 | Clear | 38"x 65" |
| High Density Clear Bags | MIL | Capacity | Count | Color | Size |
| PTB PA08800CL | 0.31 | 8 | 800 | Clear | 22"x 23" |
| PTB PA33250CL | 0.55 | 33 | 250 | Clear | 33"x 40" |
| PTB PA55200CL | 0.55 | 55 | 200 | Clear | 36"x 56" |

ORDER ANYTIME :: AIM Supply: 800-999-0125 AIM Fleet America: 800-799-3915 ALCO Tool Supply: 800-437-2911

BROOMS



Floor Brooms Head



 \bullet A durable economical line for both industrial and DIY applications \bullet 3" Trim Length

| Part # | Size | Description | |
|-----------|------|---|--|
| SMA 92041 | 18" | Soft Sweep, Black Tampico, Indoor/Outdoor | |
| SMA 92042 | 24" | Soft Sweep, Black Tampico, Indoor/Outdoor | |
| SMA 92031 | 18" | Medium Sweep, Black Polypropylene, Indoor/Outdoor | |
| SMA 92032 | 24" | Medium Sweep, Black Polypropylene, Indoor/Outdoor | |
| SMA 92061 | 18" | Stiff Sweep, Maroon Polystyrene, Outdoor | |
| SMA 92062 | 24" | Stiff Sweep, Maroon Polystyrene, Outdoor | |



· With threaded wood end or threaded metal attachment

| Part # | Description |
|-----------|---|
| SMA 85965 | 60" L X .93" Dia. Hardwood Handle w/ Threaded End |
| SMA 85964 | 60" L X 1.125" Dia. Hardwood Handle w/ Threaded Die-Cast Tip |
| SMA 85677 | 60" L X .93" Dia. Plastic Coated Metal Handle w/ Metal Threaded End |



Strip Brooms

- Efficient and economical Lightweight construction
- Corrosion resistant frame is firmly embedded with tough, top quality bristles for top
- Fine Sweeping: Excellent on any smooth surface such as wood, tile or linoleum
- Medium Sweeping: Use on wood, concrete and semi-rough floors. A rugged factory brush for dry, wet and oily surfaces
- Coarse Sweeping: Excellent For extra-heavy dirt, debris, gravel, chips, etc. Use on rough,dry, wet, oily or greasy surfaces

| Part # | Description | Trim Length | Brush Area |
|------------|---------------------------------------|-------------|------------|
| BRU 2154SH | Medium Sweep, Gray Crimped Synthetic | 3-3/8" | 24" Long |
| BRU 2174SH | Coarse Sweep, Black Crimped Synthetic | 3-3/8" | 24" Long |
| BRU 2134SH | Fine Sweep, Blue Flanged Synthetic | 3-3/8" | 24" Long |

Upright Brooms

| _ | |
|-----------|------------------------|
| Part # | Description |
| SMA 92418 | 56" Large Angled Broom |
| SMA 92416 | 30" Small Lobby Broom |
| SMA 92410 | 57" Warehouse Broom |
| SMA 92414 | 57" Janitor Broom |





Dustpans

| Part # | Description |
|-----------|------------------------------------|
| SMA 92981 | 12" Metal Dustpan |
| SMA 92983 | 12" Plastic Dustpan w/ Rubber Edge |
| SMA 92982 | 16" Metal Dustpan |
| SMA 92984 | 18" Plastic Dustpan |
| | |

Quick Connect/Disconnect Cotton Mop Head

- 100% pure cotton fibers
- "Rope type" mop removes dirt and grime from most types of surfaces

SMA 95589

6 FT Telescopic

Handle, Extends from 3 FT. to 6 FT

- Constructed of anodized, aircraft grade aluminum for years of maintenance-free use
- Quick connect/disconnect push buttons for quick attachment to all accessories

SMA 95684



- · Works in some very harsh chemical conditions

| • Handles are ordered sep | | | | | |
|---------------------------|----------------|------|--------|---------------------|--|
| Part # | Туре | Part | # | Type | |
| BRU 2134SH | Blue (Fine) | | 4116CB | Blue Car Wash Brush | |
| BRU 2154SH | Black (Medium) | | | Green Truck Wash | |
| BRU 2174SH | Brown (Coarse) | BRU | 4117C | Brush | |

8" Counter Duster

- Wood Handle: 2.62"
- Grey flagged-tip bristles staple-set in a lacquered hardwood block
- 13" length

SMA 92510

Scrub Brushes

- Premium style plastic blocks will not split, crack, splinter or break
- Will not slip when wet
- Stronger and more durable than wood

| Part # | Description | Length |
|-----------|---|--------|
| SMA 95606 | Yellow Polystyrene, Soft Bristle, Wash Brush | 8.5" |
| SMA 95607 | Yellow Polystyrene, Soft Bristle, Wash Brush | 20" |
| SMA 95603 | Blue Polypropylene, Medium Bristle, Wash Brush | 8.5" |
| SMA 95604 | Blue Polypropylene, Medium Bristle, Wash Brush | 20" |
| SMA 95611 | White Polypropylene, Stiff Bristle, Scrub Brush | 8.5" |
| SMA 95614 | White Polypropylene, Stiff Bristle, Scrub Brush | 20" |



60" Tapered Wood Handle

- Natural finish wood with tapered end 15/16" diameter
- For use with all street brooms, deck scrubs and squeegees

SMA 85978

Floor Squeegees

- Two piece construction with heavy gauge, zinc plated steel handles & retaining strips
- Blades are 1/4" thick by 2" wide

| , | |
|------------|-----------------------------|
| Part # | Description |
| BRU 49524C | 24" Straight Black Neoprene |
| BRU 49530C | 30" Straight Black Neoprene |
| BRU 49636C | 24" Curved Black Neoprene |



WIPES & TOWELS

(13) Kimberly-Clark

Waterless Hand Wipes

- Pre-moistened hand cleaning wipes are waterless and ideal for hand cleaning anywhere
- Now in 75 count bucket
- Green colored wipes
- Size 10-1/2" x 12-1/4"
- Orange/Citrus fragrance

 6 per case KIM 91371

of Kimberly-Clark Worldwide, Inc. TYVEK is a registered trademark of E.I. DuPont de Nemours and Company.



Kresto GT Cherry Scrub Wipes

- Dual sided scrubber towels remove the toughest dirt grease grime sealants and adhesives yet is kind to hands and tools
- Fresh cherry scent helps neutralize petroleum odor on hands leaving them fresh and clean
- VOC/CARB Compliant
- 6 per case

SHN KGTC72W




TOOLBOX® Z700 White Interfold Wipers

- Works like cloth and is a low lint wiper
- Interfolds are perfect for jobs that require larger towels
- Portable dispenser box allows you to grab 1 sheet at
- Ideal for most heavy-duty and messy fluid applications
- Made with 25% recycled cellulose fibers
- Compare to WYPALL* X70
- TOOLBOX® Z700 wipers are up to 25% stronger than Kimberly-Clark's WYPALL* X70 in the weakest strength direction (Cross Direction Tensile)
- *WYPALL is a registered trademark of Kimberly-Clark Worldwide Inc
- Pop-up box 100 count Made in the USA

SEL 7020701

TOOLBOX® Z600 White 1/4 Fold Wipers

- Perfect for medium-duty wet or dry wiping applications
- 1/4 folds are perfect for stacking out on a work bench or counter top
- Made with 25% recycled cellulose fibers Works like cloth
- TOOLBOX® Z600 wipers are up to 50% stronger than Kimberly-Clark's*WYPALL* X60 in the weakest strength direction (Cross Direction Tension)
- · Made in the USA



Reclaimed Rags, Color, 25 lb Box

- 25lb box of Reclaimed Colored Polo Rags contain multi-colored knit material from t-shirts, polo shirts or similar knit apparel
- Colored Rags are cut to wiper size with zippers and buttons removed
- Often preferred for wiping applications that include water, grease, oil or paint
- · Economical solution for general industrial, machine shop and auto applications

SEL 99205





TOP SELLER!

- Tough, durable dispenser bucket that is light and portable
- Pre-moistened hand cleaner towels that go where you go
- Canister contains 72 perforated high-strength cleaning
- · Quickly Removes: dirt, oils, adhesive, lubricants, tar, urethane, epoxy, ink and dye, paint, grease, sealants, caulk
- 6 per case

ITW 42272CT

Grab-n-Scrub® Wipes

- Powerful hand and surface degreasing cleaner
- Gentle on skin
- Unique non-scratching, scrubbing texture
- Degreaser cuts thru oil, tar, grease, paint, lubricants, ink, wax, adhesives and more
- Ideal for light or heavy-duty cleaning of hands and/or surfaces without the need for soap and water

SEL 90150



WYPALL

WYPALL X60 Pop-Up Wipers

- . The absorbing power of Hydroknit™ material technology in a lighter-weight wiper, combining versatile performance and economy for light-duty tasks
- Designed to reduce waste, which means you spend less
- · Grab one today and see the hard-working difference for vourself with the world's leading wiper brand
- Reinforced for extra strength
- Holds together and does not leave residues behind
- · Lightweight, yet strong
- 12.5" x 16.8"
- 10 per case

KCC 34015

Scott® Rags in a Box

- Ideal for painting, wiping up spills, staining, and refinishing furniture
- Soft, absorbent towels that perform like a cloth
- Multi-purpose for 1,000's of projects

KIM 75260

Scott® Shop Towels with Pop-Up® Box

- Each towel is strong, durable, and absorbent
- Center-pull box, 200 sheets per box, 8 boxes per case

KIM 75190

Scott® Shop Towels, Roll

- Each towel is strong, durable, and absorbent
- 55 sheets per roll, 30 rolls per case

KIM 75130







WIPES & TOWELS

Kimberly-Clark

WvpAll L30 Wipers

- Exceptional performance, exceptional value
- A lighter-weight wiper at a great, everyday price
- DRC process gives wipers high surface softness, while its reinforced grid provides strength for wet-surface wiping and cleaning
- Choose WypAll L30 Wipers to replace airlaid wipers
- Cloth-like feel Strong, yet soft enough for personal use
- Ideal for a range of light-duty maintenance, processing and wiping tasks

| Part # | Description | |
|-----------|------------------------------|--|
| KCC 05812 | L30 1/4 Fold 12.5" x 12" | |
| KCC 05841 | L30 12.5" x 13.3" Jumbo Roll | |



WvpAll L30 Wipers

- America's favorite disposable wiper!
- An outstanding general purpose wiper with good performance in a wide range of industrial cleaning and personal wiping tasks.
- WypAll L40 Wipers feature our unique DRC (Double Re-Creped) base sheet technology
- Absorbent sponge-like inner layer that absorbs liquids fast, with a soft, touchable outer layer
- 1/4 Fold 12.5" x 12"

KCC 05701



WvpAll X60 Wipers

- Tough, versatile, excellent value
- Applying thinners & solvents, adhesive cleaning, removing grease & soil in tight area
- Designed to outperform rags
- Tough enough for big jobs, soft enough for face and hands

| Part # | Description |
|-----------|---|
| KCC 34955 | X60 12.5" x 13.4" Jumbo Roll |
| KCC 34865 | X60 12.5" x 12" Quarterfold Sheets, 76/PK |



WypAll X70 Wipers

- The ideal rag replacement system
- Cleaning surface and tools, heavy-maintenance wiping
- · Ideal rag replacement than rags

| Part # | Description |
|-----------|---|
| KCC 41600 | X70 12.5" x 13.4" Jumbo Roll |
| KCC 41200 | X70 12.5" x 12" Quarterfold Sheets, 76/PK |



WypAll X80 Wipers

- The ideal shop towel replacement system
- · Heavy-duty machine and parts wiping, wiping metal shavings, prepping surfaces with solvents
- Pound for pound, absorbs more water and oil than rental shop towels

| Part # | Description |
|-----------|---|
| KCC 41025 | X80 12.5" x 13.4" Jumbo Roll |
| KCC 41026 | X80 12.5" x 12" Quarterfold Sheets, 76/PK |





Shown with optional wall mount

TOOLBOX® Z800 Blue BIG GRIP® **Bucket HD Wipers**

- Keep towels clean and dry until they are needed both i ndoors and out with Sellars patented water resistant BIG GRIP® Bucket
- 2x stronger** than any DRC wiper we have ever made
- Up to 350% more absorbent than most rental rags
- Ideal for heavy-duty wiping applications that require a strong and absorbent wiper
- Unique pillowing pattern provides incredible softness for a heavy duty wiper
- Reuse the BIG GRIP® Bucket over and over with BIG GRIP® Refill Rolls (item # 80221)
- Made with 15% recycled fibers
- Compare to WYPALL* X80 wipers *WYPALL is a registered trademark of Kimberly-Clark Worldwide, Inc.
- · Proudly made in the USA

| Part # | Description |
|-----------|---|
| SEL 80220 | Z800 DRC Wipers Center Pull Blue Jumbo Roll, 190 CT |
| SEL 80221 | Z800 DRC Wipers Blue Jumbo Roll Refill |
| SEL 99916 | Z800 DRC BIG GRIP® Wall Mount |

TOOLBOX® Z700 Jumbo Roll Wipers

- Works like cloth and is a low lint wiper
- · Ideal for most heavy-duty wiping applications and messy fluid applications
- Jumbo rolls are perfect for extremely messy locations as they fit on wall mount or floor stand dispensers
- Compare to WYPALL* X70
- TOOLBOX® Z700 wipers are up to 25% stronger than WYPALL* X70 in the weakest strength direction (Cross Direction Tensile)
- Made with 25% recycled cellulose fibers
- Made in the USA 870 sheets
- *WYPALL is a registered trademark of Kimberly-Clark Worldwide Inc.

SEL 70307

TOOLBOX® Z800 Blue HD Jumbo Roll Wipers

- 2x stronger** than any DRC wiper we have ever made
 Up to 350% more absorbent than most rental rags
- Reduces time spent replacing smaller capacity rolls in messy environments
- Ideal for heavy-duty wiping applications that require a strong and absorbent wiper
- Unique pillowing pattern provides incredible softness for a heavy duty wiper
- Compatible with our Wall Mount Jumbo Roll Dispenser (item # 99914)
- Compatible with our Floor Stand Jumbo Roll Dispenser (item # 99911)
- Made with 15% recycled fibers Compare to WYPALL* X80 wipers
- Proudly made in the USA 475 sheets
- *WYPALL is a registered trademark of Kimberly-Clark Worldwide, Inc.
- *Based on CDWT (cross direction wet tensile) vs. Sellars TOOLBOX® Z900 wipers

SEL 80357

Jumbo Roll Dispensers

• Dispensers are metal making them

| extremely ut | IIanie |
|--------------|-------------|
| Part # | Description |
| SEL 99911 | Floor Stand |
| SEL 99914 | Wall Mount |
| | |

• Dispensers are compatible with our jumbo roll wipers (item #'s 24310, 54310, 24310, 54310, 10252, 2030001, 50300, 60307, 70307, 70357, 80307 and 70310) and most other standard jumbo roll wipers





TISSUE & TOWELS

TOILET TISSUE -

Windsoft Two-Ply **Toilet Tissue**

- · Embossed single roll facial quality toilet tissue
- Soft, absorbent tissue in attractive individual wrappers
- Safe for sewer and septic systems
- 96 per case

WIN 2240



• Our standard bath

Toilet Tissue

- tissue is embossed to provide a soft and comfortable feel
- 3.3" Core
- · White color achieved without the use of chlorine
- Made with 100% recycled fiber 50% post consumer and 50% pre consumer
- Economical 2-ply white bath tissue fits a vast array of bath tissue dispensers
- Made in the USA

| Part # | Description | Qty |
|-------------|--|---------|
| SEL 183011 | Toilet Tissue, White 2 Ply, 500 Sheet Roll | 96/CASE |
| SEL 99905 | Tissue Dispenser, Holds 2 Rolls | 6/CASE |
| SEL 183014 | Toilet Tissue, White 2 Ply, Jumbo Roll, 725 FT | 12/CASE |
| SEL 1832161 | Toilet Tissue, White 2 Ply, Jumbo Roll, 1,000 FT | 12/CASE |
| SEL 99908 | Single Tissue Jumbo Roll Dispenser | 1 EACH |

URINAL BLOCKS -

Toilet Bowl Deodorizer Block

- Cellophane wrapped to keep block intact, no chipped pieces to clog toilet
- Air-activated paradichlorobenzene block is saturated with liquid deodorants to freshen the air

| Part # | Description |
|---------|---|
| KRY B04 | 4 oz Cherry Scneted Block, 12/PK |
| KRY U04 | 4 oz Cherry Scented Block w/Hanger, 12/PK |



WIPFS

WetTask Wipes

- Use these wipers with solvents
- Compatible with detergents and water-based cleansers
- Enclosed system reduces exposure to chemical vapors and splashes.
- General purpose
- Color: White

KCC 06001



- PAPER TOWELS —

Multi Fold Towels

- Made with 100% recycled fiber- 80% post-consumer and 20% pre-consumer
- High quality 1 Ply embossed towel
- Fits in most multi-fold dispensers
- Reliable performance at a low cost
- White color achieved without the use of chlorine
- · Economical multi-fold white towels have a low per-unit cost
- Perfect for washrooms in office buildings, food service facilities, public facilities, government facilities, lodging, etc



Single Fold Towel

- Made with 100% recycled fiber- 80% post- consumer & 20% pre-consumer
- Natural 1-ply high quality embossed towel
- Fits in most single fold dispensers
- Reliable performance at a low cost
- Perfect for washrooms in office buildings, foods service facilities, public facilities, government facilities, lodging, etc
- Low per-unit cost Made in the USA 250 per sleeve 16 per case

SEL 183226

- **Hard Wound Towels** · Smaller diameter roll fits a vast array of everyday hard wound roll towel dispensers
- High quality 1-ply embossed towel 2" Core
- Reliable performance at a low cost
- Economical natural hard wound towels have a low per-unit cost
- Made with 100% recycled fiber- 80% postconsumer and 20% pre-consumer
- · Perfect for washrooms in office buildings, food service facilities, public facilities, government facilities, lodging, etc
- · Made in the USA

Part #

SEL 183208

SEL 183213

SEL 99900

SEL 99912







BOTTLES & BUCKETS

BOTTLES & SPRAY HEADS -

24 oz Spray Bottle/Trigger Combo

- 1.4 ml per stroke red/white trigger sprayer



| Part # | Description |
|-------------------|--|
| SMA 92762 | 32 oz All Purpose Spray Bottle |
| SMA 92761 | 32 oz Heavy Duty Spray Bottle |
| SMA 92724 | 16 oz Plastic Bottle |
| SMA 92725 | 24 oz Plastic Bottle |
| SMA 92726 | 32 oz Plastic Bottle |
| SMA 92705 | General Purpose Trigger |
| SMA 92701 | Chemical Resistant Trigger |
| CXE 32-SPRAYER-OB | 32 oz Orbital Trigger (sprays in any position) |

CXE 32-SPRAYER-OB

BUCKETS -



| Part # | Description |
|--------------------|--|
| 5 GALLON HEAVY-DUT | Y BUCKETS & LIDS |
| CXE 5GL-90W | 5 Gallon Bucket, 90 MIL, White |
| CXE 5GLD-90W | Heavy-Duty Gasketed Lid for 5 and 3.5 Gallon Buckets |
| CXE 5GLD-90WS | Gasketed Lid with Reike Flex Spout Fits 5 and 3.5 Gallon Buckets |
| 5 GALLON WASH BUC | KETS |
| CXE 5GL-70W | 5 Gallon Bucket, 70 MIL, White |
| CXE 5GL-70B | 5 Gallon Bucket, 70 MIL, Black |
| CXE 5GL-70BK | Easy Off Lid for 5 Gallon Bucket |
| OTHER SIZES AVAILA | BLE |
| CXE 2GLW | 2 Gallon Bucket, White |
| CXE 3GLW | 3.5 Gallon Bucket, White |
| CXE 5GLD-70W | Lid for 3.5 Gallon or 5 Gallon, 70 MIL Bucket |

LINERS -



5 Gallon Bucket/Tank Liner

- Semi-rigid, seamless plastic insert
- Contoured to fit snugly
- Great for quick clean-up and color changes

CXE PLB-1190

CONTAINMENT & SPILL CONTROL

M JUSTRITE







Foot-Operated Oily Waste Cans

- Projects against spontaneous combustion of oily rags
- Carry handle for portability Rugged galvanized steel body
- ONE piece self-closing cover facilitates use of disposal collection bags
- Trilingual safety label reduces miscommunication
- Foot operated models leave hands free

| Part # | Description |
|-----------|---|
| JUS 09100 | Foot-Operated Waste Can (11-7/8" x 15-7/8"), 6 Gal |
| JUS 09300 | Foot-Operated Waste Can (13-15/16" x 8-1/4"), 10 Gal |
| JUS 09500 | Foot-Operated Waste Can (16-1/16" x 20-1/4") , 14 Gal |
| JUS 09700 | Foot-Operated Waste Can (23.44" H x 18.375"), 21 Gal |
| 000 03700 | Tool operated waste dair(25.44 TTX 10.575), 21 dai |

Gallon Safety Cans

- High-grade coated steel, 100% leakproof construction
- Tough powder-coat finish resists chemicals

| ٠. | |
|-------------|--|
| Part # | Description |
| JUS 10301 | Type I Trigger-Handle for Flammables , 1 Gal |
| JUS 10375 | Bench Can (without Parts Basket), 1 Gal |
| JUS 7110100 | Type I Single Spout for Flammables , 1 Gal |
| JUS 7150200 | Type I Single Spout for Diesel, 1 Gal |
| | |



- Manually operated coverstays open for convenient access
- Self-closing mechanisms and fusible link which melts at 165°F to snap the cover shut in case of fire
- · Constructed of 24-gauge coated steel

| | 5 5 |
|-----------|--|
| Part # | Description |
| JUS 27601 | 1 Gallon Dip Tank, 9-3/8" x 5-1/2" |
| JUS 27602 | 1 Gallon Dip Tank, 9-3/8" x 10" |
| JUS 27603 | 3-1/2 Gallon Dip Tank, 11-3/8" x 11-1/4" |
| JUS 27605 | 5 Gallon Dip Tank, 11-3/4" x 13" |
| JUS 27608 | 8 Gallon Dip Tank, 15.625" x 14.25" |
| | |

Sure-Grip® EX High Performance Safety Storage Cabinet

- Fully compliant to OSHA and NFPA and most are FM approved
- Fail-safe, 3-point self-latching system provides easy, positive door closure
- U-Loc[™] padlockable handle
- Attractive U-Loc[™] padlockable handle with slip resistant grip
- Haz-alert™ reflective labeling
- Hazardous warning labels burst with high visibility under fire conditions or power outages
- · Sturdy galvanized steel SpillSlope™ shelves

| Part # | Description |
|-------------|---|
| JUS 893000* | 30 Gallon Capacity 44" (H) x 43" (D) x 18" (W) |
| JUS 894500* | 45 Gallon Capacity 65" (H) x 43" (D) x 18" (W) |
| JUS 896000* | 45 Gallon Capacity 65" (H) x 34" (D) x 34" (W) |
| JUS 899000* | 90 Gallon Capacity 65" (H) x 43" (D) x 34" (W) |

*SPECIAL ORDER





Self close style doors which meet UFC also available





NNELS & FAUCETS



| | T |
|--------------|---|
| Part # | Description |
| III \ IIXhh/ | Brass Control Flow Lab Safety Faucet, 3/4" NPT Bung |
| | Brass Safety Drum Faucet, Internal Flame Arrester, Adjustable, 3/4" Bung |
| | Brass Safety Drum Faucet, Internal Flame Arrester, Rigid, 3/4" Bung |



Brass Alloy Drum Bung Wrench

- Opens drum bung caps
- Rugged, non-sparking, corrosive-resistant tool fits many 2"or 3/4" bung styles commonly used on drums
- Design of handle protects the hand
- JUS 08805

16oz Dispensing Bottle with Flexible **Tube for Flammable Liquids**

- Made of polyethylene with a stainless steel wire, provide safe dispensing of flammable liquids directly on small components or subassemblies with a minimum of overspray
- Squeezing the bottle produces a fine stream of liquid
- · Stem can be shaped to dispense into hard-to-get areas



SPILL SORBENTS

Oil Only Absorbent Pads

 Absorbs both oil and water as well as grease, transmission fluid hydraulic fluid conlants diesel fuel and more

SEL 23300

| naia, nyaraane naia, coolants, alesel lael ana more | | | |
|---|-----------|-------------------------|--------------|
| Use | Part # | Туре | Ωty |
| Medium-Duty | SEL 83200 | 15" x 19" Cotton | 100 BAG/CASE |
| | SEL 82004 | 15" x 18" Polypropylene | 100 BAG/CASE |
| Light-Duty | SEL 82002 | 15" x 19" Cotton | 200 BAG/CASE |
| | SEL 83300 | 15" x 18" Polypropylene | 100 BAG/CASE |
| General Purpose | SEL 25100 | 15" x 19" Cotton | 100 BAG/CASE |



General Purpose Spill Kit

15" x 18" Polypropylene

• Kit contains: 1 green x 1/4 fold bundle, 8 basic sorbent pads, 2 sorbent socks, 1 pair of Nitrile gloves, 1 pair of splash resistant goggles, 1 half pound jar of putty, for plugging fuel tank leaks, etc., 1 set of 9 plugs, 1 hazardous waste disposal bag with zip tie

100 BAG/CASE

SEL 99010

EverSoak® General Purpose 4' Absorbent Socks

- . Made with 70% recycled cellulose fiber Provide great moldability allowing the
- sock to easily wrap around the base of a machine or the perimeter of a spill
- Ideal for preventing leaks, drips or spills from machinery becoming a safety hazard
- · Absorbs both water and oil based fluids such as diesel fuel, transmission fluid, hydraulic fluid, coolants, grease, paint and many other fluids

SEL 22868





HOLE SAWS

Morse Morse Morse Morse Morse Morse Morse

BEST COMPOSITE!

Carbide Tipped Hole Saw

- Tungsten carbide tooth tips offer the highest wear resistance possible for fast holes and longer life
- Cutting depth is 1-1/2"
- Arbor required
- Ground and set teeth help to cut materials that bi-metal won't



| Size Part # Description 3/4" MK MHST12 3/4 CARBIDE TIP HOLE SAW | |
|---|--|
| 3/4" MK MHST12 3/4 CARBIDE TIP HOLE SAW | |
| | |
| 7/8" MK MHST14 7/8 CARBIDE TIP HOLE SAW | |
| 1" MK MHST16 1 CARBIDE TIP HOLE SAW | |
| 1-1/8" MK MHST18 1 1/8 CARBIDE TIP HOLE SAW | |
| 1-1/4" MK MHST20 1 1/4 CARBIDE TIP HOLE SAW | |
| 1-3/8" MK MHST22 1 3/8 CARBIDE TIP HOLE SAW | |
| 1-1/2" MK MHST24 1 1/2 CARBIDE TIP HOLE SAW | |
| 1-3/4" MK MHST28 1 3/4 CARBIDE TIP HOLE SAW | |
| 1-7/8" MK MHST30 1 7/8 CARBIDE TIP HOLE SAW | |
| 2" MK MHST32 2 CARBIDE TIP HOLE SAW | |
| 2-1/8" MK MHST34 2 1/8 CARBIDE TIP HOLE SAW | |
| 2-1/4" MK MHST36 2 1/4 CARBIDE TIP HOLE SAW | |
| 2-3/8" MK MHST38 2 3/8 CARBIDE TIP HOLE SAW | |
| 2-1/2" MK MHST40 2 1/2 CARBIDE TIP HOLE SAW | |
| 2-3/4" MK MHST44 2 3/4 CARBIDE TIP HOLE SAW | |
| 3" MK MHST48 3 CARBIDE TIP HOLE SAW | |
| 3-1/4" MK MHST52 3 1/4 CARBIDE TIP HOLE SAW | |
| 3-3/8" MK MHST54 3 3/8 CARBIDE TIP HOLE SAW | |
| 3-1/2" MK MHST56 3 1/2 CARBIDE TIP HOLE SAW | |
| 3-3/4" MK MHST60 3 3/4 CARBIDE TIP HOLE SAW | |
| 4" MK MHST64 4 CARBIDE TIP HOLE SAW | |
| 4-1/4" MK MHST68 4 1/4 CARBIDE TIP HOLE SAW | |
| 4-1/2" MK MHST72 4 1/2 CARBIDE TIP HOLE SAW | |
| 5" MK MHST80 5 CARBIDE TIP HOLE SAW | |
| 5-1/2" MK MHST88 5 1/2 CARBIDE TIP HOLE SAW | |
| 6" MK MHST96 6 CARBIDE TIP HOLE SAW | |

ARBORS & PILOTS -

Hole Saw Arbors and Pilot Drills

• Durable, heavy-duty carbon steel arbors come complete with pilot drills

| Arbor | Chuck | Thread | Shank | Saw Size |
|-----------|-------|--------|------------|---------------|
| MK MA35PS | 3/8" | 5/8-18 | 3/8" Hex | 1-1/4" - 6" |
| MK MA34 | 1/2" | 1/2-20 | 7/16" Hex | 9/16"-1-3/16" |
| MK MA24 | 3/8" | 1/2-20 | 1/4" Round | 9/16"-1-3/16" |
| MK MA45PS | 1/2" | 5/8-18 | 7/16" Hex | 1-1/4" - 6" |

Pilot Drills

| i iiot Biiiio | |
|---------------|--------------------------|
| Part # | Description |
| MK MPD4S01 | HSS 1/4" x 3-1/16" |
| MK MPD401 | HSS 1/4" x 4-5/16" |
| MK MPD4CT01 | Carbide Tipped 1/4" x 4" |
| | • |



HOLE SAW KITS

Master Cobalt® Bi-Metal Hole Saws Kits

- Handy hole saw kits conveniently organize and store the sizes pros need within easy reach
- Standard kits offer 1 1/2" (38mm) cutting depth, arbors included in kit
- Uses: wood, plastic, machinable metals, stainless steel alloys, nail-embedded wood



Carbide Grit Hole Saw Kit

 Includes popular hole saw sizes and arbors for plumbing, electrical and industrial maintenance jobs

 For drilling holes through very thin or abrasive materials

MK ATCG100

17 PC General Purpose Bi-Metal Hole Saw Kit

• 5/8",3/4",7/8",1",1-1/8",1-1/4",1-3/8", 1-1/2",1-3/4",2",2-1/2,3"

• 3/8" Hex,1/2" Hex • (3) pilot drill

AHN 3073004



LENOX

26 PC BIG DADDY™ Hole Saw Kit

- 20 hole saws: 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2", 2-11/16", 3", 3-1/4", 3-3/8", 3-5/8", 3-3/4", 4-1/8", 4-1/2", 4-3/4"
- Arbors: 1L, 2L, 5L
- (3) pilot drills

LEN 308042000G

15 Pc. General Purpose Ice Hardened™ Hole Saw Kit

- Eleven (11) hole saws: 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2"
- Two (2) arbors: Two (2) drill bits
- One (1) adapter One (1) spacer
- Space for additional hole saws
- Ice Hardened™ for up to 50% longer life than the competition
- Optimized tooth form for up to 2X faster cutting
- Functional slots for faster plug removal
- Matrix II bi-metal teeth for greater durability

MWK 49-22-4175





CIRCULAR & BAND SAW BLADES

CUTTING WHEELS



- 1000+ cuts Diameter retention
- Produces less dust residue
- Recommended for multiple types of metal including steel, sheet metal, stainless steel, rebar, cast iron, aluminum (with proper lubrication), and non-ferrous metals



Extreme Durability:

This new cutting wheel uses diamond grit on the cutting edge so it will last 30 times longer than traditional wheels.



Safety:

Traditional wheels can break causing serious injuries. This wheel is made from a solid steel plate to greatly reduce risk of breakage.



Better Work Environment:

Sparks, odor and debris are reduced as the wheel does not wear down along with the material being cut.

| Part # | Tool Type | Diameter | Thickness | Arbor |
|-------------|---------------|----------|-----------|-------|
| LEN 1972917 | Die Grinder | 2" | 0.50" | 3/8" |
| LEN 1972918 | Die Grinder | 3" | 0.50" | 3/8" |
| LEN 1972919 | Die Grinder | 4" | 0.50" | 3/8" |
| LEN 1972920 | Angle Grinder | 4" | 0.50" | 5/8" |
| LEN 1972921 | Angle Grinder | 4-1/2" | 0.50" | 7/8" |
| LEN 1972922 | Chop Saw | 5" | 0.150" | 7/8" |

CIRCULAR SAW BLADES -










| Diameter | TPI | Application |
|----------|---|--|
| 7-1/4" | 18 | FAST Cut |
| 7-1/4" | 24 | Framing |
| 7-1/4" | 40 | Finishing |
| 7-1/4" | 60 | Ultra Fine |
| 7-1/4" | 24 | Framing |
| 7-1/4" | 24 | Framing (25PK) |
| 7-1/4" | 40 | Finishing |
| | 7-1/4" 7-1/4" 7-1/4" 7-1/4" 7-1/4" 7-1/4" | 7-1/4" 18 7-1/4" 24 7-1/4" 40 7-1/4" 60 7-1/4" 24 7-1/4" 24 |



- 1000+ cuts Diameter retention
- Produces less dust residue
- Recommended for multiple types of metal including steel, sheet metal, stainless steel, rebar, cast iron, aluminum (with proper lubrication), and non-ferrous metals

| Part # | Tool Type | Diameter | Thickness | Arbor |
|-------------|----------------------------|----------|-----------|-------|
| LEN 1972923 | Angle Grinder/Circular Saw | 6" | 0.50" | 7/8" |
| LEN 1972929 | Chop Saw | 14" | 0.130" | 1" |
| LEN 1972930 | Gas Saw | 12" | 0.150" | 1" |
| LEN 1972932 | Gas Saw | 14" | 0.150" | 1" |

BAND SAW BLADES

Bi-Metal Portable Band Saw Blades

- Shock resistant teeth great for cutting machinable metals
- Straight pitch teeth for better

| chip clearance and fast cutting | | | | | | | |
|---------------------------------|-----|----------|-------|-------|-------|--|--|
| Part # (3-Pack) | TPI | Length | Width | Thick | Tooth | | |
| MK ZWEP4414W | 14 | 44-7/8" | 1/2" | .020" | Wavy | | |
| MK ZWEP4418W | 18 | 44-7/8" | 1/2" | .020" | Wavy | | |
| MK ZWEP2718W | 18 | 27-3/16" | 1/2" | .020" | Wavy | | |

Band Saw Blades (Some Made to Order)

| Dalla Savy Diaues | Dalla Savy Diaues (Sulle Made to Order) | | | | | |
|-------------------|---|-------|-----|--|--|--|
| Part # | Length | Width | TPI | | | |
| MK 1632100930 | 7 FT 9" | 1/4" | 10R | | | |
| MK 1632100934 | 7 FT 9-1/2" | 1/4" | 10R | | | |
| MK 1632140930 | 7 FT 9" | 1/4" | 14R | | | |
| MK 1632181180 | 9 FT 8" | 1/4" | 14R | | | |
| MK 1633100934 | 7 FT 9-1/2" | 3/8" | 10R | | | |
| MK 1633101130 | 9 FT 5" | 3/8" | 10R | | | |
| MK 1633140930 | 7 FT 9" | 3/8" | 14R | | | |
| MK 1634100934 | 7 FT 9" | 1/2" | 10R | | | |
| MK 1634140646 | 5 FT 4-3/4" | 1/2" | 14R | | | |
| MK 1634140930 | 7 FT 9" | 1/2" | 14R | | | |
| | | | | | | |

| Part # | Length | Width | TPI |
|---------------|-------------|-------|-----|
| MK 1634140934 | 7 FT 9-1/2" | 1/2" | 14R |
| MK 1644141240 | 10 FT 4" | 3/4" | 14T |
| MK 1644141500 | 12 FT 6" | 3/4" | 14T |
| MK 1644141640 | 13 FT 8" | 3/4" | 14T |
| MK 1832040930 | 7 FT 9" | 1/4" | 4H |
| MK 1832040934 | 7 FT 9-1/2" | 1/4" | 4F |
| MK 1832060800 | 6 FT 8" | 1/4" | 6H |
| MK 1832060930 | 7 FT 9" | 1/4" | 6H |
| MK 1832060934 | 7 FT 9-1/2" | 1/4" | 6H |
| MK 1832061234 | 10 FT 3" | 1/4" | 6H |
| MK 1832061380 | 11 FT 6" | 1/4" | 6H |
| MK 1832061550 | 12 FT 11" | 1/4" | 6T |
| MK 1833040934 | 7 FT 9-1/2" | 3/8" | 4H |
| MK 1833041410 | 11 FT 9" | 3/8" | 4H |
| MK 1833041500 | 12 FT 6" | 3/8" | 4H |
| MK 1833060800 | 6 FT 8" | 3/8" | 6H |
| MK 1833060930 | 7 FT 9" | 3/8" | 6H |
| MK 1833060934 | 7 FT 9-1/2" | 3/8" | 6H |
| MK 1833061314 | 10 FT 1/2" | 3/8" | 6H |
| MK 1834040930 | 7 FT 9" | 1/2" | 4H |
| MK 1834060800 | 6 FT 8" | 1/2" | 6H |
| MK 1834060930 | 7 FT 9" | 1/2" | 6H |
| MK 1834060934 | 7 FT 9-1/2" | 1/2" | 6H |

| Part # | Length | Width | TPI |
|----------------------|--------------|-------|--------|
| MK 1834061010 | 8 FT 5" | 1/2" | 6H |
| MK 1834061370 | 11 FT 5" | 1/2" | 6H |
| MK 1834061560 | 13 FT | 1/2" | 6H |
| MK 3654101380 | 11 FT 6" | 3/4" | 10R |
| MK 3934131500 | 12 FT 6" | 1/2" | 10-14T |
| MK 4252131260 | 10 FT 6" | 1/2" | 10-14T |
| MK 4254130930 | 7 FT 9" | 3/4" | 10-14T |
| MK 4255131320 | 11 FT | 1" | 10-14T |
| MK ZHBH04-12X3 | 12 FT 3" | 3/8" | 4T |
| MK ZHEAH06-10312 | 10 FT 3-1/2" | 1/4" | 6H |
| MK ZHEAH06-7912 | 7 FT 9-1/2" | 1/4" | 6H |
| MK ZHEAR14-79 | 7 FT 9" | 1/4" | 14R |
| MK ZHEBH03032 | 12 FT 6" | 3/8" | 3H |
| MK ZHEBH04-126 | 12 FT 6" | 3/8" | 4H |
| MK ZHEBH04-7912 | 7 FT 9-1/2" | 3/8" | 4H |
| MK ZHEBH06-13212 | 13 FT 2-1/2" | 3/8" | 6H |
| MK ZHEBH06-79 | 7 FT 9" | 3/8" | 6H |
| MK ZHEBH06-7912 | 7 FT 9-1/2" | 3/8" | 6H |
| MK ZHEBR14-13 | 13 FT | 3/8" | 14R |
| MK ZHEDHO4-79 | 7 FT 9" | 1/2" | 4H |
| MK ZWEDC1014MAT-7912 | 7 FT 9-1/2" | 3/4" | 10-14T |
| MK ZWEFC1014MAT | 7 FT 9" | 3/4" | 10-14T |
| MK ZWE0441014MCB5 | 3 FT 8-7/8" | 1/2" | 10-14T |

RECIP, HACKSAW & JIGSAW BLADES

RECIP BLADES -





Bi-Metal Recip Blades

- Extra-tough, professional quality bi-metal recip blades are available in a wide variety of lengths
- Over the years we have developed and refined a special manufacturing process designed to lengthen blade life and guarantee quality
- 8% Cobalt edge offers more wear resistance
- Matrix II cutting edge has shock resistance teeth that resist strippage
- Uses: machinable metal, wood, nail-embedded wood, composites, rubber, plastic, plaster, and other common building materials

| TPI | 6" Blade | 12" Blade |
|-----|-----------|------------|
| 10 | MK RB610T | MK RB1210T |
| 14 | MK RB614T | MK RB1214T |
| 18 | MK RB618T | MK RB1218T |
| 24 | MK RB624T | |



9-Piece Sawzall® Blade Set

- Job site durable storage case adjusts to hold up to 9" blades
- Precision forming process creates sharper teeth for fast cutting
- Double relief angle reduces tooth stress for long life
- Wood cutting blades feature a full raker tooth on blade tip for easy plunging
- Includes: (3) 6" 24 TPI, (3) 6" 14 TPI, (2) 6" 6 TPI, (1) 9" 6 TPI blades and storage container

MWK 49-22-1145

AIR SAW BLADES -

Bi-Metal Air Saw Blades

- Fine teeth for cutting thin metal
- Specially designed bi-metal blades for use in pneumatic saws for thin sheet metal
- and other metal fabricating shops
- metal fabricating and composites



| 10 MK RBA3610T MK RBA410T 14 MK RBA314T MK RBA3614T MK RBA414T MK RBA43514T 18 MK RBA318T MK RBA3618T MK RBA418T MK RBA43518T 24 MK RBA324T MK RBA424T MK RBA43524T | | TPI | 3" Blade (.25 Thick) | 3-5/8" Blade (.25 Thick) | 4" Blade (.25 Thick) | 4" Blade (.35 Thick) |
|--|---|-----|-------------------------|-----------------------------|-------------------------|-------------------------|
| 18 MK RBA318T MK RBA3618T MK RBA418T MK RBA43518T 24 MK RBA324T MK RBA424T MK RBA43524T | | 10 | | MK RBA3610T | MK RBA410T | |
| 24 MK RBA324T MK RBA424T MK RBA43524T | | 14 | MK RBA314T | MK RBA3614T | MK RBA414T | MK RBA43514T |
| | | 18 | MK RBA318T | MK RBA3618T | MK RBA418T | MK RBA43518T |
| SO BAY DRAGGE BAY DRAGGET | ĺ | 24 | MK RBA324T | | MK RBA424T | MK RBA43524T |
| 32 MK RBA3321 MK RBA4321 MK RBA435321 | | 32 | MK RBA332T | | MK RBA432T | MK RBA43532T |





Air Saw Blades

| TPI | 3-5/8" Blade (.25 Thick) | 4" Blade (.25 Thick) | 5" Blade (.25 Thick) |
|-----|--------------------------|----------------------|----------------------|
| 10 | DS 12510 | | |
| 14 | DS 12514 | DS 13014-100 | DS 12614 |
| 18 | DS 12518 | | DS 12618 |
| 24 | DS 12524 | | |
| 32 | DS 12532 | | |

HACKSAW BLADES -

12" Bi-Metal Hacksaw Blades

- 14 TPI
- · Bi-metal hack blades will bend and flex, resisting shattering for safer sawing and longer lasting



- · Vacuum heat treating creates harder edge for faster, easier cutting
- High speed steel cutting edge with 8% cobalt for longer blade life
- Increased heat and wear resistance for longer life
- Flexible to prevent shattering during use
- Uses: pipe, tubing, solids, wood, plastic or any machinable metal

MK HHB1214

JIGSAW BLADES

T-Shank Jigsaw Blades



Universal Jigsaw Blades



| Part # | TPI | Length |
|------------------|-------|--------|
| MK SB3614C5 | 14 | 3" |
| MK SB0314T | 14 | 3" |
| DS JM-65 | 18 | 3" |
| MK SB2718T | 18 | 3" |
| MK SB0318T | 18 | 3" |
| DS JF-68 | 24 | 3" |
| MK SB2724T | 24 | 3" |
| MK SB0324T | 24 | 3" |
| BPT T-101-A0 | 20 | 3-1/4" |
| BPT T-130-RF1 | 90 | 3-1/4" |
| DS RM-50 | 10 | 3-1/2" |
| DS 82057 | 14 | 3-1/2" |
| BPT U-101-BF* | 10 | 3-5/8" |
| BPT T-118-B-100 | 11-14 | 3-5/8" |
| MK SB412ST | 12 | 3-5/8" |
| BPT T-118-EF | 14-18 | 3-5/8" |
| BPT T-118-A-100 | 17-24 | 3-5/8" |
| BPT T-118-AF-100 | 17-24 | 3-5/8" |
| BPT T-144-D-100 | 5-6 | 4" |
| BPT T-244-D | 5-6 | 4" |
| BPT T-244-D-100 | 5-6 | 4" |
| BPT T-101-D-100 | 5-6 | 4" |
| BPT T-101-DP | 6 | 4" |
| DS JW-74 | 6 | 4" |
| DS JW-76 | 6 | 4" |
| MK SB3606T | 6 | 4" |
| MK SB0406T | 6 | 4" |
| MK SCO406T | 6 | 4" |
| BPT T-111-C | 8 | 4" |







| Part # | TPI | Length |
|------------------|------|--------|
| BPT T-111-CF | 8 | 4" |
| BPT T-127-D-100 | 8 | 4" |
| BPT T-127-DF-100 | 8 | 4" |
| BPT T-227-D | 8 | 4" |
| DS JF-69 | 8 | 4" |
| MK SB0408T | 8 | 4" |
| BPT T-101-B-100 | 10 | 4" |
| BPT T-101-BF | 10 | 4" |
| BPT T-101-BR | 10 | 4" |
| MK SB3610T | 10 | 4" |
| MK SB0410T | 10 | 4" |
| BPT T-101-A | 14 | 4" |
| MK SB3614T | 14 | 4" |
| BPT T-301-CD | 8 | 4-5/8" |
| BPT T-345-XF3 | 5-10 | 5-1/4" |
| BPT T-345XF100 | 5-10 | 5-1/4" |
| MK SB0512LT | 12 | 5-1/4" |
| MK SB0521LT | 21 | 5-1/4" |
| BPT T-318-A-100 | 24 | 5-1/4" |
| BPT T-318-B-100 | 14 | 5-1/4" |

RECIP & HACKSAW BLADES

16" Long **Highest Tension** Hand Hacksaw Frame

- Handle holds up to five 12" blades
- Makes fast, straight cuts, up to 50,000 PSI

LEN 12132HT50



HACKSAW & BLADES

12" x 1/2" Bi-Metal **Hacksaw Blades**

Pack of 100

| Part # | TPI |
|----------------|-----|
| LEN 20116218HE | 18 |
| LEN 20117224HE | 24 |
| LEN 20118232HE | 32 |

LENOX

12" x 1/2" Bi-Metal **Hacksaw Blades**

Pack of 10

| Part # | TPI |
|-----------------|-----|
| LEN 20144V218HE | 18 |
| LEN 20145V224HE | 24 |
| LEN 20146V232HE | 32 |

RECIPROCATING BLADES

LENOX LAZER

LENOX METAL

LAZER™ Bi-Metal Reciprocation Blades

- Maximum durability, long life blades
- · Blades optimized for cutting heavy metal faster and easier

Pack of 5

| Part # | TPI | Length | Width | Thickness | Applications |
|----------------|-----|--------|-------|-----------|--|
| LEN 201726114R | 14 | 6" | 1" | .042" | Structural steel and all metals 3/32" - 3/8" |
| LEN 201746118R | 18 | 6" | 1" | .042" | Structural steel and all metals 1/16" - 1/4" |

· ILENOX

Bi-Metal Reciprocation Blades

- Maximum durability, long life blades
- Blades optimized for specific applications

Pack of 5

| Part # | TPI | Length | Width | Thickness | Applications |
|---------------|-----|--------|-------|-----------|---|
| LEN 20580810R | 10 | 8" | 3/4" | 0.50" | Plastics & composite • Wood • Thick metal 1/8" - 1/2" |
| LEN 20564614R | 14 | 6" | 3/4" | 0.35" | Thick metal 1/8"-1/2" • Medium metal 3/32"-5/16" |
| LEN 21519814R | 14 | 8" | 3/4" | 0.35" | Thick metal 1/8"-1/2" • Medium metal 3/32"-5/16" |
| LEN 20578818R | 18 | 8" | 3/4" | 0.35" | Medium metal 3/32"-5/16" ● Thin metal up to 1/8" |

Air Saw Blades

- Maximum durability blades
- For pneumatic machine cutting in automotive repair and sheet metal

Pack of 5

| Part # | TPI | Length | Width | Thickness |
|---------------|-----|--------|-------|-----------|
| LEN 20426418T | 18 | 4" | 1/2" | 0.25" |
| LEN 20427424T | 24 | 4" | 1/2" | 0.25" |
| LEN 20428432T | 32 | 4" | 1/2" | 0.25" |



LENOX



15 PC 6" Long **Reciprocating Blades Kit**

- •5 blades of 614R: 14 TPI - 6"x 3/4"x .035", for cutting thick metal
- •5 blades of 618R: 18 TPI - 6"x 3/4"x .035" for cutting medium metal
- •5 blades of 656R: 6 TPI - 6"x 3/4"x .035" for cutting nail-embedded wood

LEN 1073415RKG



High Performance Super Sawzall® Reciprocating Blades Pack of 5

| TPI | Length | Width | Thickness | Applications |
|------|--------|-------|-----------|---|
| 3/12 | 8" | 3/4" | 0.050" | Nail-embedded wood • Plastics and composites Ferrous & non-ferrous metals |
| | | | | Nail-amhadded wood Plastics and composites |

| Part # | TPI | Length | Width | Thickness | Applications |
|----------------|-----|--------|-------|-----------|--|
| MWK 48-00-5093 | -, | 8" | 3/4" | 0.050" | Nail-embedded wood • Plastics and composites Ferrous & non-ferrous metals |
| MWK 48-00-5092 | 10 | 6" | 3/4" | 0.035" | Nail-embedded wood • Plastics and composites Ferrous & non-ferrous metals |
| MWK 48-00-5187 | 14 | 9" | 3/4" | 0.035" | Metal 3/16" thru 1/4" |
| MWK 48-00-5184 | 18 | 6" | 3/4" | 0.035" | Metal 1/8" thru 3/16" |
| MWK 48-00-5188 | 18 | 9" | 3/4" | 0.035" | Metal 1/8" thru 3/16" |
| MWK 48-00-5182 | 14 | 6" | 3/4" | 0.35" | Metal 3/16" thru 1/4" |
| MWK 48-00-5186 | 24 | 6" | 3/4" | 0.35" | Metal 1/8" thru 3/16" |
| MWK 48-00-5189 | 18 | 12" | 3/4" | 0.35" | Metal 1/8" thru 3/16" |



12 PC Sawzall® Blade Set

- 1" tall blade profile for straighter cuts
- Thicker blade stock for maximum durability
- · Double relief angle reduces tooth stress for long life
- Features an assortment of our most popular demolition blades for a broad range of professional applications
- . Jobsite durable storage case adjusts to hold up to 9" blades

MWK 49-22-1129

SOCKET/DRIVER & DRILL BITS

SOCKET/DRIVER BITS -

1/4" Hex Power Drive Phillips Bits

• Phillips bits can be used for driving screws and fasteners with hand tools, corded or cordless power tools, and pneumatic tools



| Part # | Point Size | Overall L | ength | Body Diameter | | Turned Length | |
|------------|---------------|-----------|--------|---------------|--------|---------------|--------|
| APE 491X | 1 | 1-5/16" | 49 mm | 3/16" | 4.8 mm | 1-1/4" | 32 mm |
| APE 491-AX | 1 | 2-3/4" | 70 mm | 3/16" | 4.8 mm | 1-1/4" | 32 mm |
| APE 491-BX | 1 | 3-1/2" | 89 mm | 3/16" | 4.8 mm | 2-3/4" | 70 mm |
| APE 491-CX | 1 | 6" | 152 mm | 3/16" | 4.8 mm | 2" | 51 mm |
| APE 492X | 2 | 3-1/2 | 49 mm | 1/4" | 6.4 mm | 1-1/4" | 32 mm |
| APE 492-AX | 2 | 1-5/16" | 70 mm | 1/4" | 6.4 mm | 2" | 51 mm |
| APE 492-BX | 2 | 2-3/4" | 89 mm | 1/4" | 6.4 mm | 2-3/4" | 70 mm |
| APE 492-CX | 2 | 3-1/2" | 152 mm | 1/4" | 6.4 mm | 2" | 51 mm |
| APE 493X | 3 | 6" | 49 mm | 5/16" | 7.9 mm | 1" | 25 mm |
| APE 493-AX | 3 | 2-3/4" | 70 mm | 5/16" | 7.9 mm | 1-3/4" | 44 mm |
| APE 493-BX | 3 | 3-1/2" | 89 mm | 5/16" | 7.9 mm | 2-1/2" | 64 mm |
| APE 493-CX | 3 | 6" | 152 mm | 5/16" | 7.9 mm | 5" | 127 mm |

Power Drive Phillips Bits

Precision CNC machined tips



| Part # | Point Size | Overall Length |
|--------------|---------------|---|
| VEG 170P1AX | 1 | Phillips #1 Power Bit x 2-3/4" Extra Hard |
| VEG 1150P1AX | 1 | Phillips #1 Power Bit x 6" Extra Hard |
| VEG 150P2AX | 2 | Phillips #2 Power Bit x 2" Extra Hard |
| VEG 170P2AX | 2 | Phillips #2 Power Bit x 2-3/4" Extra Hard |
| VEG 190P2AX | 2 | Phillips #2 Power Bit x 3-1/2" Extra Hard |
| VEG 1150P2AX | 2 | Phillips #2 Power Bit x 6" Extra Hard |
| VEG 170P3AX | 3 | Phillips #3 Power Bit x 2-3/4" Extra Hard |
| VEG 190P3AX | 3 | Phillips #3 Power Bit x 3-1/2" Extra Hard |
| VEG 1150P3AX | 3 | Phillips #3 Power Bit x 3-1/2" Extra Hard |

Square Bits

| Part # | Point Size | Overall Length |
|-------------|---------------|-------------------|
| APE 1951-1X | 1 | 2-3/4" |
| APE 1951-2X | 2 | 2-3/4" |
| APE 1953-2X | 2 | 3-1/2" |

Slotted Bits

| Part # | Туре |
|------------|------------------|
| APE 320-2X | 1/4" Slot |
| APE 320-3X | 1/4" Slot, Thick |

Power Bits

| Part # | Size | Tip |
|------------|------|----------|
| APE 440-2X | 2 | Phillips |
| APE 440-3X | 3 | Phillips |

Socket Adapter Sets

Adapts sockets to power drills and drivers

• Detent ball for secure socket retention

| Part # | Description |
|-----------|------------------------|
| TTN 12082 | 3PC Socket Adapter Set |
| TTN 12087 | 6PC Socket Adapter Set |

Torx Bits

| Part # | Size |
|-----------------|-------------------|
| APE 440-TX-20X | T20 |
| APE 440-TX-25-H | T25, Tamper Proof |
| APE 440-TX-25X | T25 |
| APE 440-TX-30X | T30 |
| APE 440-TX-40X | T40 |
| APE 440-TX-45X | T45 |

Power Bit Adapters






High Performance Drill Bits

for the Ultimate In Performance and Durability



Black& Bronze Oxide Coating

• Performance 1 drill bits are made from industrial grade high speed steel with a friction-reducing black and bronze oxide surface treatment that allows for higher drilling speeds and improved precision cut



135° Split Point

- The 135° fast penetrating split point begins drilling immediately and minimizes "bit walk"
- Drills in the right spot without the need for pre-punching
- · Can be re-sharpened for longer life



3-Sided Flattened Shank (on 3/16" and above)

- Provides for a secure slip-free hold
- · Perfect for use with keyless chucks

JOBBER LENGTH AIRCRAFT LENGTH

| Size | Fluthe Length | Part # | Overall Length | Ωty | Part # | Overall Length | Ωty |
|---------|------------------|-------------|-------------------|-----|----------|-------------------|-----|
| 1/16" | 7/8" | BAR DB04 | 1-7/8" | 12 | BAR AB04 | 6" | 12 |
| 5/64" | 1" | BAR DB05 | 2" | 12 | BAR AB05 | 6" | 12 |
| 3/32" | 1-1/4" | BAR DB06 | 2-1/4" | 12 | BAR AB06 | 6" | 12 |
| 7/64" | 1-1/2" | BAR DB07 | 2-5/8" | 12 | BAR AB07 | 6" | 12 |
| 1/8" | 1-5/8" | BAR DB08 | 2-3/4" | 12 | BAR AB08 | 6" | 12 |
| 9/64" | 1-3/4" | BAR DB09 | 2-7/8" | 12 | BAR AB09 | 6" | 12 |
| 5/32" | 2" | BAR DB10 | 3-1/8" | 12 | BAR AB10 | 6" | 12 |
| 11/64" | 2-1/8" | BAR DB11 | 3-1/4" | 12 | BAR AB11 | 6" | 12 |
| 3/16" | 2-5/16" | BAR DB12 | 3-1/2" | 12 | BAR AB12 | 6" | 12 |
| 13/64" | 2-7/16" | BAR DB13 | 3-5/8" | 12 | BAR AB13 | 6" | 12 |
| 7/32" | 2-1/2" | BAR DB14 | 3-3/4" | 12 | BAR AB14 | 6" | 12 |
| 15/64" | 2-5/8" | BAR DB15 | 3-7/8" | 12 | BAR AB15 | 6" | 12 |
| 1/4" | 2-3/4" | BAR DB16 | 4" | 12 | BAR AB16 | 6" | 12 |
| 17/64"" | 2-7/8" | BAR DB17 | 4-1/8" | 6 | BAR AB17 | 6" | 6 |
| 9/32" | 2-15/16" | BAR DB18 | 4-1/4" | 6 | BAR AB18 | 6" | 6 |
| 19/64" | 3-1/16" | BAR DB19 | 4-3/8" | 6 | BAR AB19 | 6" | 6 |
| 5/16" | 3-3/16" | BAR DB20 | 4-1/2" | 6 | BAR AB20 | 6" | 6 |
| 21/64" | 3-5/16" | BAR DB21 | 4-5/8" | 6 | BAR AB21 | 6" | 6 |
| 11/32" | 3-7/16" | BAR DB22 | 4-3/4" | 6 | BAR AB22 | 6" | 6 |
| 23/64" | 3-1/2" | BAR DB23 | 4-7/8" | 6 | BAR AB23 | 6" | 6 |
| 3/8" | 3-5/8" | BAR DB24 | 5" | 6 | BAR AB24 | 6" | 6 |
| 25/64" | 3-3/4" | BAR DB25 | 5-1/8" | 6 | BAR AB25 | 6" | 6 |
| 25/64" | RS | BAR DB25RS* | 5-1/8" | 6 | | | |
| 13/32" | 3-7/8" | BAR DB26 | 5-3/8" | 6 | BAR AB26 | 6" | 6 |
| 13/32" | RS | BAR DB26RS* | 5-3/8" | 6 | | | |
| 27/64" | 3-15/16" | BAR DB27 | 5-1/2" | 6 | BAR AB27 | 6" | 6 |
| 27/64" | RS | BAR DB27RS* | 5-1/2" | 6 | | | |
| 7/16" | 4-1/16" | BAR DB28 | 5-3/4" | 6 | BAR AB28 | 6" | 6 |
| 7/16" | RS | BAR SB28RS* | 5-3/4" | 6 | | | |
| 15/32" | 4-5/16" | BAR DB30 | 6" | 6 | BAR AB30 | 6" | 6 |
| 15/32" | RS | BAR DB30RS* | 6" | 6 | | | |
| 1/2" | 4-1/2" | BAR DB32 | 6" | 6 | BAR AB32 | 6" | 6 |
| 1/2" | RS | BAR DB32RS* | 6" | 6 | | | |

*RS are 3/8" Reduced Shank

DRILL BITS

| LENGT | Н | | JOBBER | | | | 5 mL SCREW MACHINE | AIRCR | AFT | | | | |
|-----------------|---------------------|-------------------|------------------------|------------------------|------------------------|--------------------|------------------------|------------------|-----------------|-----------------------------|------------|---------------------------------------|------------------------|
| Size | Flute Length | Overall Length | Bright 118' | Black Oxide 135' | M42 Cobalt 135' | ThunderBit 135' | Black Oxide 135' | 6" Blad | | 12" Black Oxide 135' | | | 4 |
| 1/32" | 1/2" | 1-3/8" | NMD 02760 | | | | | | | | | | |
| 3/64" | 3/4" | 1-3/4" | NMD 02770 | | | | | | | | | norse | man |
| 1/16" | 7/8" | 1-7/8" | NMD 02780 | NMD 04490 | NMD 08010 | | | NMD 6 | 8170 | | | | |
| 5/64" | 1" | 2" | NMD 02790 | NMD 04500 | NMD 08020 | | | NMD 6 | | | | DRILL 8 | TOOL |
| 3/32" | 1-1/4" | 2-1/4" | NMD 02800 | NMD 04510 | NMD 08030 | | | NMD 6 | | | | | |
| 7/64" | 1-1/2" | 2-5/8" | NMD 02810 | NMD 04520 | NMD 08040 | | | NMD 6 | | | | ht Finish | |
| 1/8" | 1-5/8" | 2-3/4" | NMD 02820 | NMD 04530 | NMD 08050 | NMD 05620 | | NMD 6 | | NMD 68800 | | 118° Point | |
| 9/64" | 1-3/4" | 2-7/8" | NMD 02830 | NMD 04540 | NMD 08060 | NMD 05630 | NIMD 2EC20 | NMD 6 | | NMD 68810 NMD 68820 | | ommended for no ous metals, woo | |
| 5/32" | 2-1/8" | 3-1/8" 3-1/4" | NMD 02840 NMD 02850 | NMD 04550 NMD 04560 | NMD 08070 NMD 08080 | NMD 05640 | NMD 25620 | NMD 6 | | NMD 68830 | • Ava | ilable in jobber le | |
| 11/64" 3/16" | 2-1/8 | 3-1/4 | NMD 02860 | NMD 04570 | NMD 08090 | | NMD 25640 | NMD 6 | | NMD 68840 | 1/1 | 6" to 1/2" | |
| 13/64" | 2-7/16" | 3-1/2 | NMD 02870 | NMD 04570 | NMD 08100 | NMD 05670 | NMD 25650 | NMD 6 | | NMD 68850 | | | |
| 7/32" | 2-1/10 | 3-3/4" | NMD 02880 | NMD 04590 | NMD 08110 | NMD 05680 | NMD 25660 | NMD 6 | | NMD 68860 | | | • |
| 15/64" | 2-5/8" | 3-7/8" | NMD 02890 | NMD 04600 | NMD 08120 | | | NMD 6 | | | " Blac | k Oxide Finis | |
| 1/4" | 2-3/4" | 4" | NMD 02900 | NMD 04610 | NMD 08130 | NMD 05700 | NMD 25680 | NMD 6 | | NMD 68880 | | 135' Split Poi | |
| 17/64"" | 2-7/8" | 4-1/8" | NMD 02910 | NMD 04620 | NMD 08140 | | NMD 25690 | | | | ··· • Incr | ease wear resistal lubricity to impro | |
| 9/32" | 2-15/16" | 4-1/4" | NMD 02920 | | NMD 08150 | NMD 05720 | | | | | | ilable in jobber a | |
| 19/64" | 3-1/16" | 4-3/8" | NMD 02930 | NMD 04640 | NMD 08160 | | | | | | | gth form 1/16" to | |
| 5/16" | 3-3/16" | 4-1/2" | NMD 02940 | NMD 04650 | NMD 08170 | NMD 05740 | NMD 25720 | NMD 6 | 8760 | NMD 68920 | | | |
| 21/64" | 3-5/16" | 4-5/8" | NMD 02950 | | NMD 08180 | | | | | | | | |
| 11/32" | 3-7/16" | 4-3/4" | NMD 02960 | | | | NMD 25740 | | | | M42 | Cobalt HSS | |
| 23/64" | 3-1/2" | 4-7/8" | NMD 02970 | | NMD 08200 | NMD 05770 | | | | | | 135' Split Poi | nt |
| 3/8" | 3-5/8" | 5" | NMD 02980 | NMD 04690 | NMD 08210 | NMD 05780 | NMD 25760 | NMD 6 | 8770 | NMD 68960 | • Con | tains 8% cobalt i | |
| 25/64" | 3-3/4" | 5-3/8" | NMD 02990 | NMD 04720 | NMD 08220 | NMD 05790 | | | | | | n red hardness | 6 1 |
| 13/32" | 3-7/8" | 5-1/4" | NMD 03000 | | NMD 08230 | NMD 05800 | | | | | | uires rigidly held ling equipment | positive feed |
| 27/64" | 3-15/16" | 5-3/8" | NMD 03010 | | NMD 08240 | | | | | | • Use | d to drill hard, th | ough metals. |
| 7/16" | 4-1/16" | 5-1/2" | NMD 03020 | NMD 04730 | NMD 08250 | NMD 05820 | | NMD 6 | 8780 | NMD 69000 | | nless steel, titan | |
| 29/64" | 4-3/16" | 5-5/8 " | NMD 03030 | | NMD 08260 | | | | | | P | stics | .1. 6 |
| 15/32" | 4-5/16" | 5-3/4" | NMD 03040 | | NMD 08270 | | | | | | | ilable in jobber le 6" to 1/2" | engths from |
| 31/64" | 4-3/8" | 5-7/8" | NMD 03050 | | NMD 08280 | | | | | | | 0 10 1/2 | |
| 1/2" | 4-1/2" ERED BITS | 6" | NMD 03060 | NMD 04770 | NMD 08290 | NMD 05860 | | NMD 6 | | NMD 69040 | | | |
| | | : | | NIMP 04700 | | | " | | | | OAL | Duimba Finink | C:L 9 Di |
| 2 | 2-5/8" | 3-7/8" | | NMD 04790 | | | | Size | Туре | Flute | 0AL | Bright Finish | Silver & Demin |
| 4 | 2-1/2" | 3-3/4" | NMD 03220 | | | | | 5/16" | 1/4" R | | 3-27/32 | NMD 28840 | |
| 5 | 2-1/2" | 3-3/4" | NMD 03230 | | | | | 3/8" | 1/4" R | | 4-1/4 | NMD 28870 | |
| 7 | 2-7/16" | 3-5/8" | NMD 03250 | NMD 04840 | NMD 08360 | | NMD 25910 | 7/16" | 1/4" R | | 4-11/16 | NMD 28910 | |
| 8 | 2-7/16" | 3-5/8" | NMD 03260 | | | | NMD 25920 | 1/2" | 1/4" R | ······ } i | 5 | NMD 28950 | |
| 9 | 2-7/16" | 3-5/8" | NMD 03270 | | | | | 17/32" | 1/2" R | | 6 | | NMD 29140 |
| 10 | 2-7/16" | 3-5/8" | NMD 03280 | NMD 04870 | | | NMD 25940 | 9/16" | 1/2" R | | 6 | | NMD 29160 |
| 11 | 2-5/16" | 3-1/2" | NMD 03290 | NMD 04880 | | | NMD 25960 | 5/8" | 1/2" R | ······ ; ······· | 6 | | NMD 29200 |
| 12 19 | 2-5/16" | 3-1/2" | NMD 03300 NMD 03370 | NMD 04890 | | | | 21/32" | 1/2" R | ····· | 6 | | NMD 29220 NMD 29240 |
| | 2-1/8" | 3-1/4" | | NIMD 04070 | | | | | 1/2" R | ····· | 6 | | ···÷····· |
| 20 | 2-1/8" | 3-1/4" | NMD 03380 | NMD 04970 | | | NMD 26050 NMD 26060 | 3/4" | 1/2" R | ······ | 6 | | NMD 29280 NMD 29320 |
| 21 25 | 1-1/16" | 2-1/8" 3" | NMD 03430 | | NMD 08540 | | NMD 26100 | 13/16" 7/8" | 1/2" R | | 6 | | NMD 29360 |
| 25 26 | 1-7/8" | 3" | NMD 03440 | NMD 05030 | 141410 00040 | | | 15/16" | 1/2 n 1/2" R | | 6 | | NMD 29400 |
| 20 27 | 1-7/8" | 3" | NMD 03450 | 141410 02020 | | | | 11" | 1/2 n 1/2" R | •••••• | 6 | | NMD 29440 |
| 29 | 1-3/4" | 2-7/8" | NMD 03470 | | NMD 08580 | | NMD 26140 | 1-1/8" | 1/2 n | ······ | 6 | | NMD 29460 |
| 30 | 1-5/8" | 2-7/6 | NMD 03480 | NMD 05070 | | | NMD 26150 | 1-1/4" | 1/2 n | ······ | 6 | | NMD 29490 |
| 32 | 1-5/8" | 2-3/4" | NMD 03500 | | | | | LONGBO | | | | | 111110 23730 |
| 35 | 1-1/2" | 2-5/8" | NMD 03530 | | | | NMD 26200 | 1/4" | 118° | 9 | 12 | NMD 27280 | |
| 36 | 1-7/16" | 2-3/0 | NMD 03540 | | | | | 11/16" | 118° | 9 | 12 | NMD 27490 | |
| 39 | 1-3/8" | 2-3/8" | | NMD 05151 | | | | 3/4" | 118° | 9 | 12 | NMD 27500 | |
| 40 | 1-3/8 " | 2-3/8" | NMD 03580 | | | | | | 110 | Į U | 14 | 111112 21300 | |
| 43 | 1-1/4" | 2-1/4" | | NMD 05200 | | | | | | | | | |
| 4.3 | | : 4 1/ 7 | | 141412 03200 | 1 | : | - | 1 | | | | | |

DRILL BITS



| | • | |
|-------------|-----------------------------------|--------------|
| Part # | Description | Size Range |
| KNK 21KK5 | 21 Piece — Standard Length | 1/16" — 3/8" |
| KNK 21KK7 | 21 Piece — Short Length | 1/16" — 3/8" |
| KNK 29KK5DB | 29 Piece — Standard Length | 1/16" — 1/2" |
| KNK 29KK10 | 29 Piece — Mechanics Length | 1/16" — 1/2" |
| KNK 13KK6 | 13 Piece – Left Hand | 1/16" — 1/4" |
| KNK 5KK9 | 5 Piece Hard Steel Carbide Tipped | 1/8" — 3/8" |





Titanium Coated Drill Bit Sets

| Part # | Description | Size Range |
|----------|-------------------------|----------------|
| ATD 9215 | 5 Piece Left-Handed Set | 5/64" — 19/64" |
| ATD 9229 | 29 Piece Set | 1/16" — 1/2" |





12 PC 1/8" **Double-Ended** Titanium Drill **Bit Set**

- 2" in length
- Pack of 12

ATD 9204



| | _ | |
|---------------|--|--------------|
| Part # | Description | Size Range |
| AHN 3018002 | 29 PC Cobalt M-35 Metal Index Drill Bit Set | 1/16" — 1/2" |
| AHN 3018002-B | 29 PC Cobalt Drill Bit Set | 1/16" – 1/2" |



29 PC Titanium **Drill Bit Set** • Sizes 1/16" to 1/2" AHN 3018003



29 PC Black & Gold Metal **Index Drill Bit Set** • Sizes 1/16" to 1/2"

AHN 3018005



• Sizes 9/16" to 1"

AHN 90108



Steel Drill Bit Set • Sizes 1/16" to 1/2" **AHN 60138**

21 PC Straight **Shank TURBOMAX Drill Bit Set**

• Sizes 1/16" to 3/8" **AHN 73149**


5 PC Left-Hand Mechanic's Length Cobalt Drill Bit Set

· Pouched set includes: 5/64", 7/64", 5/32", 1/4", 19/64"



Double **Ended Drill Bits**

• 135° split point



STEP DRILLS



5 PC Step Drill Bit Set

- Tri-flat shank design for sure grip in chuck without slippage 1/4" Shank: 3/16" to 1/2" holes in 1/16" steps
- 1/4" Shank: 1/8" to 1/2" holes in 1/32" steps
- 3/8" Shank: 1/4" to 3/4" holes in 1/16" steps
- 3/8" Shank: 3/16" to 7/8" holes in 1/16" steps
- /8" Shank: 1/4" to 1-3/8" holes in 1/8" steps

ATD 9200



KnKut 3pc Hole Expansion Step Reamer Set

- USA Made KnKut Step Reamers accurately starts on contact and enlarges and deburrs holes in material up the 1/2" thick. Gold Oxide treatment enhances lubricity, reduces friction and increases toughness.
- Size Range: 3 Piece Set Includes 5/16" 9/16", 9/16" - 13/16", 13/16" - 1-1/16"
- 90° Notch Point starts holes easily

IRWIN.

Unibit

- 5 hole enlargement steps
- 3/8" Shank Diameter
- 3-Flats on Shank

KNK 3KK4SR





Step Drill Bit Set with Titanium Finish

- 28 holes sizes
- 1/8" to 3/4"

TTN 16503



3 PC **Self Starting** Step Drill Bit Set

- Size #1: 1/8" to 1/2"
- Size #2: 3/16" to 1/2"
- Size #3: 1/4" to 3/4"

1/16"

VSG 10502



4 Pc. Unibit Step Drill Set with #1T

- #1 Bit 1/8" 1/2" by 1/32" steps
- #2 Bit 3/16" 1/2" by 1/16" steps
- #3 Bit 1/4" 3/4" by 1/16" steps





3 Pc Titanium-**Coated Self Starting Step Drill Bit Set**

- Size #1: 1/8" to 1/2" • Size #2: 3/16" to 1/2"
- Size #3: 1/4" to 3/4"
- VSG 15502












High Speed Steel Fractional Self Starting Bits

 Ideal for drilling holes into thin materials such as stainless steel, copper, brass, aluminum, plastic and laminates

| Part # | Size (#) | Holes (Range) | Increments |
|---------------------------|-----------|-------------------|------------|
| Self Starting D | rill Bits | | |
| VSG 10312 | 12 | 1 (3/8") | |
| VSG 10310 | 10 | 1 (1/2") | |
| VSG 10311 | 11 | 1 (7/8") | |
| VSG 10313 | 13 | 1 (1-1/8") | |
| VSG 10231 | 1 | 13 (1/8" - 1/2") | 1/32" |
| VSG 15101 | 1 TiN | 13 (1/8" - 1/2") | 1/32" |
| VSG 10232 | 2 | 6 (3/16" - 1/2") | 1/16" |
| VSG 10234 | 4 | 12 (3/16" - 7/8") | 1/16" |
| VSG 10233 | 3 | 9 (1/4" - 3/4") | 1/16" |
| Hole Enlarging Drill Bits | | | |
| VSG 10220 | 20 | 8 (9/16" - 1") | 1/16" |

10 (13/16" - 1-3/8")





VSG 10221

21

STEP DRILLS, SPADE BITS & COUNTERSHINKS

STEP DRILLS -

Step Drills

- Ideal for drilling repetitive holes by electrical contractors, sheet metal workers, and auto mechanics
- Made of high speed steel with double fluted ground cutting edge for long life
- Trailing flute that automatically deburs holes
- 3 flats on shank for secure fastening in drill
- Faster penetration than standard points with split point tip









| Part # | Description | Size |
|----------|-----------------------------------|---------------|
| MK ESD01 | 1/8" to 1/2" by 32nds, 12 steps | 1/4" (6.4 mm) |
| MK ESD02 | 3/16" to 1/2" by 16ths, 5 steps | 1/4" (6.4 mm) |
| MK ESD03 | 3/16" to 7/8" by 16ths, 11 steps | 3/8" (9.5 mm) |
| MK ESD04 | 1/4" to 3/4" by 16ths, 8 steps | 3/8" (9.5 mm) |
| MK ESD05 | 1/4" to 1-1/8" by 16ths, 14 steps | 3/8" (9.5 mm) |
| MK ESD06 | 1/8" to 3/8" by 16ths, 4 steps | 1/4" (6.4 mm) |
| MK ESD07 | 1/8" to1/2" by 16ths, 6 steps | 1/4" (6.4 mm) |

SPADE BITS



- For boring small holes through wood
- Angled spur design cut accurate holes cleanly and quickly
- Produce a cleaner hole with less vibration with the angled spur
- 1/4" (6.4mm) quick change shank size fits all power drills

| 0-12 | |
|---------------|---------------|
| Diameter | Shank Size |
| 3/4" (19 mm) | 1/4" (6.4 mm) |
| 3/8" (9.4 mm) | 1/4" (6.4 mm) |
| | 3/4" (19 mm) |

| rait # | Diamoto | OHAHK OIZE |
|-----------|----------------|---------------|
| NMD 52085 | 3/4" (19 mm) | 1/4" (6.4 mm) |
| NMD 52025 | 3/8" (9.4 mm) | 1/4" (6.4 mm) |
| NMD 52065 | 5/8" (16 mm) | 1/4" (6.4 mm) |
| NMD 52105 | 7/8" (22 mm) | 1/4" (6.4 mm) |
| NMD 52055 | 9/16" (14 mm) | 1/4" (6.4 mm) |
| NMD 52155 | 1-3/8" (35 mm) | 1/4" (6.4 mm) |
| NMD 52165 | 1-1/2" (38 mm) | 1/4" (6.4 mm) |
| NMD 52145 | 1-1/4" (32 mm) | 1/4" (6.4 mm) |
| NMD 52135 | 1-1/8" (29 mm) | 1/4" (6.4 mm) |
| | • | • |

IRWIN.



Standard Spurless Spade Bits

| • | | | |
|---------------|----------|--------|----------|
| Part # | Diameter | Length | Shank |
| AHN 88006BULK | 3/8" | 6" | 1/4" Hex |
| AHN 88008BULK | 1/2" | 6" | 1/4" Hex |
| AHN 88010BULK | 5/8" | 6" | 1/4" Hex |
| AHN 88012BULK | 3/4" | 6" | 1/4" Hex |
| AHN 88014BULK | 7/8" | 6" | 1/4" Hex |
| AHN 88016BULK | 1" | 6" | 1/4" Hex |
| AHN 88018BULK | 1-1/8" | 6" | 1/4" Hex |
| AHN 88020BULK | 1-1/4" | 6" | 1/4" Hex |
| AHN 88024BULK | 1-1/2" | 6" | 1/4" Hex |

COUNTERSHINKS -

W.L. Fuller Inc.

Type "C" Countersinks

- Designed for use in all woods, plastics, and non-ferrous metals
- Held in place with 2 hexsocket set screws fastened into the flutes of the drill
- Can be mounted on taper point, brad point and regulator point drills

| Part # | Cutting Diameter | Drill Hole Diameter | Overall Length |
|--------|------------------|---------------------|----------------|
| DS C-3 | 1/2" | 3/32" | 7/8" |
| DS C-4 | 5/16" | 7/64" | 7/8" |
| DS C- | 3/8" | 1/8" | 7/8" |
| DS C-6 | 3/8" | 9/64" | 7/8" |
| DS C-7 | 3/8" | 5/32" | 7/8" |
| DS C-8 | 3/8" | 11/64" | 7/8" |
| DS C-9 | 3/8" | 3/16′ | 7/8" |
| DS C-1 | 0 7/16" | 13/64" | 7/8" |

High Speed Steel Countersinks

- Designed to only sink the head of the screw flush with the surface
- Shorter blades to reduce breakage Made to cut into metals

| Part # | Cutting Diameter | Drill Hole Diameter | Overall Length |
|-----------|------------------|---------------------|----------------|
| DS H-4-S | 5/16" | 7/64" | 3/4" |
| DS H-5-S | 3/8" | 1/8" | 7/8" |
| DS H-6-S | 3/8" | 9/64" | 7/8" |
| DS H-7-S | 3/8" | 5/32" | 7/8" |
| DS H-8-S | 3/8" | 11/64" | 7/8" |
| DS H-9-S | 3/8" | 3/16" | 7/8" |
| DS H-10-S | 7/16" | 13/64" | 7/8" |
| DS H-14-S | 3/8" | 1/4" | 7/8" |
| DS H-18-S | 5/8" | 5/16" | 1-1/16" |



Bosch Forstner bits produce consistent hole quality ideal for fine wood working and also well suited for off-center or angled hole drilling

- Designed for perfectly smooth, flat-bottomed and splinter-free holes, even in end-grain and through knots
- Ideal for drilling decorative holes for fine woodworking and hinge boring
- Chrome-steel alloy construction allows the bits to withstand high temperatures during drilling, reducing the risk of burning
- Brad point centers bit for easy positioning
 of bala.
- Suitable for portable drills or stationary machine

| Part # | Diameter |
|-----------|----------|
| BPT FB004 | 1/4" |
| BPT FB006 | 3/8" |
| BPT FB008 | 1/2" |
| BPT FB010 | 5/8" |
| BPT FB012 | 7/8" |
| BPT FB014 | 1" |
| BPT FB018 | 1-1/8" |
| BPT FB020 | 1-1/4" |
| BPT FB022 | 1-3/8" |
| BPT FB024 | 1-1/2" |
| BPT FB026 | 1-5/8" |
| BPT FB028 | 1-3/4" |
| BPT FB030 | 1-7/8" |
| BPT FB032 | 2" |
| BPT FB034 | 2-1/8" |



Professional Shop Sharpener

- New design still sharpens dull and broken bits in less than 60 seconds, including 118°, 135°, splitpoint, standard-twist, high-speed steel, masonry, carbide, cobalt, and tin-coated bits
- Now features variable alignment to adjust chisel and relief angles, durable metal split-point port and guides to reduce over splitting, and quickchange diamond sharpening wheel

| \$Drill | |
|-------------------------|--|
| The Drill Bit Sharpener | |

| Part # | Size |
|------------|------------|
| DAR DD500X | 3/32"-1/2" |
| DAR DD750X | 3/32"-3/4" |

ROUTER BITS





1/4" Solid Carbide One Flute UpCut **O Flute Bit for Aluminum**

• High speed cutters for machining aluminum sheet and block material

ONS 63-624



7/64" High Speed Steel 3E Taper **Pin Router**

• Three flute upcuts with a tapered flute are used for profiling and trimming primarily in aircraft assembly operations

ONS 80-002


Solid Carbide Routers

| Part # | Diameter | Length |
|------------|----------|--------|
| ONS 61-042 | 1/8" | 2" |
| ONS 61-043 | 1/8" | 4" |
| ONS 61-062 | 3/16" | 2" |
| ONS 61-063 | 3/16" | 4" |
| ONS 61-082 | 1/4" | 2-1/2" |
| ONS 61-084 | 1/4" | 4" |





V-Groove 90° Included Angle



Roundover & Beading Ball **Bearing Guide**



Straight Cut Double Flute/ Carbide Tipped



Router Bits

· Made from high quality steel and tipped with micro-grain carbide

Whiteside



| Part # | Size | Description |
|-------------|--------|------------------------|
| WSM 1016 | 1/4" | 2-Flute Straight Bit |
| WSM 1016-01 | 1/4" | 2-Flute Straight Bit |
| WSM 1022 | 3/8" | 2-Flute Straight Bit |
| WSM 1052 | 1/2" | 1-Flute Straight Bit |
| WSM 1055 | 1/2" | 1-Flute Straight Bit |
| WSM 1055A | 1/2" | 1-Flute Straight Bit |
| WSM 1067 | 1/4" | 2-Flute Straight Bit |
| WSM 1508 | 1-1/2" | V-Groove 90 Degree Bit |
| WSM 1700 | 1/4" | Plunge Panel Bit |
| WSM 1701M | 1/8" | Plunge Panel Bit |
| WSM 1702M | 1/2" | Plunge Panel Bit |
| WSM 1702 | 1/2" | Plunge Panel Bit |
| WSM 1901 | 3/8" | Rabbeting Bit |
| WSM 2000 | 3/16" | Roundover Bit |
| WSM 2000C | 3/4" | Roundover Bit |

| Part # | Size | Description |
|------------|--------|---------------------------|
| WSM 2001 | 1/4" | Roundover Bit |
| WSM 2002 | 5/16" | Roundover Bit |
| WSM 2003 | 1-1/4" | Roundover Bit |
| WSM 2004 | 1-1/2" | Roundover Bit |
| WSM 2072 | 1/2" | Roundover & Edge Trim Bit |
| WSM 2302 | 5/8" | 45 Degree Chamfer Bit |
| WSM 2400 | 3/8" | Flush Trim Bit |
| WSM 2401 | 3/8" | Double Flush Trim Bit |
| WSM 2402 | 1/2" | Flush Trim Bit |
| WSM 2457 | 1/2" | Double Bearing Bit |
| WSM 2500 | 1/2" | Flush Trim Bit |
| WSM 2502 | 1/2" | 3-Flute Flush Trim Bit |
| WSM 2504 | 1/2" | 3-Flute Flush Trim Bit |
| WSM 3000 | 1/2" | Template Bit |
| WSM SC-90V | 1/4" | Vee Point Fiberglass Bit |




BOSCH

Router Bits

- Micrograin carbide and a special heat-treating process to provide precision and durability with router bits
- · Accuracy is achieved across hundreds of profiles for mortising, spiral cuts and edging in wood, plus specialty cuts in plastic

| Part # | Size | Description | |
|-------------|--------|-----------------------------|--|
| BPT 84207-M | 3/8" | 2-Flute Straight Bit | |
| BPT 84405-M | 1" | Roundover Bit | |
| BPT 85152 | 1/8" | 1-Flute Straight Bit | |
| BPT 85153 | 3/16" | 1-Flute Straight Bit | |
| BPT 85183 | 1/4" | Pilot Panel Down Spiral Bit | |
| BPT 85184 | 3/8" | Pilot Panel Down Spiral Bit | |
| BPT 85187 | 1/2" | Pilot Panel Down Spiral Bit | |
| BPT 85205-M | 1/4" | Cove Bit | |
| BPT 85206-M | 3/8" | Cove Bit | |
| BPT 85216-M | 1/2" | 3-Flute Laminate | |
| BPT 85217-M | 11/32" | Overhang Cut-Off Bit | |
| BPT 85218-M | 3/8" | Rabbeting Bit | |
| BPT 85225-M | 3/8" | 2-Flute Straight Bit | |
| BPT 85227 | 1/2" | 2-Flute Straight Bit | |
| BPT 85230-M | 5/8" | 2-Flute Straight Bit | |
| BPT 85232 | 3/4" | 2-Flute Straight Bit | |
| BPT 85238 | 5/8" | Hinge Mortising Bit | |
| BPT 85241-M | 3/4" | 2-Flute Straight Bit | |
| BPT 85242-M | 1/2" | 2-Flute Straight Bit | |
| BPT 85244-M | 1/4" | Comb. Pilot Panel Bit | |
| BPT 85250-M | 1/4" | 2-Flute Straight Bit | |
| BPT 85251-M | 1/2" | 2-Flute Straight Bit | |
| BPT 85252-M | 1/2" | 2-Flute Straight Bit | |
| BPT 85262-M | 13/16" | 2-Flute Straight Bit | |
| BPT 85264-M | 1/2" | 1-Flute Straight Bit | |
| BPT 85265-M | 3/4" | 2-Flute Straight Bit | |
| BPT 85266-M | 1/2" | Laminate Bit | |
| BPT 85267-M | 1/2" | Laminate Trim Bit | |
| BPT 85268-M | 3/8" | 2-Flute Laminate Bit | |

| Part # | Size | Description |
|-------------|--------|----------------------------|
| BPT 85269-M | 3/8" | Laminate Flush Trim Bit |
| BPT 85276-M | 3/8" | 2-Flute Straight Bit |
| BPT 85278-M | 1/2' | Straight Stagger Tooth Bit |
| BPT 85285 | 1/4" | Flush Trim Bit |
| BPT 85286 | 1/4" | Bevel Trim Bit |
| BPT 85288 | 1/4" | Flush & Bevel Bit |
| BPT 85290-M | 1/8" | Roundover Bit |
| BPT 85291-M | 3/8" | Straight Stagger Tooth Bit |
| BPT 85293-M | 3/16" | Roundover Bit |
| BPT 85294-M | 1/4" | Roundover Bit |
| BPT 85295-M | 5/16" | Roundover Bit |
| BPT 85296-M | 3/8" | Roundover Bit |
| BPT 85297-M | 1/2" | Roundover Bit |
| BPT 85410-M | 1/4" | 1-Flute Straight Bit |
| BPT 85448-M | 3/4" | 1-Flute Core Box Bit |
| BPT 85458-M | 7/8" | 2-Flute Straight Bit |
| BPT 85494-M | 1/4" | Beading Bit |
| BPT 85495-M | 5/16" | Beading Bit |
| BPT 85579-M | 1-1/4" | Classical Bit |
| BPT 85594-M | 3/8" | Roundover Bit |
| BPT 85595-M | 1/2" | Roundover Bit |
| | | |







Carbide Tipped 2 Flute Laminate Trim Bits



Carbide Tipped Straight Bits (Single & Two Flute)

BURRS

8 PC 1/4" Carbide Burr Set

- Use to remove metal when shaping, leveling, porting or polishing
- For use on cast iron, steel and other ferrous metals
- 1/4" diameter shank
- 30,000 RPM maximum

ATD 8160

Open Stock Carbide Burrs for #ATD-8160

| Part # | Туре | Size |
|----------|------------|-----------------------------|
| ATD 8161 | Cylinder | 1/2" Diameter x 1" Length |
| ATD 8162 | Cylinder | 3/8" Diameter x 3/4" Length |
| ATD 8163 | Round | 3/8" Diameter x 3/4" Length |
| ATD 8164 | Round | 1/4" Diameter x 5/8" Length |
| ATD 8165 | Ball | 3/8" Diameter |
| ATD 8166 | Ball | 1/4" Diameter |
| ATD 8167 | Tree Shape | 1/2" Diameter x 1" Length |
| ATD 8167 | Tree Shape | 3/8" Diameter x 3/4" Length |

E-Z Chamfer Tool

- E-Z CHAMFER is perfect for starting a nut on a bolt or threaded bar, a button die or die nut on rod and a leading edge on timber dowel
- It efficiently removes burrs and ridges from bolts, pipe, threaded rod, bar and dowels
- Threads and burrs are sheared off creating the perfect chamfer for starting a nut or threading die
- M2-HSS High Speed Steel is a tungsten-molybdenum high speed steel with a well balanced composition suitable for a wide variety of applications



Astro Pneumatic Tool Company

CTA 3838

Composite Die Grinder and Burr Set

- 1/4" collet 90° angle die grinder: 20,000 RPM
- 1/4" collet mini die grinder: 25,000 RPM
- 8 piece carbide burr set

AST 1221

Universal Deburring, **Cleaning & Countersink Set**

- 1 universal handle
- 2 adapters
- 2 deburring blades
- 2 countersinks: 20mm/.47" and 30mm/1.18'
- 4 cleaner blades for sheet metal, small ridges, releaving corners and for narrow slots







BURRS -

4 PC 1/4" x 6" Double Cut **Carbide Burr Set**

- Extra-long 6" length for hard to reach areas
- Use to remove metal when shaping, leveling, porting or polishing
- · For use on cast iron, steel and other ferrous metals
- 1/4" diameter shank
- 15,000 RPM maximum

ATD 8170

Open Stock Long Carbide Burrs for #ATD-8170

- 6" extended shank length
- Made in the USA

| Part # | Туре | Size |
|----------|------------|-----------------------------------|
| ATD 8171 | Ball | 3/8" Diameter — SC3 |
| ATD 8172 | Round | 3/8" Diameter x 3/4" Length — SD3 |
| ATD 8173 | Tree Shape | 3/8" Diameter x 3/4" Length — SF4 |
| ATD 8174 | Tree Shape | 1/2" Diameter x 1" Length – SF5 |

8 PC Double Cut Carbide Rotarty Burr Set with 1/4" Shank

- · Perfect for opening holes, or porting heads on ferrous materials
- · Sintered and machined from 100% new raw tungsten carbride
- . Unique tooth angle prevents chipping for the longest lasting design pissible

AST 2181





5 PC 1/4" x 4.5"Double CutCarbide Burr Set

- 1/4" Shank
- Composed of Tungsten Carbide
- Extra-long 4.5" in length for hard to reach areas
- Should not exceed a maximum of 20,000RPM

AST 2185



4 PC Deburring **Cutter Set**

- Coloured sleeves rotate to lock and unlock blades
- · Curved blades swivel freely to automatically follow shapes, contours and holes
- For aluminum, brass, steel and plastic

FOW 72-483-777



BURRS

ROTARY BURRS-


FULLERT EN

Rotary Burrs

- Solid carbide burrs (rotary files) are available in a range of shapes, sizes and unique flute geometries
- Rotary files are often used to clean (deburr) castings
 Industry Standard forms: SA, SB, SC, SD, SE, SF, SG, SM,SL, SH, SK, SJ, SN, and SNE
- Available in several cuts to meet your needs: single cut, double cut, chip breaker, diamond, fast mill cut (AlumaCut)

| diamond, fast mill | | |
|--------------------|---------------|--|
| Fine and coarse av | /allable | _ |
| | | A STATE OF THE STA |
| | | |
| | | |
| | | |
| | | 14 |
| | | |
| Part # | Size | Description |
| BUR SA-1 | 1/4" x 5/8" | Cylindrical Single Cut |
| BUR SA-1A-DC | 1/4" x 1" | Cylindrical Double Cut |
| BUR SA-3 | 3/8" x 3/4" | Cylindrical Single Cut |
| BUR SA-5 | 1/2" x 1" | Cylindrical Single Cut |
| BUR SA-9-DC | 1" x 1" | Cylindrical Double Cut 2-3/4"OAL |
| BUR SB-1 | 1/4" x 5/8" | Endcut Cylindrical Single Cut |
| BUR SB-3-DC | 3/8" x 3/4" | Endcut Cylindrical Double Cut |
| BUR SB-5-DC | 1/2" x 1" | Endcut Cylindrical Double Cut |
| BUR SB-7-DIA | 3/4" x 1" | Endcut Cylindrical Diamond Cut |
| BUR SC-1 | 1/4" x 5/8" | Ballnose Cylindrical Single Cut |
| BUR SC-11-DC | 1/8" x 5/8" | Ballnose Cylindrical Double Cut |
| BUR SC-1A | 1/4" x 1" | Ballnose Cylindrical Single Cut |
| BUR SC-1A-DC | 1/4" x 1" | Ballnose Cylindrical Diamond Cut |
| BUR SC-1A-DIA | 1/4" x 5/8" | Ballnose Cylindrical Diamond Cut |
| BUR SC-1-DC | 1/4" x 5/8" | Ballnose Cylindrical Double Cut |
| BUR SC-2 | 5/16" x 3/4" | Ballnose Cylindrical Single Cut |
| BUR SC-2A | 5/16" x 1" | Ballnose Cylindrical Single Cut |
| BUR SC-3 | 3/8" x 3/4" | Ballnose Cylindrical Single Cut |
| BUR SC-3A | 3/8" x 1" | Ballnose Cy Lindrical Single Cut |
| BUR SC-3A-DC | 3/8" x 1" | Ballnose Cy Lindrical Double Cut |
| BUR SC-3B-DC | 3/8" x 1-1/2" | Ballnose E Cylindrical Double Cut |
| BUR SC-3DC | 3/8" x 3/4" | Ballnose Cylindrical Double Cut |
| BUR SC-3-DC | 3/8" x 3/4" | Ballnose Cylindrical Double Cut |
| BUR SC-42 | 1/8" x 9/16" | Ballnose Cylindrical Single Cut |
| BUR SC-4-DC | 7/16" x 7/16" | Ballnose Cylindrical Double Cut |
| BUR SC-5 | 1/2" x 1" | Ballnose Cylindrical Single Cut |
| BUR SC-5-DC | 1/2" x 1" | Ballnose Cylindrical Double Cut |
| BUR SC-5-DIA | 1/2" x 1" | Ballnose Cylindrical Diamond Cut |
| BUR SC-6-DC | 5/8" x 1" | Ballnose Cylindrical Double Cut |
| | : | ; |

| Part # | Size | Description | |
|---------------|----------------|---------------------------------|--|
| BUR SD-12-DC | 1/8" | Ball Double Cut | |
| BUR SD-14 | 3/16" | Ball Single Cut | |
| BUR SD-1-DC | 1/4" | Ball Double Cut | |
| BUR SD-2 | 5/16" | Ball Single Cut | |
| BUR SD-3 | 3/8" | Ball Single Cut | |
| BUR SD-42 | 1/8" | Mini Ball Single Cut | |
| BUR SD-5 | 1/2" | Ball Single Cut | |
| BUR SD-9-DIA | 1" | Ball Diamond Cut | |
| BUR SE-1 | 1/4" x 3/8" | Egg Shape Single Cut | |
| BUR SE-41 | 1/8" x 7/32" | Mini Egg Single Cut | |
| BUR SE-5 | 1/2" x 7/8" | Egg Shape Single Cut | |
| BUR SE-53-DC | 3/16" x 9/32" | Mini Egg Double Cut | |
| BUR SE-5-DC | 1/2" x 7/8" | Egg Shape Single Cut | |
| BUR SF-115-DC | 3/4" x 1-1/2" | #3 Round Tree Double Cut | |
| BUR SF-13 | 1/2" x 3/4" | Round Tree Single Cut | |
| BUR SF-15-DC | 3/4" x 1-1/2" | #3 Round Tree Double Cut | |
| BUR SF-1-DC | 1/4" x 2" | Round Tree Double Cut 5/8 Flute | |
| BUR SF-3 | 3/8" x 3/4" | Round Tree Single Cut | |
| BUR SF-3-DC | 3/8" x 3/4" | Round Tree Double Cut | |
| BUR SF-3-DIA | 3/8" x 3/4" | Round Tree Diamond Cut | |
| BUR SF-42 | 1/8" x 1/2" | Mini Round Tree Single Cut | |
| BUR SF-5 | 1/2" x 1" | Round Tree Single Cut | |
| BUR SF-51 | 1/4" x 1/2" | Mini Round Tree Single Cut | |
| BUR SF-5-DC | 1/2" x 1" | Round Tree Double Cut | |
| BUR SF-6-NF | 5/8" x 1" | Round Tree Non-Ferrous | |
| BUR SF-7-DIA | 3/4" x 1" | Round Tree Cut Diamond | |
| BUR SG-5-DC | 1/2" x 1" | Pointed Tree Double Cut | |
| BUR SH-41-DC | 1/8" x 1/4" | Mini Flame Double Cut | |
| BUR SH-5-DC | 1/2" x 1-1/4" | Flame Double Cut | |
| BUR SL-1-DC | 1/4" x 5/8" | 14^ Incl Angle Double Cut | |
| BUR SL-1-DIA | 1/4" x 5/8" | 14^ Incl Angle Diamond Cut | |
| BUR SL-3-DC | 3/8" x 3/4" | 14^ Incl Angle Double Cut | |
| BUR SL-4 | 1/2" x 1-1/8" | 14^ Incl Angle Single Cut | |
| BUR SL-42 | 1/8" x 1/8" | End Type Double Cut Carbide | |
| BUR SL-4-DIA | 1/2" x 1-1/8" | 14^ Incl Angle Diamond Cut | |
| BUR SL-6-DIA | 5/8" x 1-5/16" | 14^ Incl Angle Diamond Cut | |
| BUR SL-7-DC | 3/4" x 1-1/2" | Rotary Tree Shape Double Cut | |
| BUR SM-1 | 1/4" x 1/2" | Cone Single Cut | |
| BUR SM-2 | 1/4" x 3/4" | Cone Single Cut | |
| BUR SM-2-DC | 1/4" x 3/4" | Cone Double Cut | |
| BUR SM-3 | 1/4" x 1" | Cone Single Cut | |
| BUR SM-3A-DC | 1/4" x 1-1/4" | Cone Double Cut | |
| BUR SM-3-DC | 1/4" x 1" | Cone Double Cut | |
| BUR SM-41 | 1/8" x 3/8" | Cone Single Cut | |



Ball Single Cut

Ball Single Cut





80

BUR SD-1

BUR SD-12

1/4"

1/8"



COMPOSITE CUTTING AND GRINDING SOLUTIONS











SUPERSPEED II

CUTTING/TRIMMING

- **CONTINUOUS RIM DIAMOND BLADES**: Also known as diamond wheels or cut off wheels. Most widely used for general purpose cutting. These diamond coated tools have various arbor sizes.
- SLOTTED DIAMOND BLADES: Recommended for material over 3/4" thick.
- SIDE SPOKED DIAMOND BLADES: Recommended for thicker materials or slightly curved cutting.
- SUPERSPEED I DIAMOND BLADES: Designed to include the benefits of both our side-spoked and slotted blades.
- SUPERSPEED II DIAMOND BLADES: All the benefits of Superspeed I blades, plus allows the operator to grind parts without changing tools.



ROUTING-

STANDARD & CUSTOMIZED ROUTER BITS

Diamond router bits are ideal for complicated cuts or extremely tight radiuses. Our standard router bits should be used for up to 1/4" material thickness and customized solutions for thicker.

MAKING HOLES

STANDARD & CUSTOMIZED HOLESAWS • PCD DRILL

- We offer standard holesaws ranging from 9/16" to 12" as well as core drills for customized lengths and diameters.
- Auto-eject holesaws are a highly valued solution for continuous cutting of holes on a CNC machine or robot.
- PCD drills are recommended for 1/2" and smaller diameter hole requirements.







TIGHT CORNERS

SPINDLE SAWS • MOUNTED WHEELS

We offer integral spindle saws/mounted wheels with a diameter of 1" to 3"with a 3/32" thickness and %" wrap. We can also make fully customized diameter and shank sizes.

| | • | | | | |
|-----------------|---|-----------------------|-------------------------------------|----------------------|--|
| Part # | Description | Part # | Description | Part # | Description |
| DIT 10-4 | 4" Cut-Off Saw with 2 Blades | DIT 33323418 | 3" Continuous Rim Blade, 3/4" Arbor | DIT 43323818-S | 4" Slotted Blade, 3/8" Arbor |
| DIT 10-5 | 5" Cut-Off Saw with 2 Blades | DIT 33323818 | 3" Continuous Rim Blade, 3/8" Arbor | DIT 50-41165 | 4" Cont Rim Blade, 5/8" Arbor, 40 Grit |
| DIT 11233214-M3 | 1-1/2" Spindle Saw, 1/4" Shank, 3" Long | DIT 33323818-3040-MR | 3" Spindle Saw, 3/8"Shank, 2" Long, | DIT 50-41165-C-60 | 4" Cont Rim Blade, 5/8" Arbor, 60 Grit |
| DIT 13321418-M | 1" Spindle Saw, 1/4" Shank, 2" Long | DII 33323010-3040-Win | Ribbed, 40 Grit | DIT 50-41165-C60-3/8 | 4" Cont Rim Blade, 3/8" Arbor, 60 Grit |
| DIT 23321418-M | 2" Spindle Saw, 1/4" Shank, 2" Long | DIT 33323818-M | 3" Spindle Saw, 3/8" Shank, 2" Long | DIT 50503418-RS | 5" Superspeed I Blade, 3/4" Arbor |
| DIT 23321418-M3 | 2" Spindle Saw, 1/4" Shank, 3" Long | DIT 33323818-M3 | 3" Spindle Saw, 3/8" Shank, 3" Long | DIT 53323418 | 5" Continuous Rim Blade, 3/4" Arbor |
| DIT 23321418-MR | 2" Spindle Saw, 1/4" Shank, Ribbed | DIT 41163418-R | 4" Side Spoked Blade, 3/4" Arbor | DIT 53323418-R | 5" Side Spoked Blade, 3/4" Arbor |
| DIT 23323818-M | 2" Spindle Saw, 3/8" Shank, 2" Long | DIT 43323418 | 4" Cont Rim Blade, 3/4" Arbor | DIT 54-5332 | 5" Superspeed I Blade, 3/4" Arbor |
| DIT 23323818-M3 | 2" Spindle Saw, 3/8" Shank, 3" Long | DIT 43323418-R | 4" Side Spoked Blade, 3/4" Arbor | DIT 85-14 | 1/4" Diamond Grit Router Bit |
| DIT 33321418 | 3" Continuous Rim Blade, 1/4" Arbor | DIT 43323418-S | 4" Slotted Blade, 3/4" Arbor | | |
| DIT 33321218 | 3" Continuous Rim Blade, 1/2" Arbor | DIT 43323818 | 4" Cont Rim Blade, 3/8" Arbor | | |

FLASHLIGHTS



330LM Rechargeable Torch w/ Wireless Charging Base

- 400 Max Lumen COB Work Light Mode
- 350 Max Lumen Torch Mode
- Pull Action Torch Light Zoom
- Emergency Flare Work Light Mode
- Utilizes 18650 Battery (included)

KKC LNC330



750LM Rechargeable Torch w/ Wireless Charging Base

- 750 Max Lumen Torch Mode
- Pull Action Zoom
- 5V 2A USB Power Supply Wall Charger
- Utilizes 21700 Battery (included)
- Charge directly or through the wireless base
- Includes Repair Service Coupon for one-time, fixed-fee out-of-warranty repair

KKC LNC375







ProTac® 2L-X USB

- 500 lumens
- Multi-Fuel Uses rechargeable 18650 USB battery or two CR123A lithium batteries
- High/strobe/low 500/40 lumens run time up to 30 hours
- PX7 waterproof to 1m for 30 minutes
- 2m impact resistance tested

STL 88082

USB Rechargeable **Pivoting Flashlight**

- High Mode: 700 lumens- 4.5 hrs
- Low mode: 100 lumens- 16 hrs
- Strobe: 700 lumens- 9 hrs
- IP67 Rated: Waterproof and dust proof
- · Spot-flood sliding beam adjustment
- 155 meter beam distance


MWK 2113-21







Rechargeable Focusing Tactical Light



- being produced • This flashlight can run for 5-6 hours on low and up to 10 hrs on strobe using a rechargeable lithium-ion battery
- · Built-in charge level indicator shows battery life
- With its aircraft-grade aluminum housing and limited lifetime
- Charge anywhere with the USB charge cable (included)

CAT CT2505

HX5 High Performance LED Focusing Flashlight

- Pure Beam Focusing Optic
- Slide Focus
- 130 Lumen Output
- 3 hour 45 minute runtime
- Two-way pocket clip
- Batteries: 1 X AA alkaline (included)

CST 20770





HP3R Rechargeable Focusing Penlight

- Universal Focusing Optic Twist Focus
- Rechargeable High: 245 lumen light output, 1 hour 30 minute runtime
- Flex charge dual power
- Length: 5.8125 in
- Lithium Polymer batter (1 included) or 2 X AAA alkaline (included).

| Part # | Color | |
|-----------|--------|--|
| CST 20818 | Black | |
| CST 21517 | Red | |
| CST 21518 | Blue | |
| CST 21519 | Green | |
| CST 21521 | Orange | |





USB Rechargeable LED Flashlight

• 1200 Lumens USB rechargeable

- · Bright white light, and low light red
- slide focus beam
- Dimmable Aluminum Construction

EZR RT007





FLASHLIGHTS

Stylus Pro®

- 90 Lumens,6.5h runtime; 2 AAA batteries
- IPX4 water resistant; 1m impact resistance
- · Durable anodized machine aircraft aluminum construction

| Part # | Color | |
|-----------|------------|--|
| STL 66118 | Black | |
| STL 66120 | Red | |
| STL 66121 | Silver | |
| STL 66122 | Blue | |
| STL 66128 | Orange | |
| STL 66129 | Lime Green | |



TREMILIGHT



Pocket Mate® USB

- Features bright white LED
- High: 325 lumens; 76m beam; runs 20 mins
- Low: 45 lumens; 28m beam; runs 1 hour
- Lithium polymer battery charges in 4 hours
- Unbreakable polycarbonate lens

| Part # | Color |
|-----------|--------|
| STL 73300 | Silver |
| STL 73301 | Red |
| STL 73302 | Blue |
| STL 73303 | Pink |





Stylus Pro® USB

• 90 Lumens, 3.5h runtime rechargeable Li-lon battery • IPX4 water resistant;

• 1m impact resistance • Durable anodized machine aircraft aluminum construction

| Color | AC Charger | USB Charger |
|------------|------------|-------------|
| Black | STL 66133 | STL 66134 |
| Red | STL 66136 | STL 66137 |
| Blue | STL 66139 | STL 66140 |
| Lime Green | STL 66145 | STL 66144 |
| Orange | STL 66147 | STL 66146 |



6.2" Long Stylus® Pen LED Lights

- Up to 60 hours of continuous use
- . Momentary blinking or constant "on" switching
- Waterproof
- Batteries included

| Part # | Body Color | Light Color |
|-----------|------------|-------------|
| STL 65035 | Red | White |
| STL 65018 | Black | White |
| STL 65024 | Gold | White |
| STL 65069 | Black | Ultraviolet |

USB Rechargeable, **Super Bright Small LED Flashlight**

- High / low; High: 500 lumens 2 hour runtime; Low: 50 lumens; 8 hour runtime
- Tail switch with charge indicator: charge time 4hr
- IPX4 water-resistant; 1m impact resistance tested
- 4.5" (114.3mm); 2.2 oz (62.4g)
- Limited lifetime warranty

STL 66320





3.5" Long C4® LED MicroStream®• Up to 35 lumens output

- Up to 2h 15min run time
- Corrosion and water resistant construction
- . Includes (1) AAA alkaline battery

STL 66318

MicroStream® USB with 5" **USB Cord and Lanvard**

- C4® LED 250 lumens (high)
- Durable, anodized aluminum construction
- USB rechargeable Lithium ion battery
- Runs 3.5 hours (low)
- · Everyday carry fits in the palm of your hand or in your pocket
- Removable, multi-directional pocket/hat clip

| Part # | Color |
|-----------|-------|
| STL 66601 | Black |
| STL 66602 | Red |
| STL 66603 | Blue |
| | |



Wedge Light

- Features two lighting modes: Constant and THRO™ (Temporarily Heightened Regulated Output) mode for max brightness
- 300 lumens; 69m beam; runs 3 hours
- THRO™: 1,000 lumens; 110m beam; 35 second burst
- · Rotatable switch with battery level indicator
- Deep carry pocket clip
- USB-C rechargeable
- Lithium polymer battery charges in 3 hours
- Durable, anodized aluminum construction;



88810

| Part # | Color |
|-----------|--------|
| STL 88810 | Black |
| STL 88811 | Coyote |

COA57

Flashlight, 2000 Lm

- Battery life indicator
- · Rechargeable dual power
- Built-in USB-C port
- Slide focus allows one-handed beam control
- Dust resistant and storm proof







Stylus Pro® USB UV Rechargeable Penlight with USB Cord and Nylon Holster

- Rechargeable Lithium Ion Battery
- Micro USB Charge Port Protected by Water-Resistant Sliding
- Push-Button Tail Switch
 Durable, Anodized Aluminum Construction
 LICE C. LICE CO.
- USB Cord & Nylon Holster Included

STL 66149



Stylus Pro® USB UV Rechargeable Penlight with 120V AC, Adapter, USB Cord, and Nylon Holster

- Removable pocket clip
- 0-ring sealed, sliding cover protects the micro USB charging port

STL 66148

WORK LIGHTS

Xtreme Logo Work Light

- Magnetic back/bottom
- Top spotlight
- USB Charge Port
- 500 lumens COB flood
- 150 lumens top spot
- Dimmer switches

| Part # | Color | |
|---------------|--------|--|
| EZR XL5500-RD | Red | |
| EZR XL5500-GR | Green | |
| EZR XL5500-BL | Blue | |
| EZR XL5500-OR | Orange | |
| | | |





Extreme Magnetic Worklight

- 500 lm on high and 250 lm on low
- Magnetic swivel base accessory adds the convenience of hands-free use
- Adjustable handle makes this light portable
- Micro-USB rechargeable Up to a 6 hour run-time

| Part # | Color | |
|---------------|--------|--|
| EZR XLM500-GR | Green | |
| EZR XLM500-OR | Orange | |
| EZR XLM500-RD | Red | |



1000 Lumen Extreme Focusing Light

- Rechargeable COB LED with focusing lens
- Up to 8 hour runtime
- Onboard USB charge cord w/battery level indicator lights
- · Rugged aluminum construction w/ protective corner bumpers

| · · | | |
|----------------|--------|--|
| Part # | Color | |
| EZR XLF1000-GR | Green | |
| EZR XLF1000-OR | Orange | |
| EZR XLF1000 | Red | |



"SPOT" Rechargeable Pocket Spotlight, 200LM

- 200lm / 100lm COB spot LED
- Heavy-duty clip
- On/Off High/Low switch
- · Micro USB charging port
- Micro USB charging cord
- Magneticbase
- Anodized aluminum
- Run Time 3.0 HR H / 6 HR L
- Charge time 4H
- Beam distance 25 m
- Drop test 1M

 Water resistant **EZR SPR200BK**



| Part # | Color | |
|-------------|--------|--|
| EZR PCOB | Red | |
| EZR PCOB-G | Green | |
| EZR PCOB-OR | Orange | |
| CAT CT1200 | Camo | |



Rechargeable LED Neck Light

- Light heads pivot up and down 90°
- Hands-free use
- Operate each light head independently
- Rests comfortably around neck
- Dimmable Rugged and durable

CAT CT7105

1000 Lumen Rechargeable Clamp Light with Speaker

- Heavy-duty clamp features (2) strong magnets in base
- COB LED bulb delivers variable brightness of 100 to 1000 lumens
- · Lithium-ion rechargeable battery for longer life and consistent power







15-LED Rechargeable Magnetic Work Light

- · Perfect for lighting up your tool boxes, cabinets and work stations
- Lumen: 150 Lm high/ 100 Lm low
- 15 SMD LEDs
- · Sliding magnetic bracket
- USB/Micro USB charging cable

SHM SL197U

Lithium Ion 360° Slim **Rechargeable Work Light**

- Unique ball joint enables 360 swivel
- 600lm worklight; 120lm top light
- Rotary dimmer switch adjusts from 50 to 600 lumens
- 5-LED charging status indicator
- Strong magnetic base with a folding hook

SHM SL184RU

GW GEARWRENCH

Ultra-Thin Flex-Head Work Light

- Ultra-thin flex-head directs light into hard to reach places
- Dual light settings on light bar
- Magnet and hang hook in base for easy positioning
- Single 30 lumen light on top
- Integrated belt hook

| Part # | Lumens | Length |
|-----------|---------|--------|
| KDT 83134 | 75-150 | 8" |
| KDT 83135 | 250-500 | 12.5" |



Coast Crew PM500R **Magnetic Work Light**



- standard alkaline batteries High/Low power options
- Pure-Beam focusing optic
- Storm proof Twist focus

CST 21074

WORK LIGHTS



150 Lumen Foldable Pocket Thin Light

- (2) 150 constant lumen COB LEDs deliver wider and brighter lighting areas
- Ultra-thin design pivots 180 degrees to allow inspection in the tightest work areas and folds flat for pocket storage
- Main COB LED Runtime: 3.5 hours low/1.8 hours high

ATD 80447

500 Lumen Foldable Thin Light ATD 80448

1000 Lumen Flood Light w/ 600 Lumen Spot Light

- Heavy-duty anodized aluminum housing
- 5V, 2A AC adapter with USB Type-C cable
- COB LED Flood Light lumens: 1000 (high), 500 (low)
- SMD LED Spot Light lumens: 600 (high), 300 (low)
- Run Times: 1.5 hours (high), 3 hours (low)





ATD 80210



LED Rechargeable Tube Light

- · COB LED delivers a wider and brighter lighting area
- Memory function records setting after 5 seconds, and that setting is recalled the next time device is activated
- Low and high settings for varied brightness and runtimes
- Removable lithium-ion battery pack can be used as USB power source for charging electronic devices

| Par | t # | LED | Lumens | Run Time | Length |
|-----|----------|--------|--------|----------|--------|
| ATI | 0 80360A | 80-SMD | 500 | 10 hours | 14.75" |
| ATI | 0 80390A | 80-SMD | 700 | 10 hours | 16.25" |

400 Lumen COB LED Rechargeable **Work Light with Top Light**

- · Super strong magnetic base & rotating hanging hook
- Main COB LED Brightness: 400 lumens (high), 200 lumens (low)
- Top SMD LED Brightness: 160 lumens
- Run Time: 2.5 hours (high), 5 hours (low)
- Battery: 3.7V, 2600mAh lithium-ion rechargeable 3-in-1 charging system
- Length: 10.5" ATD 80304A





- · Automatic shut-off and overcharge protection
- 180° Horizontal rotate function
- 360° Rotating hook
- 11-1/4" long Built-in magnet

ATD 80303



500 Lumen Saber® Ball

- COB LED: 500 lumens (high), 250 lumens (low)
- Battery: 3.7V, 2600mAh lithium-ion micro USB rechargeable
- Run Time: 2 hours (high), 4 hours (low)
- Ball swivels 180+ degrees on magnetic
- 3-in-1 charging system; includes mini USB cable and AC power adapter

ATD 80200



Rechargeable Single Strip COB LED Pocket Light

- Lumens: 200/100
- 3.7V, 1000mAh litium-ion rechargeable
- Up to 4 hours run time
- Automatic shut-off & over charge protection
- Magnetic base
- 360° rotating hook
- Charge from 120V AC, 12V DC or USB

ATD 80340A

Wireless Charging LED Pocket Light

- · Heavy-duty anodized aluminum housing
- Super-bright COB LED bulb delivers a wider and brighter lighting area
- SMD LED top light offers an additional 150 lumen flashlight function
- Includes USB Type-C cable
- · Charging pad sold separately
- Run Times: 2 hours (high), 4 hours (low)

| Part # | Lumens |
|-----------|--------|
| ATD 80203 | 300 |
| ATD 80205 | 500 |

Wireless Charging Pad

• Compatible with all wireless charge SABER lights, smartphones, tablets and other devices

ATD 80206



800 Lumen Rechargeable Work Light w/ Top Light

- 7-Watt COB LED with (2) brightness settings
- 3-Watt SMD LED top light offers an additional flashlight function
- Automatic shut-off and overcharge protection for optimal battery life
- LCD battery power level indicator
- Light head pivots 120 degrees to direct light to work area
- Lithium-ion rechargeable battery for longer life and consistent power
- Dual 360 degree rotating hanging hooks recess into base (top and bottom)
- Magnetic base for positioning on steel surfaces
- Tough, impact resistant ergonomic housing with aluminum back shell for heat dissipation

ATD 80395A



ATD 80335

WORK LIGHTS

ABER 35W COB LED **Work Light** with Telescopic Stand • 2800-3000 Lumens Heavy duty industrial design with diecast aluminum housing • 16 ft. 18/3 SJTW cord • 160 degree horizontal rotation on base Rotating telescopic stand extends from 25" to 72", and folds for storage CSA approved



16W LED Worklights for Loading Docks and Inside Trailers

- Special lens to illuminate loading docks and inside trailers
- Heavy duty die cast powder coated aluminum housing
- 80° swivel bracket on light head
- 6 ft. 18/3 SJTOW oil-resistant cord remains flexible in cold weather
- CSA approved for outdoor use

| Part # | Description |
|-----------|---|
| ATD 80416 | Worklight with Swivel Bracket for Loading Docks & Trailers |
| ATD 80417 | Worklight with 40" Swing Arm for Loading Docks & Trailers |

1300 Lumen Rechargeable Li-Ion COB LED Flood Light

- Ultra thin design with 180° rotating integrated stand
- IP65 rated for dust and moisture resistance
- · Built-in power bank charges smartphones and tablets
- High: 1300 lumens
- Low 650 lumens
- Run time up to 5 hours



Quad Pod Adjustable Light Stand

- The Quad Pod is an accessory to A/F/S (flood) lights
- Provides exceptional stability with its four legs and tubular steel construction, and is adjustable for height
- Features a guick clamping claw attachment to allow fast, secure attachment of a single light or the included bar attachment, which can support 2-4 lights (stand only, lights extra) **LIGHT**

Light fixture base unit

can be removed from

tripod stand

KKC LNCPOD







COB LED Rechargeable Flood Light

- 180° swivel action magnet mounting
- Usb power supply
- IP64 dust / water protection
- Led battery status display
- Wall charger





| Part # | Lumens | Batteries |
|-------------|--------|-----------|
| KKC LNC2150 | 1000 | 1 |
| KKC LNC2251 | 1500 | 2 |
| KKC LNC2551 | 4000 | 2 |

LED Convertible Dual Fixture Worklight on a 6 ft. Tripod Stand

- 4400 Lumens (2 x 2200)
- 6 ft. 18/3 SVT cord

BAY SL-1522



USB Rechargable Rover[™] **Pivoting Flood Light**

- 550 lumens of TRUEVIEW™ High Definition output
- Light head pivots 210°
- Magnetic base with built-in carabiner

MWK 2114-21



USB Rechargeable **Rover™ Pocket Flood Light**

- 445 lumens of TRUEVIEW™ high definition output
- Impact and chemical resistant lens
- Dual magnet clip

MWK 2112-21



LED LENSER®

iF4R Music, Rechargeable Area Light with **Bluetooth Speaker**

- 2,500 lumens with 1 light output
- Built-in magnet for easy attachment to metal surfaces (e.g. steel beams)
- Five brightness settings controlled via multi-function switch
- Built-in speaker with Bluetooth control
- Easy to charge via magnetic charge system
- · Large, tough handle for easy transport

LED 502172



WORK LIGHTS



Super Siege® 120V AC Rechargeable Scene Light/Work Lantern and Portable **USB Charger, Yellow**

- Portable USB charger
- Removable, polycarbonate, cover provides even, 360° light distribution
- IPX7 waterproof to 1m submersion; it floats
- 2m impact resistance tested

STL 44945



Corded LED Work Light w/ Magnetic Hook • All LED construction

- Light has 60 LEDs rated at 120 lumens arranged in a floodlight pattern
- Two built in magnets, one at the tip of light and other at mid-point of the body offer hands-free options
- Included magnetic hook can be attached to either of the built in magnets for even more versatility
- Octagonal body design keeps the light in place when laid on its side

BAY SL-2125





LED Light Reels

| Part # | Description | Cord |
|-------------------|---------------------------------------|-----------------|
| BAY SL-826 | 1200/600 Lumens LED Worklight | 50 ft. 18/2 SVT |
| BAY SL-824 | 60 LED Work Light on Retractable Reel | 50 ft. 18/2 SVT |

Astro Pneumatic Tool Company

700 Lumen Recharge Micro Floodlight

- Palm sized floodlight with the latest ultrahigh output COB LED for 700, 350 or 100 lumens
- Solid aluminum impact resistant design with 360° rotating 20lb. magnetic base
- IP65 water resistance
- 2.5-10hrs of work-time with charge level indicator lights on back, includes USB cable and wall adapter

AST 70SL



Rechargeable Multi-Purpose **Work Light**

- 60 LEDs rated at 230 lumens
- Floodlight pattern
- Two built-in magnets, & detachable hook
- Water, Impact & chemical resistant
- Rechargeable Nickel Metal Hydride (NiMH) battery
- Includes both AC & DC power supply/charger

BAY SLR-2166



Fluorescent Worklight

- 13 watt bulb
- 1 x 10A grounded receptacle
- 40 ft. 16/3 SJT cord

BAY SL825

ACCESSORIES













Stinger®/Strion® Accessories

| Singol / Strong / Isosoborios | | | | | |
|-------------------------------|--------------------------------|-----------|------------------------------|--|--|
| Part # | Description | Part # | Description | | |
| STL 22100 | 18650 Charge Cradle | STL 75927 | Holster for LED Stinger Fits | | |
| STL 22102 | 18650 USB BATT 2 Pack | STL 85177 | CR123 12 Pack | | |
| STL 22600 | EPU-5200™ Portable USB Charger | STL 85905 | Strion Black Nylon Holster | | |
| STL 74175 | Strion Lithium Ion Battery | STL 88051 | Tactical Strion Holster | | |
| STL 75176 | Stinger Lithium Ion Battery | STL 88053 | Stinger Duty Holster | | |
| STL 75375 | Stinger Ni-MH Battery | | | | |

HEADLAMPS



Bandit® Rechargeable Headlamp with USB Cord

- Low-profile design
- Produces bright, even, diffused light
- Less shadow than spot beams
- Beam doesn't "bounce"
- · Floods work area with light
- Ideal for up-close tasks
- 180 lumens (High) / 35 lumens (Low)
- Runtime 2 hours (High) / 9.5 hours (Low)

| Part # | Color |
|-----------|--------|
| STL 61700 | Yellow |
| STL 61702 | Black |
| STL 61704 | Blue |
| STL 61705 | Red |
| STL 61707 | Coyote |



Bandit® Pro Bright and Long Lasting USB Rechargeable Headlamp

- High: 180 lumens; runs 4.5 hours
- Low: 35 lumens; runs 21 hours
- Emergency flash flashes on high 180 lumens
- Smooth and diffused light is ideal for reading and other close-range tasks
- USB rechargeable battery charges in 3.5 hours
- Lightweight 2.7 oz. (45.4g) and low profile
- Push-button switch with charging indicator shines red while charging, green when charged
- Durable, impact-resistant construction; IPX4 weather-resistant
- Includes visor clip, 5" (12.7 cm) USB cord, and elastic headstrap • 2 year limited warranty



| Part # | Color |
|-----------|--------|
| STL 61710 | Yellow |
| STL 61714 | Black |

200 Lumen LED Rechargeable **Motion Activated Headlamp**

- Motion sensing mode to turn light on/off without touching the headlamp
- Constant lumen design delivers rated light output throughout battery charge cycle
- Super-bright COB LED bulb delivers a wider and brighter lighting area
- Two flood light settings for varied brightness and run times

ATD 80250A



200 Lumen Wireless Charging Headlamp

- Spotlight Lumens: 100 low/200 high
- Spotlight Runtimes: 6 hours Low/3 hours High
 Floodlight Lumens: 100 Low/200 High
- Floodlight Runtimes: 5 hours Low/2.5 hours High
- 3.7V, 1500mAh lithium polymer rechargeable battery

ATD 80446





Twin-Task USB Headlamp with USB Cord and **Elastic Head** Strap, Red

- 375 lumens
- Two modes: spot for distance, flood for area illumination
- IPX4 water-resistant
- 2m impact resistance tested
- USB rechargeable

STL 51063

Streamlight understands that jobs sometimes require the use of both hands. They offer a variety of compact headlamps to give you the light you need without having to juggle your tools and a flashlight. In addition, each of these headlamps provides the run times you need to get through even the longest shift.









61301

| Series | Part # | Lumens | Run Time | Beam Distance | Battery | Tilt | Focus | Lights | LED |
|----------------------|-----------|------------|--------------|----------------|------------|------|-------|------------|-------|
| Double Clutch-Black | STL 61603 | 125/30 | 3.5H/10H | 82M/40M | Li-Polymer | No | Yes | Spot/Flood | White |
| Double Clutch-Yellow | STL 61602 | 125/31 | 3.5H/10H | 82M/40M | Li-Polymer | No | Yes | Spot/Flood | White |
| Septor | STL 61052 | 120/45/13 | 3.5H/10H/55H | 60M/35M/20M | 3 X AAA | No | No | Flood | White |
| Argo | STL 61301 | 150/100/45 | 3H/4.5H/30H | 190M/160M/103M | 3 X AAA | Yes | No | Spot | White |
| Trident | STL 61050 | 80/35/11 | 5H/10H/53H | 126M/39M/22M | 3 X AAA | Yes | No | Spot/Flood | White |



Realtree Rechargeable Necklight

- 300 Lumens 2 modes (white or red)
- Dimmable Up to 9 hours of run time

EZR RT357

Rechargeable Neck Light

- 150 lumens per side
- Lights rotate up and down 70 degrees
- Wear on your neck for hands-free use
- Low: 30 lumens total
- High: 300 lumens total
- More comfortable than conventional headlamps
- USB charging cord included

| Part # | Color |
|-------------|--------|
| EZR NK15 | Red |
| EZR NK15-GR | Green |
| EZR NK15-OR | Orange |



MILWAUKEE M18™

M18™ 2-Tool Combo Kit

- (1) M18™ Compact 1/2" Drill Driver
- 500 in-lbs of torque
- Up to 1,800 RPM
- (1) M18™ 1/4" Hex Impact Driver
- 1,500 in-lbs of fastening torque
- Up to 2,750 RPM & 3,450 IPM
- (2) M18™ Compact REDLITHIUM™ Battery Pack
- (1) M18™ & M12™ Multi-Voltage Charger
- (1) Belt Clip & (1)Contractor Bag

MWK 2691-22



M18™ Compact 1/2" **Drill Driver Kit**

- 4-Pole frameless motor delivers 500 in-lbsof torque
- Up to 1,800 RPM
- M18™ Compact 1/2" Drill Driver
- (1) M18™ & M12™ Multi-Voltage Charger
- (2) M18™ Compact REDLITHIUM™ Battery
- Carrying Case

MWK 2606-22CT

M18 FUEL w/ ONE-KEY™ High **Torque Impact Wrench 3/4"** Friction Ring Kit

- Up to 1500 ft-lbs Nut-Busting Torque
- Includes: (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack (48-11-1850) (1) M18™ & M12™ Multi-Voltage Charger (48-59-1812)



MWK 2864-22

| Part # | Description |
|---------------|--|
| MWK 2864-20 | M18 FUEL™ w/ ONE-KEY™ High Torque Impact Wrench 3/4" Friction Ring, Bare Tool |
| M/V/K 3863-30 | M18 FUEL™ w/ ONE-KEY™ High Torque Impact Wrench 1/2" Friction Ring, Bare Tool |

M18 FUEL™ 1/2" Drill Driver Kit

- 1200 in-lbs. 0-550/ 0-2,000 RPM
- All-metal ratcheting chuck
- Length: 6.9" Weight: 3.2 lbs.
- (2) M18™ XC 5.0 Extended Capacity Batteries
- M18™ & M12™ Multi-Voltage Charger

MWK 2803-22

M18 FUEL™ 1/2" Drill Driver, Bare Tool MWK 2803-20



M18 FUEL™ 7" Variable Speed **Polisher Kit**

- 0-2200 RM Length: 19.8"
- Weight: 6.4 lbs w/8.0 battery
- Variable speed dial and trigger
- (1) M18™ XC 8.0 High Output Battery Pack
- M18™ & M12™ Rapid Charger

MWK 2738-21

M18 FUEL™ 7" Variable Speed Polisher, **Bare Tool** MWK 2738-20



M18 FUEL™ 1" D-Handle Ext. **Anvil High Torque Impact** Wrench w/ ONE-KEY^{†M} Kit

Compatible with all M18™ batteries

 M18 FUEL™ 1" D-Handle Ext. Anvil High Torque Impact Wrench w/ ONE-KEY™ (2869-20), (2) M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Packs (48-11-1812), (1) M18™ & M12™ Rapid Charger (48-59-1808), (1) Tool-Free Adjustable Side Handle, (1) Lanyard Loop, (1) Contractor Bag

MWK 2869-22HD

UP TO 2.000 FT-LBS NUT-BUSTING TORQUE

M18 FUEL™ 1" D-Handle Ext. Anvil High **Torque Impact Wrench, Bare Tool** MWK 2869-20

M18 FUEL™ Mid-Torque Impact Wrenches • Only 6.0" in length

- Only 5.1lbs w/ 5.0Ah Battery
- Up to 650 ft-lbs breakaway torque & fastening torque
- 2960-22 & 2962-22 include (2) 48-11-1850 5.0 batteries; 2960-22CT includes (2) 48-11-1820 CP2.0 Batteries



Milwaukee

49-16-2960

| Part # | Description |
|----------------|--|
| MWK 2960-20 | M18 Fuel 3/8" Mid-Torque Impact Wrench Bare Tool |
| MWK 2960-22 | M18 Fuel 3/8" Mid-Torque Impact Wrench KIT |
| MWK 2962-20 | M18 Fuel 1/2" Mid-Torque Impact Wrench Bare Tool |
| MWK 2962-22 | M18 Fuel 1/2" Mid-Torque Impact Wrench Kit |
| MWK 49-16-2960 | M18 FUEL™ Mid-Torque Impact Wrench Protective Boot |

M18 FUEL Compact Impact Wrenches

- More Compact for Increased Access & Control
- Only 4.9" in length
- Only 4.0 lbs. w/ 5.0Ah Battery
- Up to 250 ft-lbs Breakaway Torque
- Up to 250 ft-lbs Fastening Torque
- Includes Auto Shut-off Mode; Prevents Over-tightening
- Includes Bolt Removal Mode: Offers more control after bolt breakaway
- 2854-22 & 2855-22 include (2) 48-11-1850 5.0 batteries









2855-20





Nilwaukee

2854-20

2854-22

2855-22

49-16-2854

| Part # | Description |
|----------------|--|
| MWK 2854-20 | M18 FUEL 3/8" Stubby Compact Impact Wrench Bare Tool |
| MWK 2854-22 | M18 FUEL 3/8" Stubby Compact Impact Wrench KIT |
| MWK 2855-20 | M18 FUEL 1/2" Stubby Compact Impact Wrench Bare Tool |
| MWK 2855-22 | M18 FUEL 1/2" Stubby Compact Impact Wrench KIT |
| MWK 49-16-2854 | M18 FUEL™ Compact Impact Wrench Protective Boot |

M18 FUEL™ 2-Tool Combo Kit

 (1) M18 FUEL™ ½" Hammer Drill/Driver (Tool Only) (2804-20), (1) M18 FUEL™ 1/4" Hex Impact Driver (Tool Only) (2853-20), (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack (48-11-1850), (1) M18[™] & M12[™] Multi-Voltage Charger (48-59-1812)





POWER TOOLS & ACCESSORIES

MILWAUKEE M18™



| Part # | Description |
|-------------|---|
| MWK 2880-20 | M18™ FUEL 4-1/2"/5" Grinder Paddle Switch (Bare Tool) |
| MWK 2880-22 | M18™ FUEL 4-1/2"/5" Grinder Paddle Switch Kit |
| MWK 2882-20 | M18™ FUEL 4-1/1"/5" Braking Grinder w/ One-Key, (Bare Tool) |
| MWK 2886-20 | M18™ FUEL 5" Flathead Braking Grinder (Bare Tool) |
| MWK 2888-20 | M18™ FUEL 4-1/2"/5" Varible Speed Braking Grinder (Bare Tool) |
| MWK 2980-20 | M18™ FUEL 4-1/2" /6" Grinder (Bare Tool) |
| | |

M18 FUEL™ 1-1/2" Magnetic Drill Kit

- Self-powered magnet base operates independently of power source
- 1-1/2" annular cutter capacity
- 1/2" twist bit capacity
- 2 speed gear box: 400/690 rpm
- Stroke length: 5-3/4"
- Motor head adjustment: 5-1/8"
- Kit includes M12™ & M18™ rapid chargers

MWK 2787-22HD

M18 FUEL™ 1-1/2" Lineman Magnetic Drill High Demand™ Kit

• • Kit includes ac/dc vehicle charger **MWK 2788-22HD**





M18 FUEL™ 2 Gallon Compact Quiet Compressor

MWK-2840-20

M18 FUEL™ 16" Chainsaw Kit

MWK 2727-21HD





M18™ REDLITHIUM™ Batteries

| Part # | AMP Hour | Warranty |
|--|---------------------|----------|
| MWK 48-11-1820 2.0 Compact | | 2 Year |
| MWK 48-11-1835 HIGH OUTPUT™ CP3.0 | | 2 Year |
| MWK 48-11-1840 | XC 4.0 | 3 Year |
| MWK 48-11-1850 | XC 5.0 | 3 Year |
| MWK 48-11-1865 | HIGH OUTPUT XC 6.0 | 3 Year |
| MWK 48-11-1880 HIGH OUTPUT™ XC8.0 | | 3 Year |
| MWK 48-11-1812 | HIGH OUTPUT HD 12.0 | 3 Year |

M18™ Compact Heat Gun Kit

- 30% Faster Heat Up Than Corded
- One Charge, 40+ Connections
- Reaches operational temperature in less than 7 seconds
- Guarded nozzle protects work surfaces

MWK 2688-21

M18[™] Compact Heat Gun, Bare Tool MWK 2688-20

M18™ Cordless 2-Speed Grease Gun Kit

- Industry leading 10,000 PSI max operating pressure
- Industry leading max flow-rate of up to 10 oz. / minute
- New to world precision through Pre-set grease counter dial
- 48" flexible hose offers greater access to difficult to reach fittings
- Lock-on / Lock-off trigger delivers added user convenience



M18 $^{\text{TM}}$ Cordless 2-Speed Grease Gun, Bare Tool MWK 2646-20

M18 FUEL Sawzall® Kit

- Best in class cutting performance
- Generates power of 12Amp Corded
 Most durable Sawzall® reciprocating saw

- Best in weight class Upgraded blade clamp durability

MWK 2821-21

M18[™] FUEL Sawzall®, Bare Tool MWK 2821-20



MWK 48-00-5182
Super Sawzall®
Blade 6" 14 TPI



Milwaukee

MWK 48-59-1810 M18™ / M12™ Vehicle Charger



MWK 2846-20 M18™ TOP-OFF™ 175W Power Supply



M18 FUEL™ Blower Kit

Power to clear from 15 ft, gets to full throttle in under 1 second, and is up to 4 lbs lighter than competitors
 POWERSTATE™ Brushless Motor and REDLITHIUM™

HIGH DEMAND™ 9.0 Battery deliver

• 450 CFM and 120 MPH output

• The blower features a variable speed trigger land high/low speed settings

MWK 2724-21HD

M18[™] FUEL Blower, Bare Tool MWK 2724-20





ORDER ANYTIME:: AIM Supply: 800-999-0125 AIM Fleet America: 800-799-3915 ALCO Tool Supply: 800-437-2911

POWER TOOLS & ACCESSORIES

MILWAUKEE M12™

4-MODE

DRIVE

CONTROL

M12 FUEL™ 2-Tool **Automotive Combo Kit**

- 3/8" Stubby Impact Wrench (2554-20)
- 250 ft-lbs Length: 4.8"
- 1/4" Hex Impact Driver (2553-20)
- 1300 in-lbs. 0-3350 RPM
- 4-Mode DRIVE CONTROL™
- (1) M12™ CP 2.0 Battery
- (1) M12™ XC 4.0 Extended Capacity Battery
- M12™ Li-Ion Battery Charger

MWK 2599-22



Protective Boot for Stubby Impact Wrench

• Fits with 2554 and 2555

MWK 49-16-2554



Milwauke

M12 FUEL™ Stubby **Impact Wrench Kits**

- Designed to fit in tight spaces
- 4-Mode DRIVE CONTROL™
- M12™ CP 2.0 Battery
- M12™ XC 4.0 Extended Capacity Battery
- M12™ Li-Ion Battery Charger



| Part # | Туре | Drive | Torque | Length |
|-------------|-----------|-------|------------|--------|
| MWK 2552-22 | Kit | 1/4" | 100 ft-lbs | 5.1" |
| MWK 2554-22 | Kit | 3/8" | 250 ft-lbs | 4.8" |
| MWK 2555-22 | Kit | 1/2" | 250 ft-lbs | 4.9" |
| MWK 2552-20 | Bare Tool | 1/4" | 100 ft-lbs | 5.1" |
| MWK 2554-20 | Bare Tool | 3/8" | 250 ft-lbs | 4.8" |
| MWK 2555-20 | Bare Tool | 1/2" | 250 ft-lbs | 4.9" |

M12™ Compact Spot Blower

- More controlled, faster cleanup
- 2-modes & variable speed trigger increase control
- Compact size & rubber nozzle for tight spaces
- Wide sweeping nozzle efficiently clears debris in open spaces
- Lock-on switch reduces user fatigue

MWK 0852-20



M12 FUEL™ Ratchet Kits & Bare Tools

- Greater durability w/ FUEL™ Brushless Motor
- Recessed head profile for more access
- M12[™] 2.0 Compact Battery included w/ kit versions
- M12[™] Li-Ion Battery Charger included w/ kit versions



| Part # | Type | Drive | Torque | RPM |
|-------------|-----------|-------|-----------|-----|
| MWK 2557-20 | Bare Tool | 3/8" | 55 ft-lbs | 200 |
| MWK 2558-20 | Bare Tool | 1/2" | 60 ft-lbs | 175 |
| MWK 2566-20 | Bare Tool | 1/4" | 35 ft-lbs | 450 |
| MWK 2567-20 | Bare Tool | 3/8" | 35 ft-lbs | 450 |
| MWK 2557-21 | Kit | 3/8" | 55 ft-lbs | 200 |
| MWK 2566-22 | Kit | 1/4" | 35 ft-lbs | 450 |
| MWK 2567-22 | Kit | 3/8" | 35 ft-lbs | 450 |



M12 Fuel 3/8" Ratchet Protective Boot MWK 49-16-2557

M12 Underbody Light Kit

- Two swivel points with 300 degrees of horizontal rotation and up to 180 degrees of vertical rotation
- 12" magnetic storage tray to hold nuts and bolts
- 1200 lumens of TRUEVIEW™ High-Definition
- 15 hours on low or 5 hours on high
- IP54 rated, guaranteed by a 5-year tool warranty

MWK 2126-21XC

M12 Underbody Light, Bare Tool MWK 2126-20

M12 FUEL™ Low Speed **Tire Buffer Kit**

| Part # | Туре |
|-------------|-----------|
| MWK 2409-22 | Kit |
| MWK 2409-20 | Bare Tool |





Flared Contour Buffing Wheel for M12 FUEL Low Speed Tire Buffer

| Part # | Wheel Size | Design |
|----------------|------------|--------|
| MWK 49-93-2409 | 2.5" | Flared |
| MWK 49-93-2410 | 2" | Flared |





MWK 49-16-2559 M12 FUEL™ 1/4" **Extended Reach Ratchet Boot**

MWK 49-16-2560

M12 FUEL™

3/8" Extended

Rubber Boot

Reach Ratchet

M12 Fuel™ Extended Reach Ratchet

| Part # | Туре | Drive | Torque |
|---------------------|-----------|-------|-----------|
| MWK 2559-20 Bare To | | 1/4" | 40 ft-lbs |
| MWK 2560-21 | Kit | 3/8" | 50 ft-lbs |
| MWK 2560-20 | Bare Tool | 3/8" | 50 ft-lbs |



M12 FUEL™ 2-Tool Combo Kit: 1/2" **Drill Driver and 1/4" Hex Impact Driver** M12 FUEL™ Drill Driver (2503-20)

- M12 FUEL™ Hex Impact Driver (2553-20)
- M12™ XC 4.0 Battery, M12™ Compact 2.0 Battery, Charger and Bag

MWK 2596-22

M12 FUEL™ 2-Tool Combo Kit: 1/2" Hammer Drill and 1/4" Hex Impact Driver

- M12 FUEL™ Hammer Drill (2504-20) M12 FUEL™ Hex Impact Driver (2553-20)
- M12™ XC 4.0 Battery, M12™ Compact 2.0
- Battery, Charger and Bag

MWK 2598-22

M12™ Ratchet Kits & Bare Tools

- 250 RPM 3/4" head
- M12™ 1.5 Compact Battery included w/kit
- M12[™] Li-lon Battery Charger included w/kit





MILWAUKEE M12™

M12 FUEL



M12™ FUEL Right Angle Die **Grinder Kit**

- More powerful than pneumatic
- 0.25HP die grinders Max RPM = 24,500
- 1/4" Collet
- 1/8" compatible (Sold separately)

MWK 2485-22

M12™ FUEL Right Angle Die Grinder, Bare Tool MWK 2485-20



Protective Boot for M12™ FUEL™ **Right Angle Die Grinder Kit** MWK 49-16-2485

M12 FUEL™ 1/4" Straight Die **Grinder 2 Battery Kit**

- 20% More Power Than Pneumatic
- .3 HP Motor Output Max RPM = 20,000
- Includes: (2) M12™ REDLITHIUM™ CP2.0 Battery (48-11-2420) (1) M12™ Lithium-ion Battery Charger (48-59-2401)



MWK 2486-22

M12™ FUEL 1/4" Straight Die Grinder, Bare Tool MWK 2486-20



M12 FUEL™ HATCHET™ 6" **Pruning Saw, Kit** MWK 2527-21

M12TM FUEL HATCHETTM 6" **Pruning Saw, Bare Tool** MWK 2527-20

MWK 49-16-2732 6" Saw Chain



MWK 49-16-2733 6" Guide Bar



M12 FUEL™ Compact Cut-Off Tool Kit

- 20,000 RPM Reversible blade rotation
- (1) Metal Cut Off Wheel, (1) Carbide Abrasive Blade, (1) Diamond Tile Blade, Blade Wrench, 7/16" Flange Adapter
- (1) M12™ XC4.0 Extended Capacity Battery
- M12[™] Li-lon Charger

MWK 2522-21XC

M12™ FUEL 3" Compact Cut Off Tool, Bare Tool MWK 2522-20

M12™ Rivet Tool Kit

- Pulls 3/32", 1/8", 5/32", 3/16" Rivets
- · Aluminum, steel, stainless Steel
- 2,000 lbs. pull force
- (2) M12[™] 2.0 Compact Batteries
- M12™ Charger

MWK 2550-22

M12™ Rivet Tool, Bare Tool MWK 2550-20



M12 FUEL™ Right Angle Impact Wrenches & Kits

- Up to 220 ft-lbs Nut-Busting Torque
- Up to 200 ft-lbs Fastening Torque
- Kits include: (2) M12 CP2.0 Battery Packs (48-11-2420), (1) M12 Charger (48-59-2401) & Contractor Bag



| Part # | Туре | Drive | Torque |
|-------------|-----------|-------|------------|
| MWK 2564-20 | Bare Tool | 3/8" | 220 ft-lbs |
| MWK 2564-22 | Kit | 3/8" | 220 ft-lbs |
| MWK 2565-20 | Bare Tool | 1/2" | 220 ft-lbs |
| MWK 2565-22 | Kit | 1/2" | 220 ft-lbs |

M12[™] Soldering Iron Kit

- 18 second heat up time Tool-free tip change
- M12[™] 2.0 Compact Battery
 M12[™] Li-Ion Charger

MWK 2488-21

M12™ Soldering Iron, Bare Tool MWK 2488-20



M12™ Grease Gun Kit

- 8000 PSI max. operating pressure
- Dispenses up to 7 cartridges per charge
- 36" flex hose with spring guard and coupler

Milwauk

- M12™ XC 3.0 High Capacity Battery
- M12[™] Li-Ion Charger

MWK 2446-21XC

M12™ Grease Gun, Bare Tool MWK 2446-20

M12™ Variable Speed Polisher/Sander Kit

- Polishing RPM: 0-2800 Sanding RPM: 0-8300
- 5Pc Accessory Pack
 (1) M12[™] XC 3.0 Battery
- (1) M12[™] 2.0 Compact Battery
- M12[™] Li-Ion Battery Charger

MWK 2438-22X

M12™ Variable Speed Polisher/Sander, Bare Tool MWK 2438-20



M12™ 10oz Caulk & Adhesive Gun Kit

- Easily dispenses everyday construction sealants and adhesives
- Up to 400 lbs. of pushing force
- Combination variable speed trigger and max-speed dial
- Includes M12™ Lithium-ion Battery Charger

MWK 2441-21

M12 LED Underhood Light Bare Tool

- High: 1350 Lumens/4 Hrs. Low: 600 Lumens/8 Hrs.
- Mounting hooks extend 48"-78"
- · Light bar with stainless steel hook
- Impact and chemical resistant lens

MWK 2125-20



M12[™] Paint and Detailing Color Match Light

- 1000 Lumens to illuminate metallics and indentify scratches in paint
- 6 Hours of Run-time on HIGH 5 Color Temperatures and 3 Brightness Modes • 98+ color rendering index to replicate natural sunlight

MWK 2127-20



MILWAUKEE

M18TM ·

M18 FUEL™ 1/4" Blind Rivet Tool w/ ONE-KEYTM Kit

- Pulls up to 900 3/16" aluminum or 500 1/4" aluminum blind rivets on one charge with an M18™ REDLITHIUM™ CP2.0 battery
- Includes: (1) M18 FUEL™ 1/4" Blind Rivet Tool w/ ONE-KEY™ Bare Tool (2660-20), (1) M18™ REDLITHIUM™ CP2.0 Battery (48-11-1820), (1) M18™ & M12™ Multi-Voltage Charger (48-59-1812), and (1) M18 FUEL™ 1/4" Blind Rivet Tool w/ ONE-KEY™ Retention Nose Piece 4-Pack (49-16-2660RP)



MWK 2660-21CT



M18™ Inflator

- Top off 33" Light Truck Tires in Under 1 Minute
- Truefill™ Technology
- Handle Tires Over 100 PSI, Rated for 150 PSI Max
- PSI Memory Preset

MWK 2848-20

M18 Fuel Wet/Dry Vacuum with **PACKOUT™** Compatibility

- POWERSTATE™ brushless motor delivers up to 50 CFM
- Faster clean-up of both wet and dry material
- Up to 2x quieter than traditional jobsite vacuums
- · Bare Tool, does not include battery or charger





M12TM

M12™ ROVER™ Service & Repair Flood Light w/ USB Charging

- 700 Lumens
- IP54: Dust and Water Resistant
- 110° Pivoting Light Head
- Charge your Devices from USB

MWK 2367-20



M12™ Inflator, Bare Tool

- Top-off a car tire in under 1 minute. (28 35 PSI)
- High efficiency pump and motor for true 120 PSI capability
- 3-year limited warranty

MWK 2475-20

M12™ Compact Inflator kit

• Includes 4.0 Battery and Charger

2950-20

MWK 2475-21XC

M12 FUEL™ 1.6 Gallon Wet/Dry Vacuum

- 45 CFM Hanging mount for easy storage
- Sound Power Level: 87 dB(A)
- OSHA objective data compliance for select silica dust producing applications
- · Built-in blower port

MWK 0960-20



48-73-8430

| Part # | Description |
|----------------|---|
| MWK 48-22-8300 | PACKOUT™ Tech Bag |
| MWK 48-22-8310 | 10" PACKOUT™ Tote |
| MWK 48-22-8320 | 20" PACKOUT™ Tote |
| MWK 48-22-8410 | PACKOUT™ Dolly |
| MWK 48-22-8415 | PACKOUT™ 2 WHEEL CART |
| MWK 48-22-8424 | PACKOUT™ Tool Box |
| MWK 48-22-8425 | PACKOUT™ Large Tool Box |
| MWK 48-22-8426 | PACKOUT™ Rolling Tool Box |
| MWK 48-22-8428 | PACKOUT™ Rolling Tool Chest |
| MWK 48-22-8429 | PACKOUT™ XL Tool Box |
| MWK 48-22-8431 | PACKOUT™ Low-Profile Organizer |
| MWK 48-22-8432 | PACKOUT™ Deep Organizer |
| MWK 48-22-8435 | PACKOUT™ Compact Organizer |
| MWK 48-22-8436 | PACKOUT™ Compact Low-Profile Organizer |
| MWK 48-22-8442 | PACKOUT™ Compact Tool Box |
| MWK 48-22-8443 | PACKOUT™ 3-Drawer Tool Box |
| MWK 48-22-8460 | PACKOUT™ 16QT Compact Cooler |
| MWK 48-22-8480 | PACKOUT™ Shelving Kit |
| MWK 48-22-8488 | PACKOUT™ Customizable Work Top |
| MWK 48-73-8430 | 204PC Class B Type PACKOUT™ First Aid Kit |
| MWK 48-73-8435 | 76PC Class A Type PACKOUT™ First Aid Kit |
| MWK 2950-20 | M18™ PACKOUT™ Radio + Charger |



48-22-8300





MAKITA 18V & 12V

18V LXT® Brushless 1/2" High **Torque Impact Wrench Kit**

- 1180 ft-lbs of breakaway torque
- 0-900/ 0-1000/ 0-1800 RPM
- 0-1800/ 0-2000/ 0-2200 IPM
- · Compact and ergonomic design at only 9" long
- (2) 18V LXT Li-lon 4.0Ah Batteries
- 18V Li-Ion Rapid Charger

MKT XWT08M





Makita

18V LXT® Lithium-Ion Sub-Compact **Brushless Cordless 2PC Combo Kit**

- Do more with less, with two ultra-compact cordless solutions for drilling, driving and fastening in a more compact size with significantly less weight
- New class of compact, with the size and weight of lower voltage tools but with the performance, power and compatibility of 18-Volt

MKT CX200RB



- 1/2" Hammer Driver-Drill (0-500 & 0-2.000 RPM) with BL™ Motor delivers 530 in.lbs. of Max Torque
- Variable speed Impact Driver (0-3,400 RPM & 0-3,600 IPM) delivers 1,500 in.lbs. of Max Torque
- Efficient BL™ Brushless motor optimizes battery energy use for up to 50% longer run time per charge
- 18V Lithium-Ion 4.0Ah battery BL1840B features an integrated L.E.D. battery charge level indicator

MKT XT269M



Interchangeable 3/8" and 1/4" anvils for added versatility
Powerful motor delivers 35 ft.lbs of Max Torque

MKT XRW01SR1

18V LXT® Lithium Ion Cordless 3/8" / 1/4" Sq. Drive Ratchet, Bare Tool MKT XRW01Z



12V max CXT® 4PC Combo Kit

- 3/8" Driver-Drill (FD09Z)
- 250 in-lbs. 0-450 / 0-1,700 RPM
- Impact Driver (DT03Z)
- 970 in-lbs. 0-2,600 RPM
- 3/8" Impact Wrench (WT02Z)
- 103 ft-lbs. 0-2,600 RPM
- LED Flashlight (ML103)
- Compact design, only 3" long
- (2) 12V max CXT® 1.5 Ah Batteries
- 12V max CXT® Li-Ion Charger
- · Charger and tool bag

MKT CT411



12V MAX CXT® 3/8" & 1/4" **Ratchet Kit**

- Interchangeable 3/8" & 1/4" anvils
- 0-800 RPM
- 35 ft-lbs Weight: 2.35 lbs
- 12V MAX CXT® 2.0Ah Battery
- 12V MAX CXT® Charger

MKT RW01R1

12V MAX CXT® 3/8" & 1/4" Ratchet, Bare Tool MKT RW01Z



12V MAX CXT® Inflator Kit

- Top off car and light truck tires with speed and ease
- Delivers up to 120 PSI
- Auto-stop function to prevent overfill
- 25.5" hose length
- Includes (2) 12V MAX CXT® 2.0Ah Batteries
- 12V MAX CXT® Li-Ion Charger

MKT MP100DWRX1

12V MAX CXT® Inflator. Bare Tool MKT MP100DZ

12V MAX CXT® Lithium Ion **Cordless Blower, Bare Tool**

- Makita-built variable 3-speed motor produces a maximum air velocity of 167 MPH
- Up to 21 minutes of continuous operation at high speed with a 4.0Ah 12V MAX CXT® battery (battery not included)

MKT BU01Z

Battery and charger sold separately

GRINDERS & POLISHERS -

7.5 Amp 4.5" Angle Grinder Kit

- 11,000 RPM Large paddle switch
- Includes diamond blade, grinding wheels, grinding guard, cut-off quard and side handle

MKT 9557PBX1

7.5 Amp 4.5" Angle Grinder, Bare Tool **MKT 9557PB**



SJS High-Power Angle Grinder, 4-1/2"

- 12 AMP Power with SJS mechanical clutch system
- 10,500 RPM for the most demanding applications Variable speed control dial enables user to match the speed to the application
- Soft start suppresses start-up reaction

MKT 9564-CV

10 Amp 7" Variable Speed Polisher Kits

- 0-3200 RPM
- Variable speed dial and trigger
- Soft start for smooth start-ups
- · Wire mesh intake covers to protect the motor
- · Lock-on button for continuous use operation
- Weight: 7 lbs.



| Part # | Description |
|-------------|--------------------|
| MKT 9237CX2 | Kit with Foam Pads |
| MKT 9237CX3 | Kit with Wool Pads |
| MKT 9227C | Bare Tool |
| | • |





DEWALT 20V



20V MAX XR Brushless 1/2" High **Torque Impact Wrench Kit**

- 1200 ft-lbs of breakaway torque
- 0-400/ 0-1200/ 0-1900 RPM
- 2400 IPM
- (2) 20V MAX* XR 5.0Ah Batteries
- Multi-Voltage Charger

DWT DCF899HP2

20V MAX XR Cordless Lithium-Ion 1/2" Brushless Detent Pin Impact Wrench, Bare Tool DWT DCF899B



20V MAX XR Brushless 3/8" **Impact Wrench Kit**

- 130 ft-lbs 0-2300 RPM
- 0-2700 IPM
- (2) 20V MAX 4.0Ah Batteries
- · Fast Charger

DWT DCF883M2

20V MAX 3/8" Impact Wrench, **Bare Tool DWT DCF833B**



20V MAX XR Brushless 1/2" Compact Drill Driver Kit

- 0-550/ 0-2000 RPM
- Metal 1/2" ratcheting chuck
- (2) 20V XR 2.0Ah Batteries
- Charge

DWT DCD791D2

20V MAX XR Li-Ion Brushless Compact Drill/Driver, Bare Tool DWT DCD791B



1/4" Hex Impact Driver (DCF887)

- 0-1000/ 2800/ 3250 RPM
- 1/2" Drill Driver (DCD791)
- 0-550/ 0-2000 RPM • 2) 20V MAX XR 2.0Ah Batteries
- Charger
- **DWT DCK283D2**





20V MAX* XR® 5 IN. Brushless **Cordless Variable-Speed Random Orbital Sander, Bare Tool**

- Variable-speed control from 8,000 to 12,000 OPM to match the speed to the application
- Brushless motor provides runtime and efficiency to get the job done
- · Low-profile height allows user to get close to work surface for precise sanding
- · Texturized rubber over-mold grip for comfortable sanding

DWT DCW210B

20V MAX XR 7" VS Polisher Kit

- 800-2,200 RPM
- Variable speed trigger and dial
- Weight: 4.8 lbs.
- Side Handle Bail Handle
- 20V/12V MAX Charger
- (2) 20V 6.0Ah batteries

DWT DCM849P2

20V MAX XR 7" VS Polisher. **Bare Tool DWT DCM849B**



20V MAX Heat Gun Kit

Variable Speed &

Constant Speed!

• Up to 990 F/532 C

- 6.7 CFM
- · Lock on button
- Flat Nozzle Attachment
- Hook Nozzle Attachment
- 20V MAX 5.0 Battery
- Charger

DWT DCE530P1

20V MAX Heat Gun. **Bare Tool DWT DCE530B**

20V MAX Corded/ Cordless Air Inflator

- 3-160 PSI
- High-pressure inflation with automatic shutoff
- High-volume inflation and deflation
- 29" high-pressure hose
- Onboard accessory storage
- 12V DC Power Cord- 13.75'
- High-Pressure Tapered Nozzle
- Presta Valve Adapter Inflator Needle

DWT DCC020IB



20V MAX Brushless 1/4" Impact Driver Kit

- 1700 in-lbs. 2800 RPM
- Variable speed trigger
- Length: 5.1" Weight: 2.1 lbs
- 20V MAX Battery
- Charger

DWT DCF809C1

20V Max Atomic Brushless Cordless Compact 1/4" **Impact Driver, Bare Tool** DWT DCF809B



20V MAX Brushless 1/2" Drill Driver Kit

- 340 UWO 0-450/ 0-1650 RPM
- Variable speed trigger
- Length: 7.9" Weight: 2.4 lbs
- 2) 20V Batteries

Charger

DWT DCD708C2

20V Max Atomic Brushless Cordless Compact 1/2" Drill Driver, Bare Tool **DWT DCD708B**

DEWALT 20V & 12V



| Part # | Туре |
|--------------|--------|
| DWT DCB204-2 | 4.0 Ah |
| DWT DCB205-2 | 5 N Ah |

20V MAX XR Battery Packs

- Premium XR Lithium Ion pack provides up to 33% more capacity than standard 20V MAX* battery packs
- 3-LED fuel gauge system allows immediate feedback on state of charge
- No memory and virtually no self-discharge for maximum productivity and less downtime
- 2 pack

XTREME™ 12V MAX Brushless 3/8" Drill/Driver Kit

- 0-425/ 0-1500 RPM
- 250 UW0
- 15 clutch settings
- Length: 5.97" Weight: 1.9 lbs.
- (2) 12 MAX batteries with indicator
- 12V/20V MAX Charger **DWT DCD701F2**

XTREME™ 12V MAX*
Brushless 3/8 IN.
Cordless Drill/Driver,
Bare Tool
DWT DCD701B



XTREME™ 12V MAX 2-Tool Combo Kit

- 3/8" Drill/ Driver (DCD701)
- 0-425/ 0-1500 RPM
- 15 clutch settings
- 1/4" Impact Driver Kit (DCF801)
- 1450 in-lbs.
- 0-2850 RPM
- (2) 12 MAX batteries with indicator
- 12V/20V MAX Charger

DWT DCK221F2





XTREME™ 12V MAX* Brushless 1/4" Impact Driver Kit

- 1450 in-lbs.
- 0-2850 RPM
- 3-mode switch with Precision Wrench™
- Length: 5.05" Weight: 1.75 lbs.
- (2) 12 MAX batteries with indicator
- 12V/20V MAX Charger

DWT DCF801F2

GRINDERS & POLISHERS -

11 Amp 4.5" Small Angle Grinder

- 11,000 RPM AC/DC motor
- 1.8 HP
- Dust Ejection System™ ejects debris particles that enter the tool
- One-Touch Guard™ for 360º rotation
- Quick-ChangeTM Wheel Release for tool free wheel removal
- Paddle switch with safety lock-off

DWT DWE402



12 Amp 7"/ 9" Variable Speed Polishers

- 0-600/ 0-3500 RPM
- Variable speed dial and trigger
- Wool ingestion shields
- Includes bale handle (DWP849X only)



| Part # | Soft Start | Weight |
|-------------|------------|---------|
| DWT DWP849X | Yes | 6.7 lbs |
| DWT DWP849 | No | 6.6 lbs |

CHOP SAW -

15 Amp 14" Chop Saw w/ QUICK-CHANGE™ Keyless Blade Change System

- 4000 RPM 5.5 HP motor
- QUICK-FENCE™ 45° adjustable fence
- QUICK-CHANGE™ allows for wheel changes without a wrench
- Cutting capacity: 5" round
- Length: 21" Weight: 39 lbs

DWT D28715



6" Variable-Speed Random Orbit Polisher

- 4.5 Amp AC only
- Variable speed dial: 2500-6800 OPM
- Accepts 5/16-24 spindle thread accessories
- Weight: 5.5 lbs

DWT 7424XP







GRINDERS, POLISHERS & POWER CORDS

GRINDER



8 Amp 4.5" Angle Grinder • 11,000 RPM • 3-position handle

- Trigger grip 6' cord
- ATD 10504

POLISHERS

11 Amp 7" Variable Speed Polisher

- 1000 3000 RPM Soft start
- 9.10' cord
- Includes D-handle and side handle
- Weight: 7.0 lbs

ATD 10511



6" Random Orbital Polisher with Soft Start

- 2500-6500 OPM
- Soft start feature provides improved speed control
- Includes multi-position side handle and D-handle
- 6A, 120V AC, 60 Hz
- 5/8" diameter orbit

ATD 10506



7" Polisher

- Powerful 11 amp motor provides plenty of power to maintain right
- Trigger speed control switch allows speeds of 0-2800 RPM
- Will accept 7" or 9" accessories

MWK 5540

EXTENSION CORDS



25 FT. Locking Extension Cord

- Female end slide button lock for protection against cable disconnection
- ETL certified to UL standards
- 16 AWG, 3-wire grounded indoor/outdoor extension cord
- Features a GLOW PLUG to indicate when power is ON
- Cord remains flexible down to -40°F

ATD 8098





Heavy Duty Indoor/Outdoor Professional Extension Cords

- Heavy duty 3-wire grounded cord
- Safety power GLOW PLUG to indicate when power is on
- · Non-marring cord is oil, chemical and abrasion resisitant
- Remains flexible down to -40°F
- Meets OSHA standards cULus listed



| Part # | Length | Тар | Wire |
|----------|--------|--------|-----------|
| ATD 8002 | 25 ft. | Sinlge | 16/3 SJTW |
| ATD 8003 | 50 ft. | Single | 16/3 SJTW |
| ATD 8040 | 25 ft. | Single | 12/3 SJTW |
| ATD 8041 | 50 ft. | Single | 12/3 SJTW |

Tri-Tap 3-Outlet Extension Cords

| Part # | Length | Тар | Wire |
|----------|--------|---------|-----------|
| ATD 8008 | 25 ft. | Tri-Tap | 14/3 SJTW |
| ATD 8049 | 50 ft. | Tri-Tap | 14/3 SJTW |
| | | | |



CORD REELS



LINCOLN

Heavy Duty Single Receptacle Power Cord Reel

- Spring retractable with latch
- Wall, ceiling or bench mount
- Cord Type/Length: SJTOW / 50 ft.
- Cord Thickness: 16 AWG
- No. of Conductors: 3
- Pigtail: 4 ft. with 3-prong plug
- Voltage/Current: 125 VAC / 13A

LNI 91030



ZillaGreen Electrical Cord

- 5/8" x 50' 3/4" GHT ends
- Cord Type: 14/3AWG SJTOW
- Pigtail: 4 ft. with 3-prong plug

Voltage/Current: 125 V LEG FZ8140503



| Part # | Description | Cord Length | Cord Type | Grounded Receptacles |
|-------------------|------------------------------------|-------------|------------|-------------------------|
| BAY SL-800 | Triple Tap Power Cord Reel | 30 feet | 16/3 SJT | 3 x 10A |
| | 4 Tap Power Cord Reel, All-Weather | 50 feet | 12/3 SJEOW | 4 x 15A |
| | Triple Tap Power Cord Reel | 50 feet | 14/3 SJT | 3 x 13A |

IMPACT WRENCHES

3/8" COMPOSITE -





| Part # | Drive | Description | Extended Anvil | Loosening Torque | Maximum Torque Forward/Reverse | RPM | dBA | Weight |
|----------------|-------|---|-------------------|---------------------|-----------------------------------|--------|-------|----------|
| IRC 2115TIMAX | 3/8" | Ultra Duty Titanium Impact Wrench | _ | | 230 – 300 ft-lbs | 15,000 | 107.6 | 2.48 lbs |
| IRC 2115QTIMAX | 3/8" | Ultra Duty Quiet Titanium Impact Wrench | — | | 230 – 300 ft-lbs | 15,000 | 89.7 | 2.48 lbs |
| IRC 2115QXPA | 3/8" | Quiet, Lightweight Impact Wrench | — | | 250-300 ft-lbs | 15,000 | 89.7 | 2.5 lbs |
| IRC 15QMAX | 3/8" | Quiet Ultra Compact Impact Wrench, 4.6" Long | — | 475 ft-lbs | 310 ft-lbs | 6000 | 89.7 | 2.4 lbs |
| ACA 1059-VXL | 3/8" | Vibrotherm Drive Compact Impact Wrench, 4.4" Long | — | 550 ft-lbs | 400 ft-lbs | 9,000 | 82 | 2.5 lbs |
| ACA 1355-XL | 3/8" | Composite Impact Wrench | — | 700 ft-lbs | 50 – 400 ft-lbs | 10,000 | 86 | 2.7 lbs |
| ACA 1076-XL | 3/8" | Compact & Lightweight Composite Impact Wrench | — | 700 ft-lbs | 550 ft-lbs | 9000 | 85 | 2.5 lbs |

3/8" CHROME







| Part # | Drive | Description | Extended Anvil | Loosening Torque | Maximum Torque Forward/Reverse | RPM | dBA | Weight |
|-------------|-------|---|-------------------|---------------------|-----------------------------------|--------|------|---------|
| IRC 212 | 3/8" | Super Duty Impact Wrench | _ | | 150 – 180 ft-lbs | 11,500 | 108 | 2.9 lbs |
| IRC 216B | 3/8" | Butterfly Impact Wrench 7.7" Long | _ | | 200 ft-lbs | 8500 | 94.8 | 2.8 lbs |
| SUU SX821A | 3/8" | Pistol Grip Impact Wrench | — | | 60 – 75 ft- Ibs | 10,000 | 84 | 2.6 lbs |
| SUU SX111 | 3/8" | Palm Grip Impact Wrench, 6.25" Long | _ | | 60 – 75 ft- Ibs | 10,000 | 110 | 2.5 lbs |
| ACA 1077-TH | 3/8" | Super Compact Impact Wrench, 3.85" Long | | 650 ft-lbs | 500 ft-lbs | 9000 | 89 | 2.8 lbs |

IMPACT WRENCHES



| Part # | Drive | Description | Extended Anvil | Loosening Torque | Maximum Torque Forward/Reverse | RPM | dBA | Weight |
|------------------|-------|---|-------------------|---------------------|-----------------------------------|--------|-------|----------|
| IRC 2235TIMAX-G | 1/2" | Titanium MAX Impactool™ - Green | _ | 930 ft-lbs | 900 ft-lbs | 8,500 | 98 | 4.6lbs |
| IRC 2235TIMAX-0 | 1/2" | Titanium MAX Impactool™ - Orange | — | 930 ft-lbs | 900 ft-lbs | 8,500 | 98 | 4.6lbs |
| IRC 2235TIMAX-RD | 1/2" | Titanium MAX Impactool™ - Red | _ | 930 ft-lbs | 900 ft-lbs | 8,500 | 98 | 4.6lbs |
| IRC 36QMAX | 1/2" | Ultra-Compact Impact Wrench | _ | 640 ft-lbs | 470 ft-lbs | 8000 | 91.3 | 2.4lbs |
| IRC 232TGSL | 1/2" | Street Legal Thundergun Impact Wrench | _ | | 400 – 625 ft-lbs | 10,000 | 109.3 | 6.0 lbs |
| IRC 2130 | 1/2" | Heavy Duty Impact Wrench | — | | 500 – 550 ft-lbs | 9500 | 109.6 | 4.2 lbs |
| IRC 2135QXPA | 1/2" | Quiet, Lightweight Impactool™ | _ | 1100 ft-lbs | 550 – 780 ft-lbs | 11,000 | 90.7 | 4.0 lbs |
| IRC 2235TIMAX | 1/2" | Titanium MAX Impactool™ | — | 1350 ft-lbs | 900 – 930 ft-lbs | 8500 | 98 | 4.6 lbs |
| IRC 2235TIMAX-2 | 1/2" | Titanium MAX Impactool™ with Extended Anvil | 2" | 1350 ft-lbs | 900 – 930 ft-lbs | 8500 | 98 | 4.9 lbs |
| IRC 2235QTIMAX | 1/2" | Quiet Titanium MAX Impactool™ | _ | 1300 ft-lbs | 870 – 900 ft-lbs | 8500 | 88.7 | 4.6 lbs |
| IRC 2235QTIMAX-2 | 1/2" | Quiet Titanium MAX Impactool™ with Extended Anvil | 2" | 1300 ft-lbs | 870 – 900 ft-lbs | 8500 | 88.7 | 4.9 lbs |
| ACA 1058-VXL | 1/2" | Vibrotherm Drive Compact Impact Wrench, 4.4" Long | — | 550 ft-lbs | 400 ft-lbs | 9000 | 82 | 2.5 lbs |
| ACA 1056-XL | 1/2" | Compact & Lightweight Composite Impact Wrench | _ | 700 ft-lbs | 550 ft-lbs | 9000 | 85 | 2.5 lbs |
| ACA 1178-VXL | 1/2" | Vibrotherm Drive Impact Wrench | _ | 1300 ft-lbs | 900 ft-lbs | 9000 | 86 | 4.5 lbs |
| ACA 1178-VXL-2 | 1/2" | Vibrotherm Drive Impact Wrench | 2" | 1300 ft-lbs | 900 ft-lbs | 9000 | 86 | 4.5 lbs |
| ACA 1200K | 1/2" | NitroCat® Kevlar® Composite Impact Wrench | _ | 1200 ft-lbs | 200 – 900 ft-lbs | 8000 | 86 | 4.5 lbs |
| ACA 1150 | 1/2" | Killer Torque Composite Impact Wrench | _ | 1295 ft-lbs | 200 – 950 ft-lbs | 8000 | 86 | 4.5 lbs |
| ACA 1250-K | 1/2" | Composite Kevlar® Xtreme Torque Impact Wrench | _ | 1300 ft-lbs | 200 – 950 ft-lbs | 8500 | 86 | 4.7 lbs |
| AST 1834 | 1/2" | Nano Flex-Head Angle Impact Wrench | _ | 280 ft-lbs | 400 ft-lbs | 8000 | | |
| AST 1894 | 1/2" | Onyx 1/2" "THOR" Impact Wrench | _ | | 940 ft-lbs | 7000 | 86/97 | 4.94 lbs |

ASTRO AIR TOOLS

Astro Pneumatic Tool Company

Stubby Impacts

| • | • | | |
|-----------------|-------|--------------------------|-------------|
| Part # | Drive | Description | Max. Torque |
| AST 1832 | 1/2" | Nano Angle Impact Wrench | 415 ft-lbs |
| AST 1838 | 3/8" | Nano Angle Impact Wrench | 415 ft-lbs |
| AST 1822 | 1/2" | Nano Impact Wrench | 450 ft-lbs |
| AST 1828 | 3/8" | Nano Impact Wrench | 450 ft-lbs |



Die Grinders/ Die Grinder Burr Combos

| Part # | Drive | Description | RPM |
|-----------|-------|---|--------|
| AST 218 | 1/8" | Pencil Type Die Grinder | 56,000 |
| AST T20AH | 1/4" | 90° Angle Die Grinder with Safety Lever - Front Exhaust | 20,000 |
| AST T210 | 1/4" | Medium Die Grinder with Safety Lever - Japan Bearings | 22,000 |







ONYX 3 PC Die Grinder Kit with 8 PC Double Cut **Carbide Rotary Burr Set**

- Composite Body 1/4" Die Grinder Composite Body 1/4" 90° Angle Die Grinder
- Built-in regulator 8 PC Double Cut Carbide Rotary Burr Set
- Composite handle reduces vibration
- Rib textured handle provides a firm grip

AST 219





0.498" Shank Super Duty Air Hammer / Riveter

- Maximum power air hammer for heavy duty off-road, industrial and automotive applications
- Remove or install rivets in I-beam suspension and work site equipment, heavy duty servicing of truck bushings, springs, king pins and more





Quick Change Retainer Chuck .498 Shank

- 7" long "non-turn" type slotted chisel
- 1" diameter straight shoulder hammer bit • 1.25" diameter rounded
- hammer bit

AST 49801



3pc Chisel & Hammer Bit Set .498 Shank

- 7" long "non-turn" type slotted chisel
- 1" diameter straight shoulder hammer bit
- 1.25" diameter rounded hammer bit

AST 49803



Astro Pneumatic Tool Company

ONYX Pinstripe Removal Kit

- Specialty tool developed for the removal of pinstripes, adhesives, double faced tapes and moldings
- Tool includes built-in regulator
- 4,000 Max. RPM
- Lightweight reduces operator fatigue
- Rubberized grip

AST 232





3/8" Capacity Pneumatic **Rivet Nut Setting Kit**

- pulling force
- and aluminum rivet nuts, M6
- (1/4") stainless rivet nut

AST PRN1



Sanders/Polishers/Buffers/Needle Scaler/Nibbler



| Part # | Description |
|----------|--|
| | Air Buffer with 2500RPM with Hose, Adapter and Rasp |
| | 7" Angle Head Sander - 4,500RPM |
| AST 3008 | 8" Gear Driven Random Orbital Sander with 8" PSA Pad |
| AST 330 | ONXY 3" Finishing Palm Sander with Hook and Loop Backing Pad - 3/32 Stroke |
| | In-Line Needle Scaler |
| | ONXY Heavy Duty Air Nibbler |



100

RATCHETS

1/4" Mini Ratchet

- Max Torque: 25 ft.-lbs
- Free speed: 250 rpm
- Length: 6.7"
- Weight: 2.3 lbs

ATD 2114



3/8" Air Ratchet

- Max Torque: 50 ft.-lbs.
- Free Speed: 160 rpm
- Length: 10.4"
- Weight: 3.7 lbs

ATD 2138



Hammerhead Low Profile Impactools™

- Head height of under 2"
- Reactionless torque eliminates kickback
- Length: 13" dBA: 94.1

| Part # | Drive | Max. Torque | RPM |
|-------------|-------|-------------|------|
| IRC 2015MAX | 3/8" | 180 ft-lbs | 9000 |
| IRC 2025MAX | 1/2" | 180 ft-lbs | 9000 |





| Part # | Drive | Description | Max. Torque | RPM | dBA |
|----------------|-------|---|-------------|-----|------|
| IRC 105-D2 | 1/4" | Mini Air Ratchet | 25 ft-lbs | 250 | 81.8 |
| IRC 105-L2 | 1/4" | Air Ratchet | 25 ft-lbs | 250 | 81.8 |
| IRC 1105MAX-D2 | 1/4" | MAX Mini Air Ratchet | 30 ft-lbs | 300 | 88.9 |
| IRC 107XPA | 3/8" | Heavy Duty Air Ratchet Wrench | 54 ft-lbs | 160 | 94.4 |
| IRC 109XPA | 3/8" | Super Duty, High Power Air Ratchet Wrench | 76 ft-lbs | 220 | 92.4 |
| IRC 1207MAX-D3 | 3/8" | MAX Air Ratchet Wrench | 65 ft-lbs | 200 | 85.0 |
| IRC 1077XPA | 1/2" | Heavy Duty Ratchet | 54 ft-lbs | 160 | 94.4 |
| IRC 1099XPA | 1/2" | Super Duty Air Ratchet Wrench | 76 ft-lbs | 220 | 92.4 |





| Part # | Drive | Description | Max. Torque | RPM | dBA |
|------------|-------|---------------------------------|-------------|-----|------|
| CPT CP825C | 1/4" | Stubby Air Ratchet | 26 ft-lbs | 280 | 82 |
| CPT 7829 | 3/8" | High Power, Compact Air Ratchet | 70 ft-lbs | 225 | 85 |
| CPT 886 | 3/8" | General Duty Air Ratchet | 50 ft-lbs | 160 | 98.2 |
| CPT 828 | 3/8" | Heavy Duty Air Ratchet | 50 ft-lbs | 150 | 96.5 |
| CPT 828H | 1/2" | Heavy Duty Air Ratchet | 50 ft-lbs | 150 | 96.5 |
| CPT 7829H | 1/2" | High Power, Compact Air Ratchet | 70 ft-lbs | 225 | 85 |





Sealed Flat Head Ratchets

- Allows access in confined areas
- Sealed head design protects mechanism
- 360° rotational exhaust



| Part # | Drive | Description | Max. Torque | RPM | Length | Weight | dBA | Warranty |
|---------------|-------|------------------------------------|-------------|-----|--------|----------|-----|----------|
| ACA 807-25 | 1/4" | Stubby Palm Ratchet | 25 ft-lbs | 300 | 5.4" | 1.1 lbs | | 2 year |
| ACA 808-15-25 | 1/4" | Long Reach Ratchet | 30 ft-lbs | 200 | 15.3" | 3.1 lbs | | 2 year |
| ACA 800 | 1/4" | Mini Composite Single Pawl Ratchet | 45 ft-lbs | 320 | 8.5" | 1.63 lbs | 82 | 2 year |
| ACA 808-15 | 3/8" | Long Reach Ratchet | 30 ft-lbs | 200 | 15.3" | 3.1 lbs | | 2 year |
| ACA 802 | 3/8" | Composite Twin Pawl Ratchet | 90 ft-lbs | 280 | 10.5" | 2.75 lbs | 82 | 2 year |
| ACA 803-RW | 3/8" | Reactionless Ratchet | 80 ft-lbs | 600 | 10.5" | 2.4 lbs | 79 | 2 year |
| ACA 805-HT | 3/8" | High Torque Air Ratchet | 130 ft-lbs | 180 | 12.45" | 3.3 lbs | 84 | 2 year |

DIE GRINDERS

| Part # | Description | Power | Free Speed |
|-------------|------------------------------------|--------|------------|
| IRC 301B | Standard Duty Angle Die Grinder | 1/4 HP | 21,000 RPM |
| IRC 307B | Standard Duty Die Grinder | 1/4 HP | 28,000 RPM |
| IRC 302B | Heavy Duty Angle Die Grinder | 1/3 HP | 20,000 RPM |
| IRC 308B | Heavy Duty Die Grinder | 1/3 HP | 25,000 RPM |
| IRC 308BK | Composite Straight Die Grinder Kit | 1/3 HP | 25,000 RPM |
| IRC 5102MAX | Composite MAX Angle Die Grinder | 0.4 HP | 20,000 RPM |
| IRC 5108MAX | Composite MAX Die Grinder | 0.4 HP | 20,000 RPM |
| IRC 409 | 1/4" Air Die Grinder | 0.5 HP | 27,000 RPM |



| Part # | Description | Power | RPM | Collet |
|---------|------------------------------------|---------|--------|----------|
| CPT 875 | Mini 90° Angle Die Grinder | 0.3 HP | 22,500 | 1/4"/6mm |
| CPT 876 | Mini High Speed Straight Die | 0.3 HP | 30,000 | 1/4"/6mm |
| CPT 872 | Standard Duty Straight Die Grinder | 0.4 HP | 22,000 | 1/4"/6mm |
| CPT 860 | Heavy Duty Straight Die Grinder | 0.54 HP | 24,000 | 1/4"/6mm |





Composite Die Grinder and Burr Set

- 1/4" collet 90° angle die grinder: 20,000 RPM
- 1/4" collet mini die grinder: 25,000 RPM
- 8 piece carbide burr set

AST 1221



ONYX 2 PC 1/4" Die Grinder Kit

- 22,000 RPM
- 1/3 HP motor
- Built-in regulator
- Includes 8PC double cut carbide rotary burr set

AST 2181B



ANGLE GRINDERS/SANDERS -

| Part # | Description | Size | RPM |
|----------|-------------|------|--------|
| CPT 854E | Heavy Duty | 5" | 12,000 |
| CPT 857 | Heavy Duty | 7" | 7,500 |









Heavy Duty Angle Sander

- Powerful motor for productivity
- Low vibrations and durability
- Perfect for weld smoothing, paint, rust and stone removal
- Rugged 0.7 hp (500 W) motor
- Hardened and ground spiral bevel

 gears
- Delivered with 7" (178 mm) pad

CPT 7269S

4.5" MAX Angle Grinder

- 12,000 RPM
- Motor: 0.88 HP
- Built-in lubricating wick

IRC 3445MAX

Air Grinder, 5" Wheel IRC 345MAX





Right Angle Air Disc Sander

- 19.20 cfm @ load
- 7" Pad
- Rear Exhaust





DIE GRINDERS

2PC Die **Grinder Set**

- Cushion grip handles minimizes user fatigue
- 1/4" Right Angle Die Grinder: 20,000 RPM
- 1/4" Mini Die Grinder: 25,000 RPM

ATD 2122



1/4" Die Grinder

- 1/4" Collet
- 25,000 RPM
- **ATD 2132**



1/4" Mini Angle Die Grinder Kit

- 1/4" Collet
- 22,000 RPM 6.2" long
- Includes (25) 2" Coarse Surface Conditioning Discs
- Includes 2" Quick-Change Disc Holder

ATD 21310





| Part # | Description | Motor | RPM |
|------------|-------------------------------------|--------|--------|
| SUU SX230B | 1/4" Straight Die Grinder | 1/4HP | 20,000 |
| SUU SX232B | 1/4" Angle Die Grinder | 1/4HP | 20,000 |
| SUU SX5206 | 1/4" Composite Angle Die Grinder | 1/2 HP | 18,000 |
| SUU SX5210 | 1/4" Composite Straight Die Grinder | 1 HP | 20,000 |

2 PC 1/4HP Mini Die **Grinders Set**

- Straight (SX307B): 1/4 HP; 22,000 RPM; 97 dBA
- Right Angle (SX301B): 1/4 HP; 28,000 RPM; 97 dBA
- Contoured aluminum housing offers a secure grip
- Variable speed throttle provides accurate control

SUU SX300

2 Piece 1/4" Mini Die **Grinder Kit**

- Straight (SX231B): 1/4 HP; 25,000 RPM; 94.5 dBA
- Right Angle (SX264): 1/4 HP; 20,000 RPM; 93.2 dBA

SUU SX2PK







Composite Die Grinders • 2 year warranty

| Part # | Description | Motor | RPM | dBA |
|-----------|------------------------------|--------|--------|-----|
| ACA 6201 | 1/4" Straight Die Grinder | 1/2 HP | 22,000 | 82 |
| ACA 6255R | 1/4" Angle Die Grinder | 1/2 HP | 20,000 | 82 |
| ACA 6280 | 1/4" Angle Die Grinder | 3/4 HP | 18,000 | 79 |
| ACA 6285 | 1/4" Straight Die Grinder | 3/4 HP | 20,000 | 79 |
| ACA 6290 | 1/4" Reversible Straight Die | 3/4 HP | 20,000 | 90 |
| ACA 6295 | 115º Angle Die Grinder | .6 HP | 18,000 | |

POLISHERS, SANDERS & BUFFERS

7" Angle Polisher and Buffer

- 0.4 HP 2500 RPM
- Variable speed for better control

IRC 313A

7" Air Angle Sander

- Up to 5,000 RPM Heavy duty motor
- Variable speed for better control

IRC 314A





7" Angle Head Sander

- 4.500 RPM
- Ideal for both light and heavy applications
- Automatic throttle release
- Ball bearing construction for longer life
- Dead handle and spindle wrench included

AST 245S

3" Mini Polisher Kit



Chicago Pneumatic

- 2500 RPM
- (1) 3" hook & loop backing pad
- (2) 3-1/2" foam compoundingpads (white/yellow)
- (1) 3.5" wool buffing pad

CPT 7201P



TIRE BUFFER -

Tire Buffer

- 3,000 RPM
- 3/8" Hex Quick Change
- Lock-out lever technology prevents accidental throttle operation

IRC 327LS

Heavy Duty High Speed Tire Buffer IRC 327

PUNCH/FLANGE TOOLS -



) Ingersoll Rand

- 5mm Punch/Flange Tool • 360° swivel head
- 5mm (3/16") diameter hole

SUU SX280

8mm Punch/Flange Tool

- 360° swivel head
- 8mm diameter holepunch/crimp/ flange up to14 gauge capacity
- 7/8" gap

SUU SX278C

Mini Air Polisher/Buffer with 3" Pad Size

- 0.3 HP 6400 RPM Variable speed trigger
- 3" hook and loop style backing pad included

IRC 3129XPA

Mini Random Orbital Sander

- 0.2 HP 15,000 RPM
- 2-speed gearbox and variable speed

IRC 3128XPA





3" Mini Air Polishing Kit

- 2500 RPM
- (1) 3" sanding/polishingvelcro backing pad
- (1) 3" wool buffing pad
- (1) 3" polishing foam pad yellow
- (1) 3" polishing foam pad white

AST 3055

Polishing/Buffing Kit for Headlight **Restoration, Wheel & Parts Polishing**

- Restores aluminum & magnesium rims, headlamps, engine parts, motorcycle parts and plastics
- · Removes clear coats from weathered wheels

AST 3059





PALM SANDERS -









Palm Sanders

- All models with Velcro pads
- Low vibration & lubrication-free
- Low noise levels: 70-78 dBA
- Self vacuum models come with dust collection bag and vacuum hose
- Central vacuum models available
- 2 year warranty

| Part # | Size | Description | Vacuum | Orbit | RPM |
|------------------|------|---------------------------------|------------|-------|--------|
| ACA 6700-3-336 | 3" | Sander/Polisher | Non Vacuum | 3/16" | 11,000 |
| ACA 6700-5-336 | 5" | For light to fine sanding | Non Vacuum | 3/16" | 11,000 |
| ACA 6700-5-336CV | 5" | Central Vac Orbital Palm Sander | Vacuum | 3/16" | 11,000 |
| ACA 6700-6-336 | 6" | For light to fine sanding | Non Vacuum | 3/16" | 11,000 |
| ACA 6700-6-332 | 6" | For light to fine sanding | Non Vacuum | 3/32" | 11,000 |
| ACA 6700-6G | 6" | Ultra Duty Sander | Non Vacuum | 3/16" | 900 |
| ACA 6700-8G | 8" | Ultra Duty Sander | Non Vacuum | 3/16" | 900 |

Ingersoll Rand

SANDERS



2"/3" Mini Orbital Sander Kit

- 15,000 RPM Kit includes:
- Mini random orbital sander
- (1) 2" and 3" backing pads
- (10) 2" 320, 400 and 600 grit sand papers
- (10) 3" 320, 400 and 600 grit sand papers

CPT 7200S



- Adjustable 3/4 x 20.5? air belt file
- For cleaning, weld prep and material removal on tubing and radiused work pieces
- Adjustable roller position allows for sanding along curved surfaces

AST 3039





Pro-Finisher™ Random Orbital Sanders

| Part # | Description | Pad | Orbit | RPM |
|-----------|---------------------------------------|-----------|-------|--------|
| HTN 4500 | Super Sander- Final Finish | 6" PSA | 3/32" | 10,000 |
| HTN 3500 | Super Sander lii- Final Finish | 6" PSA | 3/32" | 10,000 |
| HTN 500 | Profinisher™- Pre & Post Paint | 6" PSA | 3/32" | 10,000 |
| HTN 500-H | Profinisher™- Pre & Post Paint | 6" Velcro | 3/32" | 10,000 |
| HTN 600 | Profinisher™- Material Removal | 6" PSA | 3/16" | 10,000 |
| HTN 600-H | Profinisher™- Material Removal | 6" Velcro | 3/16" | 10,000 |
| HTN 700 | Profinisher™- Material Removal | 6" PSA | 5/16" | 12,000 |
| HTN 720 | Profinisher™- Material Removal | 6" Velcro | 5/16" | 12,000 |
| HTN 503 | Profinisher™- De-Nibbling & Pre Paint | 3" Velcro | 3/32" | 12,000 |

Jitterbug Sander

- 10,000 RPM 3/32" Orbit
- 7.75 x 2.75 Rectangle hook and loop pad
- Silencing technology 80 dBA)
- Doubled sealed, lubrication-free motor prevents dust contamination and the need to oil the tool

ACA 6700-JBS-332



Vacuum-Ready Random **Orbital Air Sander**

• Large 1/2" diameter holes channels virtually all dust away from the work

• 12,000 rpm free speed for swirl-free finishes

IRC 4151



5" Non-Vacuum Dynorbital-**Spirit Random Orbital Sander**

- 12,000 RPM air motor
- Comfort platform provides additional hand and wrist support, for operator comfort

DYN 59035

6" Random Orbital Sander

- · Compact, lightweight,low vibration and ergonomic grip
- Variable speed control
- Orbit: 3/16"
- 10,000 RPM







6" Dual Action Sander

- Rotary & orbital motion
- 10,000 RPM
- Air Inlet: 1/4" NPT(F)
- Length: 8.4"
- Weight: 4.08 lbs.

ATD 2182A



6" Low Vibration Finishing Palm Sanders





Non-Vacuum **Dynorbital-Spirit® Random Orbital Sanders** · Low profile design with

- ergonomic grip
- Color-coded levers identify orbit size
- · One-hand speed control

| Part # | Size | Orbit | RPM |
|-----------|------|-------|--------|
| DYN 59010 | 6" | 3/8" | 12,000 |
| DYN 59020 | 5" | 3/8" | 12,000 |
| DYN 59025 | 6" | 3/16" | 12,000 |
| DYN 59035 | 5" | 3/32" | 12,000 |
| DYN 59040 | 6" | 3/32" | 12,000 |





59025



SIOUX INDUSTRIAL AIR TOOLS

3/8" REVERSIBLE AIR DRILL WITH KEYED CHUCK

- Reversible Trigger Start Variable Speed Control
- Rubber Grip Rotatable Exhaust
- Power: 1 HP Free Speed: 2000 rpm
- · Weight: 2.6 lb · Length: 7.6 in

SI SDR10P20R3



- Rapid Reverse FeatheringTrigger Ergonomic Grip
- Light Weight Aluminum Housing
 Easy to Maintain 'Drop-in Motor'
- Low Noise
 3 Planet Gear System
- Power: 1 HP Free Speed: 2000 rpm
- · Weight: 2.6 lb · Length: 7.6 in

SI SDR10P20R3RR

| N | Free Speed | |
|--------------|----------------|-------|
| NUMBER | TYPE | RPM |
| SI SDR4P12N2 | NON-REVERSIBLE | 1,200 |
| SI SDR4P26N2 | NON-REVERSIBLE | 2,600 |
| SI SDR4P43N2 | NON-REVERSIBLE | 4,300 |
| SI SDR4P50N2 | NON-REVERSIBLE | 5,000 |
| SI SDR4P18R2 | REVERSIBLE | 1,800 |
| SI SDR4P24R2 | REVERSIBLE | 2,400 |
| SI SDR4P33R2 | REVERSIBLE | 3,300 |



SDR4P SERIES COMPACT DRILLS

- 0.4 HP High Power to Weight Ratio
- Precision Spindle & Chuck: ±0.0025 Runout
- 3 Planet Gear-Set Longer Life
- Ergonomic Features:
 - Integrated Finger Rest
 - Contoured 3-Finger Grip
 - Low Noise 78 dBA
- Drop-In Motors Ease of Service
- Great for Tough to Reach Applications

DIE GRINDERS

STRAIGHT GRINDER

- Power: 0.5 HP
- Free Speed: 22,000 rpm

SI 5054A

MINI GRINDER

- Power: 0.3 HP
- Free Speed: 26,000 rpm

SI 5053A

ANGLE GRINDER

- Power: 0.3 HP
- Free Speed: 20,000 rpm

SI 5055A

PENCIL GRINDER

- Power: 0.1 HP
- Free Speed: 54,000 rpm

SI 5978A

RANDOM ORBIT SANDERS

FEATURES

- Universal Grip

- User Friendly Lock Rings
 Intelligently Designed Motor
 Advanced Spindle Design
 Naturally Contoured Power Lever Easy to Service
 Power: 0.25 HP (0.19 KW) Free Speed: 12,000 RPM



| Model N | umber | Free Speed | Pad | Size | Orbi | t Dia | We | ight | Hei | ght | Air |
|-----------------|-----------------|--------------|-------|--------|------|-------|-----|------|-----|-----|-----|
| PSA Pad | H&L Pad | RPM | in | mm | in | mm | lb | kg | in | mm | CFM |
| NON VACUUM | | | | | | | | | | | |
| SI RO2512-30FNP | SI RO2512-30FNH | 12,000 | 3.0 | 75 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-30SNP | SI RO2512-30SNH | 12,000 | 3.0 | 75 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-50FNP | SI RO2512-50FNH | 12,000 | 5.0 | 125 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-50SNP | SI RO2512-50SNH | 12,000 | 5.0 | 125 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-60FNP | SI RO2512-60FNH | 12,000 | 6.0 | 150 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-60SNP | SI RO2512-60SNH | 12,000 | 6.0 | 150 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| | I | REMOTE VACU | UM RE | ADY | | | | | | | |
| SI RO2512-30FRP | SI RO2512-30FRH | 12,000 | 3.0 | 75 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-30SRP | SI RO2512-30SRH | 12,000 | 3.0 | 75 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-50FRP | SI RO2512-50FRH | 12,000 | 5.0 | 125 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-50SRP | SI RO2512-50SRH | 12,000 | 5.0 | 125 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-60FRP | SI RO2512-60FRH | 12,000 | 6.0 | 150 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-60SRP | SI RO2512-60SRH | 12,000 | 6.0 | 150 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| | SELF (| CONTAINED VE | NTUR | I VACI | JUM | | | | | | |
| SI RO2512-30FVP | SI RO2512-30FVH | 12,000 | 3.0 | 75 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-30SVP | SI RO2512-30SVH | 12,000 | 3.0 | 75 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-50FVP | SI RO2512-50FVH | 12,000 | 5.0 | 125 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-50SVP | SI RO2512-50SVH | 12,000 | 5.0 | 125 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-60FVP | SI RO2512-60FVH | 12,000 | 6.0 | 150 | 3/32 | 3 | 1.5 | 0.7 | 3.3 | 83 | 13 |
| SI RO2512-60SVP | SI RO2512-60SVH | 12,000 | 6.0 | 150 | 3/16 | 5 | 1.5 | 0.7 | 3.3 | 83 | 13 |



3M™ CLEAN SANDING FILTER BAG, 10PK 3MI 20452



3M™ FILTER BAG ADAPTER 3MI 20453

PENCIL GRINDERS & CUT-OFF TOOLS

1/8" Pencil Type Die Grinder

- 56,000 RPM
- Lightweight and ideal for tight spots
- Twist throttle for variable speed control
- Ideal for cleaning of dies, rotors, backing plates, brake pads, mounts plus many other applications

AST 218



1 HP Pencil Grinder

- 0.1 HP (0.07 kW) power
- 1/8"collet
- Free speed of 54000 RPM
- Ergonomic grip offers increased operator comfort

SI 5978A



CUT-OFF TOOLS



3" In-Line Cut-Off Tool AST 209

• 15,000 RPM

AST 209



Utility Cut-Off Tool with Guard • 20,000 RPM

ATD 2139





ONYX 3" Cut-Off Tool

- Positive control and lock-out throttle protection
- Adjustable Rear Exhaust Safety throttle lever
- Built-in power regulator Direct drive motor
- Graduated trigger Metal guard

AST 208



ONYX Flex Head Reversible HD Cut Off Tool

- Flex-head design allows for setting the tool 25° forward or backward for clearance
- Forward and reverse dial, you choose where the sparks are thrown
- 0.8 horsepower motor, designed for full throttle heavy-duty applications

AST 408



Quick Change In-Line 4" Cut-Off Tool

- Massive power rating of 3/4HP
- Quick Change button on housing locks motor for easy disc changes
- 4" size for maximum cutting capacity
- In-Line design for straighter, naturally consistent cuts
- Lever lock safety guard quickly and easily adjusts
- Works with most 3/8" and 5/8" hole cut-off wheel
- Includes one 4" cut-off wheel

AST 409



Air Body Saber Saw with 5 Blades

- Ideal for body shop repair, muffler and exhaust work
- Adjustable blade guide increases blade life
- Cuts all types of aluminum, plastic, fiberglass and sheet metal

AST 930

ONYX Gear Driven Heavy Duty Air Saw

- Industry leading gear-driven design with 250% more cutting capacity than standard air saws
- Cut quicker and thicker up to 1/4" (6.4mm) mild steel
- Accepts universal 1/2" shank standard saw blades

AST 936



4" Extended Cut-Off Tool

- 1 HP motor
- 14,000 RPM
- 11-position 126° adjustable swivel guard
- Length: 14.75"

CPT 9116









3" Heavy Duty Air Cut-Off Tool

• 18,000 RPM IRC 326

3" Reversible Cut-Off Tool

• Includes 5 cut-off wheels

• 20,000 RPM

IRC 426

SAWS, SANDERS & AIR DRILLS

R) Ingersoll Rand



| Part # | Description | Stroke Length | Strokes per minute |
|---------|---------------------------------------|------------------|--------------------------|
| IRC 429 | Heavy Duty • Includes 6 HSS | 10mm (3/8") | 10,000 |
| IRC 529 | Reduced Vibration • Includes 6 blades | 10mm (3/8") | 9500 |





Air Body Saw

- Cuts up to 1/16" steel or 1/2" plywood
- 10,000 SPM
- .354" stroke length
- Weight: 1.45 lbs
- 18 TPI and 24 TP1 blades

ATD 2142A



Reciprocating Air Saw

- 5.000 SPM
- Dual-Speed design for control
- Quick change blade design retainer for quick and easy blade changes
- · Accepts various types of reciprocating saw blades
- Patented reciprocating crank mechanism motor
- Capable of cutting 1/4" thick steel and steel pipe up to 3"
- Rear exhaust

ACA 6355

Low-Vibration Saw

- 9,500 stroke/minute motor provides very fast cutting action
- The internal damping system reduces the vibration level to 2.5m/sec2
- Comes complete with 18, 24 and 32 teeth power saw blades
- The rotational rear exhaust muffler allows exhaust air to be directed as preferred
- Overall length of only 8" and low a weight of only 1.13 lbs.

ACA 6350

SANDERS



Air Twin Piston Straight Line Air Sander, 2-3/4" x 17-1/2" Pad

- Twin piston design
- 3,000 reciprocating strokes per minute
- Quick action paper clamps
- Smooth, reliable power

IRC 315



- Non-slip handle grip Variable speed control
- Simple belt tension lever





Sold in packs of 10





| Part # | Belt Size | Grit | For Model # |
|--------------|------------|------|-------------|
| AST 303640G | 3/8" X 13" | 40 | AST 3036 |
| AST 303660G | 3/8" X 13" | 60 | AST 3036 |
| AST 303680G | 3/8" X 13" | 80 | AST 3036 |
| AST 303736G | 1/2" X 18" | 36 | AST 3037 |
| AST 303740G | 1/2" X 18" | 40 | AST 3037 |
| AST 303760G | 1/2" X 18" | 60 | AST 3037 |
| AST 303780G | 1/2" X 18" | 80 | AST 3037 |
| AST 3037100G | 1/2" X 18" | 100 | AST 3037 |









| Part # | Description | Speed | Orbit | Exhaust | Weight |
|----------|------------------------------|------------|-------|---------|----------|
| IRC 311A | 6" Dual-Action Quiet Sander | 12,000 RPM | 3/16" | Side | 4.2 lbs. |
| IRC 313A | 7" Angle Sander | 5000 RPM | - | Front | 4.5 lbs. |
| IRC 317A | 3"/5" High Speed Sander | 18,000 RPM | - | Rear | 2.3 lbs. |
| IRC 328B | 8" Dual-Action Geared Sander | 825 RPM | 5/32" | | 4.7 lbs. |









| Part # | Chuck | Description | HP | Free Speed | Length | Weight | dBA |
|--------------|-------|--|-----|------------|--------|----------|-------|
| IRC 7807R | 3/8" | Standard Duty Reversible Air Angle Drill with Standard Chuck | 1/3 | 1800 RPM | 8.11" | 2.42 lbs | 100.2 |
| IRC 7802A | 3/8" | Heavy Duty Air Drill with Standard Chuck | 1/2 | 2000 RPM | 6.14" | 2.90 lbs | 94 |
| IRC 7802RA | 3/8" | Heavy Duty Reversible Air Drill with Standard Chuck | 1/2 | 2000 RPM | 6.14" | 2.90 lbs | 94 |
| IRC 7802RAKC | 3/8" | Heavy Duty Reversible Air Drill with Keyless Chuck | 1/2 | 2000 RPM | 6.89" | 2.99 lbs | 94 |
| IRC 7803A | 1/2" | Standard Duty Air Drill with Standard Chuck | 1/2 | 500 RPM | 7.09" | 3.61 lbs | 94 |
| IRC 7803RA | 1/2" | Standard Duty Reversible Air Drill with Standard Chuck | 1/2 | 500 RPM | 7.09" | 3.61 lbs | 94 |

HAMMERS & DRILLS











| Part # | Description | Shank | Barrel | BPM | Stroke Length | Overall Length | Weight | dBA |
|-------------|--|-------|----------|------|------------------|-------------------|----------|-------|
| IRC 117 | Standard Duty Air Hammer | .401 | Standard | 2000 | 3.5" | 9.9" | 4.1 lbs. | 103.5 |
| IRC 117K | Standard Duty Air Hammer Kit ● 5 Chisels | .401 | Standard | 2000 | 3.5" | 9.9" | 4.1 lbs. | 103.5 |
| IRC 121Q | Super Duty Air Hammer | .401 | Standard | 3000 | 2.28" | 7.6" | 3.5 lbs. | 95.3 |
| IRC 121-K6 | Super Duty Air Hammer Kit ● 6 Chisels | .401 | Standard | 3000 | 2.28" | 7.6" | 3.5 lbs. | 95.3 |
| IRC 119MAX | Vibration Reduced Air Hammer | .401 | Long | 2530 | 3.5" | 9.1" | 4.5 lbs. | 95.7 |
| IRC 119MAXK | Vibration Reduced Air Hammer Kit ● Quick change retainer ● 5 Chisels | .401 | Long | 2530 | 3.5" | 9.1" | 4.5 lbs | 95.7 |
| IRC 123MAX | Vibration Reduced Air Hammer | .401 | Short | 3530 | 2.6" | 7.2" | 3.9 lbs | 95.0 |
| IRC 123MAXK | Vibration Reduced Air Hammer Kit ● Quick change retainer ● 5 Chisels | .401 | Short | 3530 | 2.6" | 7.2" | 3.9 lbs | 95.0 |



.401 Air **Hammer Kit**

- 3000 BPM
- Piston stroke: 2-5/8
- Includes 5
- assorted chisels • 2 year warranty

ACA 5100-A



Heavy-Duty Air Hammer

- · Perfect for chipping, riveting, cutting, piercing and peening
- 4300 BPM
- Features quick change chisel holder
- Barrel Stroke: 1.7'
- Weight: 2.3lbs

ATD 2150A





Heavy-Duty Long Stroke Air Hammer ATD 2151A

Heavy-Duty Reciprocating Saw

- Compact and lightweight
- For all general cutting
- Ideal tool for periodic usage Air reciprocating saw
- Ergonomic design and robust housing handle
- Adjustable guard guide
- 3/8" (10mm) stoke length
- Includes (1) each 18T, 28T, 32T replacement blades

CPT 7900









Chicago Pneumatic

| Part # | Description | Shank | BPM | Stroke Length | Overall Length | Weight | dBA |
|-----------|--|-------|------|------------------|-------------------|---------|------|
| CPT 7110K | Heavy Duty Shock Reduced Air Hammer Kit Ouick change retainer • 4 chisels | .401 | 3200 | 2.63" | 9" | 4 lbs | 98.3 |
| CPT 7150 | Heavy Duty Air Hammer | .401 | 2300 | 3.5" | 8.9" | 4.2 lbs | 100 |
| CPT 7150K | Heavy Duty Air Hammer Kit • 4 chisels | .401 | 2300 | 3.5" | 8.9" | 4.2 lbs | 100 |

DRILLS



Reversible Composite Air Drills

• 2 year warranty

| 2 your warran | 2 jour trainer | | | | | | | | | | | |
|---------------|----------------|---------|------------|-----|---------|--|--|--|--|--|--|--|
| Part # | Chuck | Motor | Free Speed | dBA | Weight | | | | | | | |
| ACA 4338 | 3/8" Jacobs | 5/8 HP | 1800 RPM | 85 | 2.5 lbs | | | | | | | |
| ACA 4337 | 3/8" Keyed | 0.75 HP | 1600 RPM | 75 | 2.4 lbs | | | | | | | |
| ACA 4450 | 1/2" Keyed | 5/8 HP | 400 RPM | 85 | 3 lbs | | | | | | | |





COMPRESSORS



Why Ingersoll Rand?

- 100% CAST Iron pump for durability
- 100% Continuous Duty Rating- designed to run continuously during peak demand
- Two Year Pump Warranty with purchase of Start-Up Kit
- 175 maximum PSI for greater storage capabilities
- Nation-wide service coverage

PLEASE CALL FOR **MORE INFORMATION** OR FOR OTHER PACKAGE CONFIGURATIONS.











Two-Stage Gas-Driven

| Part # | Motor | Engine | Tank Capacity (Gallons) | Airflow CFM | Max. PSI | Air Outlet | Dimensions L x W x H | Weight |
|---------------|-------|--------|-------------------------|--------------|----------|------------|----------------------|---------|
| IRR 2475F13GH | 13 HP | Honda | 30, Horizontal | 25 @ 150 PSI | 175 | 1/2" NPT | 51" x 33" x 44" | 469 lbs |
| IRR 2475F14G | 14 HP | Kohler | 30, Horizontal | 24 @ 150 PSI | 175 | 1/2" NPT | 51" x 33" x 44" | 469 lbs |

Two-Stage Electric-Driven Type 30 Air Compressors

| Part # | Motor | Volts/Phase/ | Tank Capacity (Gallons) | Airflow CFM | Max. PSI | Air Outlet | Dimensions L x W x H | Weight |
|-----------------|--------|--------------|-------------------------|--------------|----------|------------|----------------------|----------|
| IRR 2340L5-V230 | 5 HP | 230-1-60 | 60, Vertical | 14 @ 175 PSI | 175 | 1/2" NPT | 24" x 33" x 69" | 435 lbs |
| IRR 2475N7.5-V1 | 7.5 HP | 230-1-60 | 80, Vertical | 24 @ 175 PSI | 175 | 3/4" NPT | 48" x 40" x 76" | 611 lbs |
| IRR 2475N7.5-P1 | 7.5 HP | 230-1-60 | 80, Vertical | 24 @ 175 PSI | 175 | 3/4" NPT | 48" x 40" x 76" | 611 lbs |
| IRR 2545E10-VP1 | 10 HP | 230-3-60 | 120, Horizontal | 35 @ 175 PSI | 175 | 3/4" NPT | 83" x 36" x 65" | 1104 lbs |

Single-Stage Air Compressors

| Part # | Motor | Volts/Phase/Amps | Tank Capacity (Gallons) | Airflow CFM | Max. PSI | Air Outlet | Dimensions L x W x H | Weight |
|-----------|-------|------------------|-------------------------|---------------|----------|------------|----------------------|---------|
| IRR SS3L3 | 3 HP | 230-1-60 | 60, Vertical | 11.3 @ 90 PSI | 135 | 1/2" NPT | 24" x 25" x 67" | 300 lbs |



2 year warranty on Belaire Compressors

PLEASE CALL FOR MORE INFORMATION OR FOR OTHER PACKAGE CONFIGURATIONS.













2020016104

| Part # | Motor | Volts/Phase | Gallons / Tank Type | Airflow CFM | Max. PSI | Dimensions L x W x H | Weight |
|-----------------------|-------------------|-------------------|---------------------|----------------|----------|----------------------|---------|
| Two-Stage Electric Co | mpressors with Ca | ast Iron Cylinder | | | | | |
| IMC 4916V | 5 HP | 230/1 | 60, Vertical | 16.1 @ 100 PSI | 165 | 27.2 x 22.9 x 69.7 | 261 lbs |
| IMC 4918VN | 5 HP | 230/1 | 80, Vertical | 16.1 @ 100 PSI | 175 | 24 x 36 x 73 | 382 lbs |
| IMC 318VN | 5 HP | 208-230/1 | 80, Vertical | 18.5 @ 100 PSI | 175 | 39 x 24 x 77 | 428 lbs |
| IMC 318VL | 7.5 HP | 208-230/1 | 80, Vertical | 25.3 @ 100 PSI | 175 | 39 x 24 x 77 | 479 lbs |
| IMC 2020016104 | 15 HP | 230/3 | 120, Horizontal | 54.4 @ 100 PSI | 175 | 78 x 28 x 55 | 995 lbs |
| IMC 2020039800 | 5 HP | 230/3 | 60, Vertical | 15.4 @ 100 PSI | 175 | 29 x 21 x 70 | 475 lbs |
| IMC 2020039822 | 5 HP | 230/3 | 80 Vertical | 17 7 @ 100 PSI | 175 | 37 x 24 x 74 | 680 lbs |

| Part # | Motor | Engine | Gallons / Tank Type | Airflow CFM | Max. PSI | Dimensions L x W x H | Weight |
|--------------------------|--------------|--------|---------------------|----------------|----------|----------------------|---------|
| Two-Stage Gasoline Drive | n Air Compre | ssor | | | | | |
| IMC 3G3HHL | 13 HP | Honda | 30, Horizontal | 25.3 @ 100 PSI | 175 | 45 x 19 x 45 | 378 lbs |
| IMC 3G3HKL | 14 HP | Kohler | 30, Horizontal | 25.3 @ 100 PSI | 175 | 45 x 19 x 45 | 369 lbs |

AIR TOOLS & ACCESSORIES

COMPRESSORS



Why Rotary

- Quiet Operation- fully enclosed units operating at 65 to 69 dBA
- 100% Continuos Duty Rating designed to run 24 hours a day
- Energy Efficient more cfm per horsepower
- Better Air Quality lower moisture and oil carryover
 Easy Installation "Plug & Play"

Standard Package Features

- E-Pact energy efficient motor
- · Air-cooled After-cooler
- Full-Voltage Motor Starter
- Tank-mounted design

Total Air System (TAS) Package also include:

- Integrated refrigerated Cycling Dryer Energy saving design
- Integrated Coalescing Filter(s) Removes oil and dust for clean air quality
- Provides clean and dry compressed air to protect your downstream tools & equipment
- Electric Drain Valve

"Standard Package" Rotary Screw Compressors

| Part # | Motor | Volts/Phase/Amps | Tank Capacity (Gallons) | Airflow CFM | Max. PSI | Dimensions L x W x H | Weight |
|------------------|-------|------------------|-------------------------|-------------|----------|----------------------|---------|
| IRR UP6-10-150A | 10 HP | 230-3-60 | 80, Horizontal | 32.3 | 150 | 70.2" x 29" x 56.5" | 908 lbs |
| IRR UP6-15C-150A | 15 HP | 230-3-60 | 80, Horizontal | 47.3 | 150 | 70.2" x 29" x 56.5" | 908 lbs |

"Air System" Rotary Screw Compressors

| - | - | | | | | | |
|------------------|-------|------------------|-------------------------|-------------|----------|----------------------|---------|
| Part # | Motor | Volts/Phase/Amps | Tank Capacity (Gallons) | Airflow CFM | Max. PSI | Dimensions L x W x H | Weight |
| IRR UP6-10TAS-I | 10 HP | 230-3-60 | 80, Horizontal | 34 | 150 | 70.2" x 29" x 56.5" | 983 lbs |
| IRR UP6-15CTAS-I | 15 HP | 230-3-60 | 80, Horizontal | 50 | 150 | 70.2" x 29" x 56.5" | 983 lbs |

AIR FILTERS, REGULATORS & LUBRICATORS

Air Control Unit

















Filter, Regulator and Gauge Combination Unit with Manual Drains

- · Output performance equal to an individual filter and regulator
- · Reduced pressure outputs of 5-125 psi

| Part # | Pipe Size | Filter Element | Max. Flow CFM | Bowl Capacity | Bowl Type | Max. Flow Pressure |
|----------|-----------|----------------|------------------|------------------|-----------|--------------------|
| ATD 7854 | 1/4" | 40 microns | 50 | 6 oz | Metal | 250 psig |
| ATD 7858 | 1/2" | 40 microns | 100 | 6 oz | Metal | 250 psig |

General Purpose Filters

• Removes liquid, water, dirt and debris from air lines • Manual drain

| Part # | Pipe Size | Filter Element | Max. Flow CFM | Bowl Capacity | Bowl Type | Max. Flow Pressure |
|----------|-----------|----------------|------------------|------------------|-----------|--------------------|
| ATD 7823 | 1/4" | 40 microns | 48 | 5 oz | Poly | 150 psig |
| ATD 7824 | 1/4" | 40 microns | 48 | 6 oz | Metal | 250 psig |

Air Flow Lubricators

- Injects a fine stream of oil into the air stream to automatically lubricate air operated tools
- Three position non-rising knob push to lock, pull to adjust, detach to make tamper resistant
- Precise control of oil feed with needle valve adjustment knob

| Part # | Pipe Size | Max. Flow CFM | Bowl Capacity | Bowl Type | Required CFM to Operate | Max. Flow Pressure |
|----------|-----------|---------------|------------------|-----------|----------------------------|--------------------|
| ATD 7847 | 1/4" | 16 | 5 oz | Poly | 2 SCFM | 150 psig |
| ATD 7849 | 1/2" | 142 | 5 oz | Poly | 2 SCFM | 150 psig |



PLEASE CALL FOR MORE INFORMATION OR FOR OTHER PACKAGE CONFIGURATIONS.







Air Control Unit

- Filter and regulator in one
- 120 CFM capacity
- · Remove water, oil and contaminants (down to 5µm) from compressed air, and provide constant air supply
- Easy reusable/replaceable in-line filter
- Strong aluminum housing for extensive

AST 2618



3/8" Filter/Regulator with Gauge

- Prevents costly damage to air tools caused by rust, scale and moisture
- · Efficiently traps moisture while passing through clean, dry compressed air
- Gauge has rugged polycarbonate case with 2 face
- 1/4" or 3/8" NPT with Max 135psi
- Air flow unit 1350L/min

AST 2615

3/8" Filter, Regulator & Lubricator with Gauge

- Provides clean, dry, regulated compressed air over a wide range of airflows with accurate control and fast response
- 1/4" or 3/8 " NPT with Max 160psi
- Air flow unit 1350L/min
- 5µm Micron filter

AST 2616



112

BEAD SEATERS & AIR COMPRESSOR ACCESSORIES

BEAD SEATERS

5-Gallon Bead Seater

- ASME-certified 5-gallon powder coated steel tank
- Seats beads on all tires from 4" to 24.5" sizes
- Operates on standard shop air
- · Built-in carrying handle for portability

ATD 9905



Cheetah Truck Tire Bead Seater

- Makes seating the most difficult bead not only safe but simple, fast and economical
- Designed for commercial use on all tires ATV to 24.5. truck tires
- Welded tab on barrel allows it to lock securely on the rim edge for better control of air discharge between tire and wheel
- Discharge valve design allows tank discharge in one quick motion
- Safety release valve is pre-set a 160 PSI

TSE CH-5

AIR FILTERS —

1/2" Filter, Regulator & **Lubricator - 100 SCFM**

- Pipe Size: 1/2" Max Flow SCFM: 100
- Bowl Capacity: 5 oz. Bowl Type: Metal
- Drain: Manual Max Pressure: 250 PSI
- Filter Element: 40 micron

ATD 7873



Compressed Air Filter

- Standard 1/2" NPT piggyback filter and regulator and metal bowl with sight
- 40 Micron 100 SCFM

ATD 7858



1/2" Regulator with **Adjustment Knob**

- Pipe Size: 1/4"
- Operating Temp: 40-120°F
- Adjustment Range: 5-125 PSI
- T-handle: 50 SCFM maximum
- (2) 1/4" NPT gauge ports
- Pressure gauge included

ATD 7844

Air Filter Regulators Lubricators

| es. Las | REGULATORS | FILTERS | |
|---------------------|------------|-----------|------------|
| | With Gauge | Poly Bowl | Metal Bowl |
| 1/4" Mini - 25 SCFM | ATD 7841 | | |
| 1/4" Std - 50 SCFM | ATD 7843 | ATD 7823 | ATD 7824 |
| 1/2" Std - 100 SCFM | ATD 7844 | ATD 7827 | ATD 7828 |

High Tech Air Preparation System

- Six stage filter to purify air
- True diaphragm regulator holds precise pressure
- Filters moisture, dirt, dust, oil, and oil vapors
- Affordable and perfect for any paint area

MOT MHT-7000



HOSE REELS -

Heavy-Duty Retractable Air Hose Reel

- 300 PSI hose reel with 8-position ratchet mechanism locks reel at desired hose length
- Slotted mounting bolt holes allow easy reel mounting

| Part | Description |
|-----------|---------------------|
| ATD 31166 | 3/8"x 50 FT, 25 CFM |
| ATD 31167 | 1/2"x 50 FT, 35 CFM |

Heavy-Duty Retractable Air Hose Reel

- Heavy-duty all steel construction
- · Slotted mounting base for easy attachment to ceiling, walls, work benches
- Spring-powered automatic recoil
- Angled hose guide for smooth, parallel hose pull-out and retraction
- 8-position ratchet gearing locks the reel at the desired hose length

| Part | Description |
|-----------|---------------------|
| LNI 83753 | 3/8"x 50 FT, 25 CFM |
| LNI 83754 | 1/2"x 50 FT, 35 CFM |



FLEXZILLA

INCOL

Premium Air Hose with Bend Restrictors

- Auto Retract / Auto Latch Hose Mechanism
- Hose latches in 18 in. intervals
- Durable polypropylene
- 3 ft. lead-in hose
- Kink resistant under pressure
- · Extreme all weather flexibility, even in sub-zero
- temperatures (-40° to 150° F)
- Maximum working pressure: 150 PSI



| Part | Description |
|-------------|--|
| LEG L8250FZ | 3/8"x 50 FT Enclosed Retractable ZillaReel™ |
| LEG L8611FZ | 3/8"x 50 FT Open Face Retractable ZillaReel™ |
| LEG L8741FZ | 1/2"x 50 FT Open Face Retractable ZillaReel™ |

12251FL



Bulk Red Rubber Air/Water Hose, 700FT

- Easy to handle and very flexible due to its multi-spiral layers of durable reinforcement
- Inner Diam: 3/8'
- Outside Diam: 0.720"
- Bend Radius: 2 1/4" [Min]
- Max Operating Pressure: 300 PSI

OKL 713-20026971

AIR HOSES & ACCESSORIES

AIR HOSES -

25' Coil

- Nylon tangle-proof design stays permanently coiled
- Working pressure up to 200 PSI & 360° swivel fittings

| ٥. | • | · · |
|----------|------|---------|
| Part # | Size | Weight |
| ATD 8200 | 1/4" | .6 LBS |
| ATD 8216 | 3/8" | 1.1 LBS |



3/8" Hybrid Air Hose

- Hybrid polymer Superior cold weather flexibility and lays flat
- Max Working Pressure: 300 PSI Max Burst Pressure: 1,200 PSI
- Oil. UV. weather and abrasion resistant cover
- Bend restrictors on hose ends prevent damage
- 1/4" solid brass NPT end fittings

| Part # | Length |
|-----------|------------|
| ATD 18025 | 25 FT Hose |
| ATD 18050 | 50 FT Hose |





Four Spiral Rubber Air Hose

- Perfect for a wide range of automotive, industrial, construction and agricultural applications
- · Weather, oil and solvent resistant outer EPDM rubber coating
- Solid brass fittings Use for both air and water applications
- Max operating pressure: 300 PSI Temperature range: -40°F to 190°F
- Made in the USA

| Part # | Size | Burst PSI |
|----------|--------------|-----------|
| ATD 8210 | 3/8" x 50 FT | 1,200 |
| ATD 8209 | 3/8" x 25 FT | 1,200 |
| ATD 8212 | 1/2" x 50 FT | 1,200 |



Zilla Whip Hose, 300 PSI

- Increases longevity of the main hose, and reduces user fatigue by eliminating weight of coupler/plug
- Ball swivel increases mobility

| Part # | Size |
|-----------------|--------------|
| LEG HFZ3802YW2B | 3/8" X 2 FT |
| LEG HFZ3804YW2B | 3/8" X 4 FT |
| LEG HFZ3806YW2B | 3/8" X 6′ FT |





Flexzilla™ Air Hose offers zero memory so it lies flat where you drop it. And it won't work against you while in use or coiling-even in sub zero conditions. Its extreme All weather flexibility is due to a Premium Hybrid Polymer material that redefines flexibilty. This hose will not kink when pressurized.

FLEXZILLA AIR HOSES

- Extreme all weather flexibilty (-40° to + 140°F)
- No memory, lies flat Superior bend radius
- No kink under pressure Abrasion resistant
- 300 PSI max working pressure
- 2 year warranty



Black fittings are anodized T-6 6061 aircraft aluminum

HOSE ACCESSORIES -



Reusable End, 3/8" Flexzilla® & Flexzilla® Pro

- Reusable NPT anodized aluminum fitting for 3/8" Flexzilla® and Flexzilla® Pro air hose
- Spiral bend restrictor increases hose flexibility

| Part # | Description |
|---------------|--|
| LEG RP900375 | 3/8" Hose End Fitting & Bend Restrictor, 1/4" MNPT |
| LEG RP900625F | 5/8" Female Hose End Fitting, 3/4" — 11 1/2 GHT |
| LEG RP900625M | 5/8" Male Hose End Fitting,3/4" — 11 1/2 GHT |

Reusable Splicer

 Reusable anodized aluminum fitting for 3/8" Flexzilla® and Flexzilla® Pro air hose









Air & Water Hoses

| 7111 CL Trutor 110000 | | |
|-----------------------|---------------|-----------------|
| Part # | Size/Length | Туре |
| LEG HFZ3825YW2 | 3/8" X 25 FT | Air Hose |
| LEG HFZ3835YW2 | 3/8" X 35 FT | Air Hose |
| LEG HFZ3850YW2 | 3/8" X 50 FT | Air Hose |
| LEG HFZ38100YW2 | 3/8" X 100 FT | Air Hose |
| LEG HFZ38250YW | 3/8" X 250 FT | Bulk Air Hose |
| LEG HFZ38250YW-1 | 3/8" X 250 FT | Bulk Air Hose |
| LEG HFZ1225YW3 | 1/2" X 25 FT | Air Hose |
| LEG HFZ1250YW3 | 1/2" X 50 FT | Air Hose |
| LEG HFZ12100YW3 | 1/2" X 100 FT | Air Hose |
| LEG HFZ12250YW | 1/2" X 250 FT | Bulk Air Hose |
| LEG HFZ14250YW | 1/4" X 250 FT | Bulk Air Hose |
| LEG HFZWP550 | 5/8" X 50 FT | Water Hose |
| LEG HFZWP5100 | 5/8" X 100 FT | Water Hose |
| LEG HFZW58250YW | 5/8" X 25 FT | Bulk Water Hose |

GUARDAIR


BLOW GUNS

Cyclone F1 Blow Gun Kit With Xtreme-Flo Nozzle

- Features an Xtreme-Flo™ nozzle which is capable of moving large volumes of debris
- . Increases the velocity and volume of air exiting the nozzle boosting the available thrust up to 250% by drawing ambient air through two side ports
- In case a deadhead occurs with the nozzle, air will exit two side ports satisfying OSHA safety standards
- Durable cast aluminum body
- · High volume

LEG AG1502FZ

- 1/4" NPT (female) inlet
- Large storage hook 35 CFM @ 100 PSI





- The Cyclone™ F3 features a Quiet-Flo™ nozzle, which incorporates the highly efficient "Coanda Effect", increasing air thrust while decreasing the amount of expansive compressed air used
- Quiet-Flo™ satisfies OSHA safety standards with a reduction of noise levels
- · Solid conical tip prevents blockage
- 1/4" NPT (female) inlet Large storage hook
- High Volume Durable cast aluminum body
- Meets OSHA standards

LEG AG1102FZ



Long John Safety Air Gun, 12" Extension

- The perfect tool for cleaning inaccessible and hard-to-reach areas, "Long John" safety air guns are used for blowing floor debris, cleaning masonry forms, tanks, ovens, molds, and rafters, as well as, machinery and storage areas
- Efficient zinc alloy venturi nozzle boosts thrust up to 200% over conventional air guns, yet limits static pressure to less than 30 PSI should the tip become blocked
- Ergonomic, Classic pistol grip-style handle provides maximum user comfort
- Available in 6" 72" lengths
- Durable cast aluminum body with hanging hook Wide comfort trigger
- Rugged aluminum extension 1/4" FNPT inlet

GRD 75LJ012AA

Typhoon High Volume Air Blow Gun

- Ideal for heavy-duty clean-up and blow-off of even heaviest shavings and chips
- · Lightweight and ergonomic
- · Variable trigger for controlled blow-off
- Max Flow 34 CFM @ 125 PSI •2.1 LBS of thrust

ACM A680CS



BLOW GUN EXTENSIONS

- Flexzilla Blow Gun Extension Tube
- Combine extensions and nozzles as needed, up to 6 FT
- Meets or exceeds OSHA standards

| Part # | Description |
|---|--|
| LEG AG1006FZ Flexilla 6" Cyclone Aluminum Blow Gun Extension Tube | |
| LEG AG1012FZ | Flexilla 6" Cyclone Aluminum Blow Gun Extension Tube |



OSHA

| Part # | Description | |
|-----------|---|--|
| MIL 107-S | Button, Blo-Gun SAFETY | |
| MIL 115-S | ADJ. Pocket Blo-Gun M-Style | |
| MIL 116-S | ADJ. Pocket Blo-Gun A-Style | |
| MIL 117-S | ADJ. Pocket Blo-Gun T-Style | |
| MIL 120-S | Lever Hook Blo-Gun SAFETY | |
| MIL 131 | Safety Blo-Gun | |
| MIL 148-S | Lever Hook Blo-Gun | |
| MIL 149 | Super Volume Blo-Gun SAFETY | |
| MIL 150-S | Lever Blo-Gun SAFETY | |
| MIL 151 | Control Valve | |
| MIL 152 | Rubber Tip for Blo-Gun - Tip Only | |
| MIL 153-S | Rubber Tip Blo-Gun | |
| MIL 154-S | Rubber Tip Blo-Gun for Automatic Trans. | |
| MIL 158 | Blo-Gun 2' Ext. w/ Safety & Rubber Tip | |
| MIL 159 | Blo-Gun 4' Ext. w/ Safety & Rubber Tip | |
| MIL 160-S | Pistol Grip Blo-Gun | |

COUPLERS



The industry leader in high quality pneumatic accessories and fittings, proudly living up to a heritage of superior products and reliability









| Part # | Description | |
|--------------|---|--|
| MIL 504 | Inf. Gage, Straight Head Chuck | |
| MIL 600-S-C | 1/4" M. End, 1/4" ID Hose, 2/CD | |
| MIL 602 | 1/4" M. End, 3/8" ID Hose | |
| MIL 602-S | 1/4" M. End, 3/8" ID Hose, 2/CD | |
| MIL 603 | 3/8" M. End, 3/8" ID Hose | |
| MIL 603-S | 3/8" M. End, 3/8" ID Hose, 2/CD | |
| MIL 604 | 3/8" M. End, 1/2" ID Hose | |
| MIL 605 | 1/4" F. Solid End, 1/4" ID Hose | |
| MIL 605-2 | 1/4" F. Solid End, 3/8" ID Hose | |
| MIL 605-3 | 3/8" F. Solid End, 3/8" ID Hose | |
| MIL 640 | Hose Mender, 1/4" ID Hose | |
| MIL 640-S | Hose Mender, 1/4" ID Hose, 2/CD | |
| MIL 642 | Hose Mender, 3/8" ID Hose | |
| MIL 642-S | Hose Mender, 3/8" ID Hose, 2/CD | |
| MIL 642-1 | Hose Mender, 1/2" ID Hose | |
| MIL 655 | Female "T" 1/4" NPT | |
| MIL 657-S | 1/4" Air Hose, Swv. Connector | |
| MIL 659 | 1/4" M. x 1/4" F. Swivel End | |
| MIL 659-S | 1/4" M. x 1/4" F. Swivel End | |
| MIL 663 | 1/4" M End, 1/4" ID Hose | |
| MIL 690 | Dual Head Air Chuck | |
| MIL 690-S | Dual Head Air Chuck | |
| MIL 691 | Straight Head Air Chuck | |
| MIL 693 | Dual Hd Str. Foot Air Chuck Inner Duals | |
| MIL 693-S | Dual Hd Str. Foot Air Chuck Inner Duals | |
| MIL 693-12CG | Dual Hd Str. Ft. Air Chuck , 12" OAL | |
| MIL 696-S | Kwik-Grip Safety Chuck | |
| MIL 697 | Chuck Clip with 1/4" Barb, European Style | |
| MIL 697-S | Chuck Clip with 1/4" Barb, European Style | |
| MIL 697-2 | Chuck Clip with 1/4" FNPT, European Style | |
| MIL 698 | 1/4" Fem. Grip Chuck | |
| MIL 698-S | 1/4" Fem. Grip Chuck | |
| MIL 699-S | 1/4" Fem. Air Chuck | |
| MIL 711 | 1/4" F. Body & M. Plug M-Style | |
| MIL 711-S | 1/4" F. Body & M. Plug M-Style | |

| Part # | Description | | |
|-------------|---------------------------------------|--|--|
| MIL 713 | 1/4" Fem. Body W/Drag Guard - M-Style | | |
| MIL 715 | 1/4" Fem. Body M-Style | | |
| MIL 716 | 1/4" Male Body M-Style | | |
| MIL 717 | 1/4" Barb Body W/Drag Guard- M-Style | | |
| MIL 717-6 | 3/8" Barb Body W/Drag Guard- M-Style | | |
| MIL 718 | 3/8" Fem. Body M-Style | | |
| MIL 718-S | 3/8" Fem. Body M-Style | | |
| MIL 719 | 3/8" Male Body M-Style | | |
| MIL 726 | 1/8" Male Plug M-Style | | |
| MIL 727 | 1/4" Male Plug M-Style | | |
| MIL 728 | 1/4" Fem. Plug M-Style | | |
| MIL 732 | 3/8" Fem. Plug M-Style | | |
| MIL 733 | 3/8" Male Plug M-Style | | |
| MIL S733 | 3/8" Male Plug M-Style, 2/CD | | |
| MIL 736 | 1/4" Hose Barb Plug M-Style | | |
| MIL 736-6 | 3/8" Hose Barb Plug M-Style | | |
| MIL 755 | 1/4" F. Push Type Body M-Style | | |
| MIL 755-S | 1/4" F. Push Type Body M-Style | | |
| MIL 756 | 1/4" M. Push Type Body M-Style | | |
| MIL 776 | 1/4" Male Body A-Style | | |
| MIL 776-6 | 3/8" Hose Barb Body A-Style | | |
| MIL 777 | 1/4" Male Plug A-Style | | |
| MIL 777-S-C | 1/4" Male Plug A-Style, 2/CD | | |
| MIL 777-4 | 1/4" Hose Barb Plug A-Style | | |
| MIL 777-6 | 3/8" Hose Barb Plug A-Style | | |
| MIL 778 | 1/4" Female Plug A-Style | | |
| MIL S778 | 1/4" Female Plug A-Style, 2/CD | | |
| MIL 779 | Re-Cappers F. Plug .305"-32 T-Style | | |
| MIL 783 | 1/4" Male Plug T-Style | | |
| MIL 784 | 1/4" Female Plug T-Style | | |
| MIL S784 | 1/4" Fem. Plug T-Style, 2/CD | | |
| MIL 785 | 1/4" Fem. Body T-Style | | |
| MIL 786 | 1/4" Male Body T-Style | | |
| MIL 786-4 | 1/4" Hose Barb Body T-Style | | |
| MIL 786-6 | 3/8" Hose Barb Body T-Style | | |
| MIL 787 | 1/4" F. Sleeve Ring Body T-Style | | |
| MIL 788 | 1/4" Female Body 3/8" NPT T-Style | | |
| MIL 790-S | 1/4" Female Body L-Style | | |
| MIL 791 | 1/4" Male Plug L-Style | | |
| MIL 791-S | 1/4" Male Plug L-Style, 2/CD | | |
| MIL 792 | 1/4" Female Plug L-Style | | |
| MIL 792-S | 1/4" Female Plug L-Style, 2/CD | | |
| MIL 794 | 1/4" Male Body L-Style | | |
| MIL 795 | 1/4" Female Body "Diamond-U" Style | | |
| MIL 805 | Driveway Signal Bell | | |
| MIL 819 | Hose Anchor | | |
| MIL 920-S | Tire Gage 10-70 PSI w/Depth Gage | | |
| MIL 921-S | Passenger Tire Gage, 50 PSI | | |
| MIL 923-S | Passenger Tire Gage, 50 PSI Straight | | |

| Part # | Description | | |
|--------------|---|--|--|
| MIL 925-S | Tire Gage 20-120 LBS | | |
| MIL 927-S | D.H. Truck Tire Gage, 120 PSI | | |
| MIL 928-S | Tractor Tire Gage, 5-50 PSI | | |
| MIL 932-S | Dial Tire Gage 0-60 PSI | | |
| MIL 933 | Dial Tire Gage 0-160 PSI | | |
| MIL 951 | Extended Reach Dial Tire Pressure Gauge | | |
| MIL 956 | Large Bore Extended Reach Dial Tire Pressure Gauge | | |
| MIL 976-S | Service Gage, 160 PSI, Dual Head | | |
| MIL S986 | Service Gage, Str. Ft. For Inner Duals | | |
| MIL 1803 | 1/4" Female Coupler P-Style | | |
| MIL 1803-S | 1/4" Female Coupler P-Style | | |
| MIL 1805 | 3/8" Female Coupler P-Style | | |
| MIL 1805-S | 3/8" Female Coupler P-Style | | |
| MIL 1807 | 3/8" Male Plug P-Style | | |
| MIL 1807-S | 3/8" Male Plug P-Style, 2/CD | | |
| MIL 1808-S-C | 3/8" Female Plug P-Style | | |
| MIL 1808-S | 3/8" Female Plug P-Style, 2/CD | | |
| MIL 1809 | 1/4" Male Plug P-Style | | |
| MIL 1809-S | 1/4" Male Plug P-Style, 2/CD | | |
| MIL 1810-S-C | 1/4" Female Plug P-Style, 2/CD | | |
| MIL 1813 | 3/8" Female Coupler G-Style | | |
| MIL 1814 | 3/8" Male Coupler G-Style | | |
| MIL 1815 | 1/2" Female Coupler G-Style | | |
| MIL 1815-S | 1/2" Female Body G-Style, Skin Pack | | |
| MIL 1816 | 1/2" Male Body G-Style | | |
| MIL 1816-S | 1/2" Male Body G-Style | | |
| MIL 1817 | 1/2" Male Plug G-Style | | |
| MIL 1817-S | 1/2" Male Plug G-Style | | |
| MIL 1818 | 1/2" Female Plug G-Style | | |
| MIL 1818-S | 1/2" Female Plug G-Style | | |
| MIL 1819 | 3/8" Male Plug G-Style | | |
| MIL 1820 | 3/8" Female Plug G-Style | | |
| MIL 1833 | 1/4" Female Body H-Style | | |
| MIL 1833-S | 1/4" Female Body H-Style | | |
| MIL 1834 | 1/4"MNPT 3/8" Body H-Style | | |
| MIL 1835 | 3/8" Female Body H-Style | | |
| MIL 1835-S | 3/8" Female Body H-Style | | |
| MIL 1837 | 3/8" Male Plug H-Style | | |
| MIL 1837-S | 3/8" Male Plug H-Style, 2/CD | | |
| MIL 1837-6 | 3/8" Hose Barb Plug H-Style | | |
| MIL 1839 | 1/4" Male Plug H-Style | | |
| MIL 1839-S | 1/4" Male Plug H-Style, 2/CD | | |
| MIL 1840 | 1/4" Female Plug H-Style | | |
| MIL 1855 | 1/4" Male Plug G-Style | | |
| MIL 1857 | 1/2" Male Plug G-Style | | |
| MIL 1858 | 1/2" Female Plug G-Style | | |
| MIL 1859 | 3/8" Male Plug G-Style | | |
| MIL 1860 | 3/8" Female Plug G-Style | | |

116 ORDER ANYTIME :: AIM Supply: 800-999-0125 AIM Fleet America: 800-799-3915 ALCO Tool Supply: 800-437-2911

COUPLERS & PLUGS

Safety Release

Milton 5 In One Universal Quick Connect Couplers

· Accepts all major interchanges: Industrial (M-Style), High Flow (V-Style), Automotive (T-Style), ARO (A-Style) & Lincon (L-Style)

| Part # | Style | NPT | Safety | Threads |
|-----------|-------|------|--------|---------|
| MIL 1750 | All | 1/4" | Yes | female |
| MIL 1751 | All | 1/4" | Yes | male |
| MIL S-743 | All | 1/4" | No | female |
| MIL S-744 | All | 1/4" | No | male |
| MIL 1758 | All | 3/8" | Yes | female |
| MIL 1773 | All | 1/2" | Yes | female |









p prevost

| Part # | Description |
|---------------|---|
| PVS ERP076251 | High Flow 1/4" MNPT Plug |
| PVS URC061201 | Truflate Profile Regular Coupler |
| PVS ERP076201 | Plug, High Flow 1/4" FNPT Plug, M-Style |
| PVS IRC061201 | Industrial Profile Regular Coupler |
| PVS ERC071201 | Highflow Profile Regular Coupler |
| PVS IRP066251 | 1/4" MNPT Quick Coupler |

AIR REGULATORS

All Brass Air Regulator

• 1/4" M x 1/4" F NPT



TOOL AID®

SGT 98025







AST 5706

1/4" Air Swivel Connector

- Prevents twists and kinks
- Air flow control knob 90 PSI (6Kg/cm²)









TTN 19369



MIL-S657-2

Air Adiusting Valve w/ Control Gauge

- · Provides finer air control at the gun
- · Swivel top allows for fast and easy installation
- · Pressure range from 0 to 175 psi







Digital Gauge w/ Air Adjusting Valve

- Accuracy to +/-.5 psi • Gauge range: 2.5 to 160 psi
- . Up to four-year battery life, depending on usage
- Ideal for HVLP or high efficiency guns - high air flow / low pressure drop

DEV HAV555

Point of Use Filters





High Flow Coupler & Plug Kit

- Larger internal diameter compared to standard interchanges
- · Easily attaches to air tools
- Maximum torque and maximum RPM
- Maximum working pressure: 300 PSI
- Nickle plated steel with anodized aluminum sleeves

| Part # | Description | NPT |
|--------------|-----------------------------------|------|
| LEG A53452FZ | 3 PC High Flow oupler & Plug Kit | 1/4" |
| LEG 53457FZ | 7 PC High Flow Coupler & Plug Kit | 1/4" |



THAN"

AMT 3-Way Composite Coupler

- Accepts the 3 most popular 1/4" nipple styles
- A Style: ARO 210 style
- M Style: Milton or industrial style
- T Style: Tru-Flate/Parker
- Maximum working pressure: 210 PSI

TTN 19304

AIR TOOL OIL-

(**iR**) Ingersoll Rand

Air Tool Oil, 4oz.

• Class 1 #10 oils for use with percussive, assembly, & impact wrenches

IRC 10Z4


Impact Lube Kit

- 4 oz IR105 grease • 4 oz IR10 oil
- GTH-1 grease tube gun

IRC 105-LBK1

Air Tool Oil

- · Specially formulated tool oil for use in all piston type and rotary air tools, as well as, in-line air lubricators
- Provides positive lubrication for smoother starting, longer lasting tools
- Dissolves gum and sludge
- Prevents rust formation



Protect Your Investment a Drop a Day!

CHROME SOCKETS



- **SAE & Metric Socket Set**
- 6 point sockets in a molded storage case
- (2) Extensions: 2" and 6" (8) Deep SAE Sockets: 1/4" 9/16"
- (10) Deep Metric Sockets: 4mm 13mm (1) 45 tooth, 1/4" Quick Release Ratchet
- (10) Standard SAE Sockets: 3/16" 9/16"
- (13) Standard Metric Sockets: 4mm 14mm
- Meets or exceeds ANSI specifications
- Manufactured of heat-treated Chrome Vanadium Steel

ATD 1200

47 PC 3/8" Dr. Socket **Set SAE & Metric**

- 6 point sockets in molded storage case
- (11) Standard SAE Sockets: 1/4" 7/8"
- (9) Deep SAE Sockets: 3/8" 7/8"
- (14) Standard Metric Sockets: 6mm 19mm
- (10) Deep Metric Sockets: 10mm 19mm
- (1) 45 tooth, 3/8" Quick Release Ratchet
- (2) Extensions: 3" and 6"
- Manufactured of heat-treated Chrome Vanadium Steel
- Meets or exceeds ANSI specifications

ATD 1245

24 PC 1/2" Dr. SAE & Metric **Socket Set**

- 6 point sockets in a molded storage case
- (11) Standard SAE Sockets: 3/8" 1"
- (1) 1/2" Quick Release Ratchet
- (1) 15" Flex Handle
- (9) Standard Metric Sockets: 10mm 18mm
- (2) Extensions: 5" and 10"

ATD 1360



21 PC 3/4" Dr. SAE Socket Set

- 6 point sockets in a molded storage case • (16) Standard SAE Sockets: 7/8" - 2"
- (1) Quick Release Ratchet
- (2) Extensions (1) Breaker Bar

ATD 10021



3 PC 3/8" Drive Locking Universal **Extension Set**

- Three different length locking universal extensions allow access to hard to reach areas
- Universal locking feature securely holds sockets in place during use
- Release button is recessed for low profile design
- Full polish chrome finish for superior corrosion resistance
- Meets or exceeds ANSI standards

PLT 99633

• (12) Standard SAE Sockets: 7/16" - 1-1/8' • (12) Deep SAE Sockets: 7/16 - 1-1/8" • (11) Standard Metric Sockets: 10mm -22mm

STD/Deep SAE/Metric Socket Set

- (2) Spark Plug Sockets: 5/8" and 13/16"
- (1) 1/2" Universal Joint

43 PC 6 Point 1/2" Dr.

- (1) 17" Flex Handle
- (3) Wobble Extensions: 3", 5" and 10"
- (1) 1/2" Quick Release Ratchet

ATD 1365





47 PC 12 Point 3/8" Dr. SAE & Metric Pro Socket Set

- 12 point sockets in a molded storage case
- (11) Standard SAE Sockets: 1/4" 7/8"
- (9) Deep SAE Sockets: 3/8" 7/8"
- (14) Standard Metric Sockets: 6mm 19mm
- (10) Deep Metric Sockets: 10mm 19mm
- (1) 45 tooth, 3/8" Quick Release Ratchet
- (2) Extensions: 3" and 6"
- Manufactured of heat-treated chrome vanadium steel
- Meets or exceeds ANSI specifications

ATD 1247

106 PC 6 Point 1/4" & 3/8" Standard & Deep



- (4) Phillips Bits & Holde
- (6) Hex Bits & Holder
- (7) TORX® Bits & Holder

ATD 1380

• Contains: 1/4" Drive:

- (9) Standard SAE Sockets: 3/16" 1/2"
- (9) Deep SAE Sockets: 3/16" 1/2"
- (8) Standard Metric Sockets: 4mm 12mm
- (1) 45 tooth, 1/4" Quick Release Ratchet
- (2) Wobble Extensions: 2" and 6"
- (1) Spinner Handle
- (1) 1/4" F x 3/8" M Adapter
- (1) Universal Joint
- (1) Bit Coupler
- (1) 5" Flex Handle

Contains: 3/8" Drive:

- (1) Universal Joint
- (1) 8" Flex Handle
- (1) 3/8" F x 1/4" M Adapter
- (9) Deep SAE Sockets: 3/8" 7/8"
- (9) Standard SAE Sockets: 3/8" 7/8" • (3) Wobble Extensions" 3", 6" and 10"
- (12) Deep Metric Sockets: 8mm 19mm
- (1) 45 tooth, 3/8" Quick Release Ratchet
- (12) Standard Metric Sockets: 8mm 19mm
- (3) Spark Plug Sockets: 5/8", 13/16" and 3/4"

Magnetic **Aluminum Rails**





· Anodized aluminum rail construction



| Part # | Description | Size | SAE/Metric |
|----------|--|------|------------|
| ATD 9314 | 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", adapter, U-joint | 1/4" | SAE |
| ATD 9414 | 4-13mm, adapter, U-joint | 1/4" | Metric |
| ATD 9338 | 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1" | 3/8" | SAE |
| ATD 9438 | 6-19mm | 3/8" | Metric |
| ATD 9312 | 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4" | 1/2" | SAE |
| ATD 9412 | 10-22mm, U-joint | 1/2" | Metric |







RATCHETS

GW GEARWRENCH

Cushion Grip Flex Head Teardrop Ratchets



| Part # | Part # Drive | | |
|---|--------------------------|-------------------|----------------|
| KDT 81203T 3 Piece Set: 1/4" - 3/8" - 3/8" | | 7" - 9.5" - 13.5" | |
| KDT 81204P | 2 Piece Set: 1/4" - 3/8" | 8", 14" | 120xp |
| KDT 81009P 1/4" | | 8" | 120×P |
| KDT 81210P 3/8" | | 14" | 12 0 xe |
| KDT 81267T 3/8" | | 14" | |



3/8" Drive 90-Tooth Dual Material Offset Flex Head Teardrop Ratchet, 12-1/4"

- Bright, full polish chrome finish easily wipes clean and resists corrosion
- Highly visible on/off markings on the head
- Meets or exceeds ASME specifications
- 90-tooth gear delivers a 4° swing arc to turn a fastener in tight confines

KDT 81213T



Full Polish Teardrop Ratchets



| Part # | Drive | Length |
|------------|-------|--------|
| KDT 81011P | 1/4" | 5" |
| KDT 81211P | 3/8" | 8" |
| KDT 81304P | 1/2" | 11" |





1/2" Drive 120XP™ Flex Head Teardrop Ratchet, 17"

- Longer reach handle to access hard-to-reach fasteners
- Flexible head provides access for hard to reach fasteners
- Two double stacked 60-tooth pawls (120 positions) providing a 3° swing arc

KDT 81306P



Extendable Ratchets

| Part # | Description | Drive |
|-----------|--------------------------------|--------------------|
| EZR MR482 | 3 Piece Set | 1/4" - 3/8" - 1/2" |
| EZR MR14 | Extends from 6" to 8-1/4" | 1/4" |
| EZR MR38 | Extends from 8-1/2" to 12-1/2" | 3/8" |
| EZR MR12 | Extends from 12" to 17-1/4" | 1/2" |
| EZR MR34 | Extends from 25" to 40" | 3/4" |
| F7R MR1X | Extends from 25" to 40" | 1" |



Extendable 180° Flex Head Ratchets

| Part # Description | | Drive |
|--|--|--------------------|
| EZR MR482FL 3 Piece Set (locking head) | | 1/4" - 3/8" - 1/2" |
| EZR MR14FL | Extends from 6-3/4" - 8-3/4", locking head | 1/4" |
| EZR MR38FL | Extends from 8-1/2" - 13-1/2", locking head | 3/8" |
| EZR MR12FL | Extends from 13-1/2" - 19-1/4", locking head | 1/2" |

20 Piece 1/4" Mini Master Set

- 5" long 1/4" flex head ratchet with a bit driver on the end
- 8 low profile metric spline sockets (4mm-11mm)
- Set of 10 bits
- 3" extension

EZR MMS14

4" Long 180° Flex Head Double Ended Ratchet

- 1/4" square drive end
- 1/4" magnetic bit drive end
- Thumbwheel for extra precision
- Reversible switch, push-button quick release

EZR 4S04



12" Long 180° Locking Flex Head Ratchet

- 1/4" square drive end
- 1/4" magnetic bit drive end
- Reversible switch

EZR 4S12L





180° Locking Flex Head Ratchets

| Part # | Drive | Length |
|--------------|-------|--------------|
| EZR MR1412FL | 1/4" | 12" Long |
| EZR MR3818FL | 3/8" | 16-3/4" Long |
| EZR MR1224FL | 1/2" | 22" Long |



MR14FL

RATCHETS

84 TOOTH RATCHET SETS -**☞** GEARWRENCH

4-Piece 90 Tooth Full Polish Flex Handle Ratchet Set

- Patented low profile and performance head Longer than most
- conventional ratchets
- 6 Flexible Head Positions

KDT 81230T



3 PC Full Polish 90 Tooth Ratchet Set

- Featuring a fine tooth gear which reduces the return swing arc from 4.3° to just 4° for better access and also tests to 200% (+/-10%) of the ANSI specification for strength
- Low profile head (21% thinner than the competition) and provides easy access in tightly confined areas

KDT 81206T



2 PC 1/4" and 3/8" 90-Tooth Ratchet Set

- 90 tooth gear allows user to turn a fastener in tight confines
- · Precision engineered high strength pawl for increased durability
- 6 Flexible Head Positions

KDT 81216T

120XP RATCHETS -



2 PC 1/4" & 3/8" Drive 120XP™ Extra Long • Extra-long handles, 1/4" drive - 9" and 3/8" drive - 18"

- Teardrop low profile head w/ 60-tooth gear and double-stacked pawls
- Highly visible markings w/ flush mounted on/off switch allow better access in tight spaces





120XP 2-Piece 1/4" & 3/8" Drive Flex Ratchet Set

- 1/4" and 3/8" Drive Flex Ratchet with cushion grip packaged in a tray
- Ratchets feature slim head for greater access and 60 tooth ratcheting action

KDT 81204P

120XP 3-Piece **Full Polish 60 Tooth Ratchet Set**

- Double Stacked Pawl design delivers 120 Positions
- Exceeds ANSI strength requirements
- · Gives easy access to fasteners delivering extreme productivity
- Includes: 1/4", 3/8", and 1/2" drive ratchets

KDT 81206P



ROTO RATCHET SET -





LOCKING FLEX HEAD RATCHETS



Full Polish Locking Flex Handle Ratchet Sets

- Locking Flex Head with 9-Locked and Unlocked Position for Adjustable Access Angle
- Teardrop Low Profile Head and Flush Mounted On/Off Switch Allow Better Access in **Tight Spaces**
- Enclosed Head Design for Extreme Resistance to Dirt Infiltration
- Bright Chrome Finish
- Meets or Exceeds ASME B107.10

Part # Description KDT 81275T 2 PC 1/4" & 3/8" Drive Cushion Grip Locking Flex Handle 90T Ratchet **KDT 81276T** 3 PC 1/4", 3/8", & 1/2" Drive Full Polish Locking Flex Handle 90T Ratchet Set

Gimbal Design Reversible Ratchets

- · Pivoting mechanism allows you to angle the ratchet head to get access to hard to reach fasteners
- 72-tooth mechanism





KDT 81027 1/4" Drive

KDT 81270 3/8" Drive

SOCKETS, JOINTS & ADAPTERS

Driveline/Limited Clearance Impact Socket Sets

 Contain sizes for working on Ford, Chevrolet, Chrysler, Dodge, GMC & Jeep

| Part # | Description | Drive | SAE/Metric | Range |
|----------|-------------|-------|------------|--------------|
| SUU 2695 | 9 Piece | 1/2" | Metric | 8 – 17mm |
| SUU 2696 | 7 Piece | 1/2" | SAE | 5/16" - 3/4" |



11 PC 3/8" Drive Drain Plug & Pipe Plug Socket Set

Male: 3/16" – 3/8"
Female: 1/4" – 3/8"

SUU 3841





UNIVERSAL JOINTS & ADAPTERS

SPECIAL USE

6 PC Impact Socket Adapter Set

- 1/4", 3/8", & 1/2" Drive
- 1/4" shank
- (3) 2-3/4" adapters
- (3) 6" adapters

TTN 12087



Part # Description **GRY 1438HA** 1/4" Hex x 3/8" **GRY 1414HA** 1/4" Hex x 1/4" **GRY 1412HA** 1/4" Hex x 1/2"

3 PC 1/4" Hex **Drive Friction Ball Adapter Set** • 1/4", 3/8" and 1/2" drive

GRY 1403HA



3 Piece Socket **Adapter Sets**

- 1/4", 3/8" & 1/2" drive 1/4" shank

| Part # | Length |
|-----------|--------|
| TTN 12082 | 3" |
| TTN 12086 | 6" |
| TTN 15206 | 12" |







3 PC Low Profile Impact Adapter Set • 1/2" x 3/4", 3/8" x 1/2", 1/4" x 3/8" TTN 30936



3" Long Locking **Impact Socket Adapters**

| Part # | Drive |
|-----------|-------------------------------|
| TTN 15210 | 3 Piece Set: 1/4", 3/8", 1/2" |
| TTN 15211 | 1/4" |
| TTN 15212 | 3/8" |
| TTN 15213 | 1/2" |



Impact Socket Adapters

| Part # | Description | | | |
|-----------|-----------------|--|--|--|
| TTN 42356 | 1/2" F x 3/4" M | | | |
| TTN 42357 | 3/4" F x 1/2" M | | | |
| TTN 42358 | 3/4" F x 1" M | | | |
| TTN 42359 | 1" F x 3/4" M | | | |

6" Long Locking **Impact Socket Adapters**

| Part # | Drive |
|-----------|-------------------------------|
| TTN 15214 | 3 Piece Set: 1/4", 3/8", 1/2" |
| TTN 15215 | 1/4" |
| TTN 15216 | 3/8" |
| TTN 15217 | 1/2" |









1/4", 3/8" and 1/2" Power-**Locking Square Drive Adapter Set**

- 1/4" Hex Power Drive Shafts
- 1/4", 3/8" and 1/2" Square Drives

VIM PL100



IMPACT SOCKETS

SUNEX® TOOLS







STANDARD 12 POINT



UNIVERSAL STANDARD



DEEP

EXTRA DEEP



| | 3/8" DRIVI | | | |
|----|------------|--|-----------|-------------|
| | Size | STANDARD () | DEEP () | UNIVERSAL (|
| | 5/16" | SUU 310 | SUU 310D | SUU 310U |
| | 3/8" | SUU 312 | SUU 312D | SUU 312U |
| | 7/16" | SUU 314 | SUU 314D | SUU 314U |
| | 1/2" | SUU 316 | SUU 316D | SUU 316U |
| AE | 9/16" | SUU 318 | SUU 318D | SUU 318U |
| | 5/8" | SUU 320 | SUU 320D | SUU 320U |
| S | 11/16" | SUU 322 | SUU 322D | SUU 322U |
| | 3/4" | SUU 324 | SUU 324D | SUU 324U |
| | 13/16" | SUU 326 | SUU 326D | SUU 326U |
| | 7/8" | SUU 328 | SUU 328D | SUU 328U |
| | 15/16" | SUU 330 | SUU 330D | |
| | 1" | SUU 332 | SUU 332D | |
| 4 | 7mm | SUU 307M | SUU 307MD | |
| | 8mm | SUU 307M SUU 307MD SUU 308M SUU 308MD | | |
| | 9mm | SUU 309M | SUU 309MD | |
| | 10mm | SUU 310M | SUU 310MD | SUU 310UM |
| | 11mm | SUU 311M | SUU 311MD | SUU 311UM |
| | 12mm | SUU 312M | SUU 312MD | SUU 312UM |
| | 13mm | SUU 313M | SUU 313MD | SUU 313UM |
| ž | 14mm | SUU 314M | SUU 314MD | SUU 314UM |
| 區 | 15mm | SUU 315M | SUU 315MD | SUU 315UM |
| 2 | 16mm | SUU 316M | SUU 316MD | SUU 316UM |
| | 17mm | SUU 317M | SUU 317MD | SUU 317UM |
| | 18mm | SUU 318M | SUU 318MD | SUU 318UM |
| | 19mm | SUU 319M | SUU 319MD | SUU 319UM |
| | 20mm | SUU 320M | SUU 320MD | SUU 320UM |
| | 21mm | SUU 321M | SUU 321MD | SUU 321UM |
| | 22mm | SUU 322M | SUU 322MD | SUU 322UM |

| 1/2 | " DRIVE | | | | | | |
|-------|---------|--------------|---------------|-----------|---------------------------------|-------------|------------|
| - 1/2 | Size | Stand. 6 Pt. | Stand. 12 Pt. | DEEP 💮 | EXTRA DEEP | UNIVERSAL 🔵 | UNIV. DEEP |
| | 3/8" | SUU 212 | SUU 212Z | SUU 212D | | SUU 212U | SUU 212UD |
| | 7/16" | SUU 214 | SUU 214Z | SUU 214D | | SUU 214U | SUU 214UD |
| | 1/2" | SUU 216 | SUU 216Z | SUU 216D | SUU 216XD | SUU 216U | SUU 216UD |
| | 9/16" | SUU 218 | SUU 218Z | SUU 218D | SUU 218XD | SUU 218U | SUU 218UD |
| | 5/8" | SUU 220 | SUU 220Z | SUU 220D | SUU 220XD | SUU 220U | SUU 220UD |
| | 11/16" | SUU 222 | SUU 222Z | SUU 222D | SUU 222XD | SUU 222U | SUU 222UD |
| | 3/4" | SUU 224 | SUU 224Z | SUU 224D | SUU 224XD | SUU 224U | SUU 224UD |
| | 13/16" | SUU 226 | SUU 226Z | SUU 226D | SUU 226XD | SUU 226U | SUU 226UD |
| • | 7/8" | SUU 228 | SUU 228Z | SUU 228D | SUU 228XD | SUU 228U | SUU 228UD |
| | 15/16" | SUU 230 | SUU 230Z | SUU 230D | SUU 230XD | SUU 230U | SUU 230UD |
| | 1" | SUU 232 | SUU 232Z | SUU 232D | SUU 232XD | SUU 232U | |
| | 1-1/16" | SUU 234 | SUU 234Z | SUU 234D | SUU 234XD | SUU 234U | |
| | 1-1/18 | SUU 236 | SUU 236Z | SUU 236D | SUU 236XD | SUU 236U | |
| | 1-3/16" | SUU 238 | SUU 238Z | SUU 238D | SUU 238XD | SUU 238U | |
| | 1-1/4" | SUU 240 | SUU 240Z | SUU 240D | SUU 240XD | SUU 240U | |
| | 1-5/16" | SUU 242 | SUU 242Z | SUU 242D | SUU 242XD | | |
| | 1-3/8" | SUU 244 | SUU 244Z | SUU 244D | SUU 244XD | | |
| | 1-7/16 | SUU 246 | SUU 246Z | SUU 246D | SUU 246XD | | |
| | 1-1/2" | SUU 248 | SUU 248Z | SUU 248D | SUU 248XD | | |
| | 10mm | SUU 210M | SUU 210ZM | SUU 210MD | | SUU 210UM | SUU 210UMD |
| | 11mm | SUU 211M | SUU 211ZM | SUU 211MD | | SUU 211UM | SUU 211UMD |
| | 12mm | SUU 212M | SUU 212ZM | SUU 212MD | | SUU 212UM | SUU 212UMD |
| | 13mm | SUU 213M | SUU 213ZM | SUU 213MD | | SUU 213UM | SUU 213UMD |
| | 14mm | SUU 214M | SUU 214ZM | SUU 214MD | | SUU 214UM | SUU 214UMD |
| | 15mm | SUU 215M | SUU 215ZM | SUU 215MD | | SUU 215UM | SUU 215UMD |
| | 16mm | SUU 216M | SUU 216ZM | SUU 216MD | | SUU 216UM | SUU 216UMD |
| | 17mm | SUU 217M | SUU 217ZM | SUU 217MD | | SUU 217UM | SUU 217UMD |
| | 18mm | SUU 218M | SUU 218ZM | SUU 218MD | | SUU 218UM | SUU 218UMD |
| | 19mm | SUU 219M | SUU 219ZM | SUU 219MD | | SUU 219UM | SUU 219UMD |
| | 20mm | SUU 220M | SUU 220ZM | SUU 220MD | | SUU 220UM | SUU 220UMD |
| | 21mm | SUU 221M | SUU 221ZM | SUU 221MD | | SUU 221UM | SUU 221UMD |
| | 22mm | SUU 222M | SUU 222ZM | SUU 222MD | | SUU 222UM | SUU 222UMD |
| | 23mm | SUU 223M | SUU 223ZM | SUU 223MD | | SUU 223UM | SUU 223UMD |
| | 24mm | SUU 224M | SUU 224ZM | SUU 224MD | | SUU 224UM | SUU 224UMD |
| | 25mm | SUU 225M | SUU 225ZM | SUU 225MD | | | |
| | 26mm | SUU 226M | SUU 226ZM | SUU 226MD | 1/2" Drive, 12 Point Individual | | |
| | 27mm | SUU 227M | SUU 227ZM | SUU 227MD | | | |
| | 20 | CIIII 220M | | CHILOSOMD | Drivalina Impag | | |

122

28mm

29mm

30mm

31mm

32mm

33mm

34mm

35mm

36mm

SUU 228M

SUU 229M

SUU 230M

SUU 231M

SUU 232M

SUU 233M

SUU 234M

SUU 235M

SUU 236M

SUU 228MD

SUU 229MD

SUU 230MD

SUU 231MD

SUU 232MD

SUU 233MD

SUU 234MD

SUU 235MD

SUU 236MD

SUU 229ZM

SUU 230ZM

SUU 231ZM

SUU 232ZM

SUU 233ZM

SUU 234ZM

SUU 235ZM

SUU 236ZM

Driveline Impact Sockets

Description

SAE

SAE

Metric

Metric

Size

1/2"

5/8"

12mm

13mm

Part #

SUU 216ZUDL

SUU 220ZUDL

SUU 212ZUMDL

SUU 213ZUMDL

BIT SETS



50 PC Torsion Impact Bit Set

• Torsion design allows the bit to flex to protect and extend the life of both bit and fastener

· Includes: Phillips, Hex, Torx, Slotted, Robertson, adapters, chucks and socket drivers

ATD 551





HANSON.

Impact Fastener Dr 34PC Set

- Impact Fastener Dr 34PC Set
- The most popular sizes for use in the Automotive aftermarket
- IMPACT rated

AHN IWAF1334

Impact Fastener Dr 16PC Set

- Impact Fastener Dr 16PC SET
- The most popular sizes for use in the Automotive aftermarket
- IMPACT rated

AHN IWAF1316

34PC Fastener Drive Set

- Long-lasting bits work with all types of impact and rotary drivers
- Precision tip geometry reduces stripping and cam-out
- Bits are single ended and universal
- · Set includes hard storage case

AHN IWAF1234

Large Impact Torx Driver Set: T70, T80, T90 & T100 on 1/2" Square Drive

- T100 has tamper proof hole for many
- Specialized applications
- Impact rated
- · Licensed Torx product
- Limited Lifetime Warranty

VIM IMPTX800





Impact Bit Set

• Includes: Phillips, Robertson, Slotted, Torx, 5" Torx, 2" Metric & SAE Hex, 5" Metric & SAE Hex with ball tip, 2-1/2", 2-3/4" & 6" adapters, chucks

TTN 16251



38 PC Mini Ratchet & Bit Set-**True Timber Kanati Print**

- 36 S2 bits to accommodate any application
- 4 bit types: Slotted, Phillips, Torx, Hex
- Includes: Aluminum case, Quick release extension bar, 72 tooth mini ratchet

SUU 9726KANATI

38 PC Mini Ratchet and Bit Set **SUU 9726**

0 0 L

208 PC Master Bit Set

. Includes standard and extended bits for over 15 fastener types

SUU 9729



Bits not covered

148 PC Master Bit Set

- 3-1/2" magnetic bit holder
- Quick-release bit holder
- 1/4" drive socket adapter

TTN 16148

61 Piece Screwdrive Bit Set TTN 16061

BIT HOLDERS



1/4" Lock-n-Load® Quick Change **Extensions**

HANSON.

| Part # | Length |
|-------------|----------|
| AHN 4935703 | 2" Long |
| AHN 4935704 | 6" Long |
| AHN 4935705 | 12" Lona |

Power Driver Set

- All sets listed below come with a 1/4" sq. X 1/4" Hex Power Shank adapter for cordless tools
- Limited Lifetime Warranty

| Elinica Eliotinio Wallanty | | | |
|---|------------|--------------------------------------|--|
| | Part # | Description | |
| | VIM PDM100 | Metric Hex Power Driver Set 17 Piece | |
| VIM PDTX100 TORX Power Driver Set® | | TORX Power Driver Set® | |
| VIM PDIP100 TORX PLUS Power Driver Set 17 | | TORX PLUS Power Driver Set 17 | |



POWER HEX DRIVER :





UPH4 Universal Power Hex Driver

- Can be used with hand or power tools
- Holds all 1/4" hex bits
- · Great for hard to reach fasteners
- · Pull back locking collar to release bits

VIM UPH4

BIT SOCKETS





Torx® Truck Bed Set - Torx® & Torx Plus®

- For Ford® truck beds & many trailer applications
- T40, T45, T50 & T55 IP45, IP50 & IP55
- TORX PLUS® SOCKET EP24

VIM TORXTBS

77 PC Half Cut Set. Torx

• Half Cut Bit Set, 77 pc, 5/8" long bits, all Torx, Hex, XZN Phillips and flat

VIM VHC77





9 Piece Stubby XZN Triple **Square Metric Driver Set**

- 1/4", 3/8" and 1/2" drives
- Triple square: 4-12mm
- Tamperproof triple square: 14, 16, 18mm

VIM XZNS1000



• 4mm to 16mm

VIM XZN100



11 PC XZN Triple Square **Driver Set**

• 11 PC XZN Triple aquare driver set VIM XZN101



10 PC 3/8" Square Drive **Torx Impact Driver Set**

• T20 - T60

VIM IMPACT-HCT6



10 PC 3/8" Sq. Drive XZN **Triple Square Impact Driver Set**

• 4mm - 18mm • 3/8" to 1/2" square drive adapter

VIM IMPACT-XZN6



9 PC 4" Long XZN Triple Square Driver Set, S2 **Stainless Steel**

- • 1/4", 3/8" and 1/2" drives
- 4mm to 18mm

VIM XZN400



10 PC Triple Square XZN **Bit Socket Set**

- Standard XZN sockets:
- 1/4" Drive: M4 − M6
- 3/8" Drive: M8 M12
- Tamperproof XZN sockets:
- 3/8" Drive: M14 1/2" Drive: M16, M18

ATD 13782



10 PC 4.5" Long Triple Square **XZN Bit Socket Set**

- X-Long XZN sockets:
- 1/4" Drive: M4 M6
- 3/8" Drive: M8 M12
- X-Long Tamperproof XZN sockets:
- 3/8" Drive: M14
- 1/2" Drive: M16, M18

ATD 13781







8 PC 3/8" Drive Stubby Triple Square Impact **Bit Socket Set**

• Range: M4 - M16 **SUU 3640**



9 PC Stubby XZN Triple Square Impact Bit Socket Set

- Triple square:
- 1/4" drive: M4 M8
- 3/8" drive: M10, M12
- Tamperproof triple square:
- 3/8" drive: MT14
- 1/2" drive: MT16, MT18

6 Piece Impact Grade Nut Driver Sets

| Part # | Length | Range |
|-----------|--------|--------------|
| TTN 15223 | 2-1/4" | 8mm – 15mm |
| TTN 15222 | 2-1/4" | 1/4" — 9/16" |





5 PC 3/8" Drive MorTorq® Bit **4** Socket Set for GM/Chrysler

Sizes: M0, M1, M2, M3, M4

CTA-8140



12 Piece 1/4" Drive **Nut Setter Sets with** Magnetic and Hollow Point Drivers

• 2.5" long

| Part # | SAE/Metric Range | |
|------------|------------------|--------------|
| VIM NSM100 | Metric | 8mm - 14mm |
| VIM NS100 | SAE | 1/4" - 9/16" |







SCREWDRIVERS

GW GEARWRENCH

2 PC Bolt Biter Impact Screwdriver Set

provides a longer tool life

| Part # | Description |
|-----------|--|
| KDT 86091 | PH 2x4 Bolt Biter Impact Screwdriver |
| KDT 86092 | 5L 1/4x4 Bolt Biter Impact Screwdriver |





56 PC Ratcheting Geardriver™ **Screwdriver Set**

- Fine-tooth locked position ratchet allows you to quickly tighten or loosen fasteners
- Deep recessed handle provides superior strength in high-torque applications
- Flex shaft spins internally so you can work in tight spaces
- Ergonomic design helps reduce hand fatigue, improves grip, and increases torque output





7 Piece Nut Driver Sets

| Part # | Description | |
|-----------|---------------------|--|
| KDT 82764 | Metric • 6mm – 12mm | |
| KDT 82765 | SAE ● 3/16" - 1/2" | |



3 PC 18" Long Torx® Screwdriver Set

• T15 – T25

• Oil and solvent resistant handle provides a longer tool life

KDT 80064H

4 PC Robertson Screwdriver Set

- #0 x 8.25", #1 x 8.75", #2 x 8.75", #3 x 10.12"
- Oil and solvent resistant handle provides a longer tool life

KDT 80065H







13N1 Ratcheting Multi-Bit Screwdriver

- Ratcheting action for fast, easy two-way operation
- 28 Tooth ratchet provides 225-inch lbs. of
- Convenient bit storage secures 6 double ended bits for organization
- Rugged aluminum alloy 1/4-inch shaft for ultimate strength and durability

CNL 131CB



20 PC Master Dual Material **Screwdriver Set**

- Slotted:5/16" x 6", 3/8" x 6", 3/16" x 6", 1/4" x 6", 1/4" x 4", 1/4" x 1.5", 2,5mm x 60mm, 2.0mm x 60mm, 1.5mm x 60mm
- Phillips:#3 x 6", #2 x 4", #2 x 1.5", #1 x 6", #1 x 3", #0 x 2.5", #1 x 60mm, #0 x 60mm, #00 x 60mm
- Torx: T20 x 4", T15 x 4"
- Oil and solvent resistant handle provides a longer tool life

KDT 80066H



12 PC Combination **Screwdriver Set**

- Includes slotted and Phillips, 3/16' 3/8" and #0 - #3
- Oil and solvent resistant handle provides a longer tool life

KDT 80051H



10 PC Combination and Pozidriv® Screwdriver Set

- Slotted: 5/16" x 6", 3/16" x 6", 1/8" x 6", 1/4" x 4"
- Phillips: #2 x 4", #1 x 3"
- Pozidriv®: #3 x 6", #2 x 4", #1 x 3", #0 x 2.5"
- Oil and solvent resistant handle provides a longer tool life

KDT 80060H



- 1/8" x 3", 1/4" x 4", 1/4" x 6", 5/16" x 6", 3/8" x 8"
- · Oil and solvent resistant handle provides a longer tool life

KDT 80053H



5 PC Phillips Screwdriver Set

- #0 x 2.5", #1 x 3", #2 x 4", #2 x 8", #3 x 6"
- Oil and solvent resistant handle provides a longer tool life

KDT 80052H



7 PC Torx® Screwdriver Set

- T10 T40 6" blades
- Oil and solvent resistant handle provides a longer tool life

KDT 80071H



SCREWDRIVERS





22 PC Screwdriver with 16 PC Bit Set

• 1/8" x 3" Slotted • 1/8" x 4" Slotted • 1/8" x 4" Slotted with Screw Holder • 3/16" x 3" Slotted • 3/16" x 4" Slotted • 1/4" x 1-1/2" Slotted • 1/4" x 4" Slotted with Hex Bolster • 1/4" x 6" Slotted with Hex Bolster • 5/16" x 8" Slotted with Hex Bolster • 3/8" x 10" Slotted • #0 x 3" Phillips • #1 x 3" Phillips • #2 x 1-1/2" Phillips • #2 x 4" Phillips with Hex Bolster • #2 x 6" Phillips with Hex Bolster • T10 Star Driver • T15 Star Driver • T25 Star Driver • T30 Star Driver • Tack Puller • Tapered Punch • Bit Holder • #1, #2, #3 Phillips Bits • T10, 15, 20, 25, 30 Star Bits • 3, 4, 5, 6, 7 Slotted Bits • #1, #2, #3 Pozi Bits

ATD 6198




10 PC Capped End Screwdriver Set

- Phillips: #1 x 3", #2 x 1-1/2", #2 x 4", #2 x 6", #3 x 6"
- Slotted: 7/32" x 4", 1/4" x 1-1/2", 1/4" x 6", 5/16" x 7", 3/8" x 8"

MAY 66306





15-3/4" Extra Long Torx **Screwdriver Sets**

| Part # | Description |
|---------|------------------|
| CAL 912 | Regular Torx |
| CAL 917 | Tamperproof Torx |
| | |





8 PC Combo Screwdriver Set

- Matte finish to resist flaking and abrasions
- Vapor blasted tip for enhanced durability
- Over molded handle for user comfort.
- Quick reference on handle end
- Bolster for optional added torque, available on the Slotted and Phillips Screwdriver

SUU 118SS



12 PC Combination Screwdriver

- · Matte finish to resist flaking and abrasions
- · Vapor blasted tip for enhanced durability
- Over molded handle for user comfort
- Quick reference on handle end

SUU 1112SS

20 PC Combo Screwdriver Set

- Matte finish to resist flaking and abrasions
- Vapor blasted tip for enhanced durability
- · Over molded handle for user comfort · Quick reference on handle end
- · Bolster for optional added torque, available on the Slotted and Phillips Screwdriver





11 IN 1 Cushion Grip Screwdriver

- Philips #1 and 2, Slotted 3/16 and 1/4IN, Square #1 and #2, Torx T10 and T15, Nut driver 1/4IN, 5/16, 3/8 • Tool steel bits are the highest quality
- Blast finish increases bit grip on fastener and rust preventative dip increases tool life • Cushion grip meets ANSI standards for comfort • Thick rubber cushion grip handle makes tool use comfortable • Assembled in USA with US and Global components





8 PC Megadora Jawsfit Screwdriver Set

- New Phillips JAWSFIT tip firmly grip the screws
- · Useful knurled blade for quick and slipless turning
- Reduces CAM-OUT

VST 9008EVA

8 PC Imapacta Assorted Screwdriver Set

- (4) MEGADORA Screwdrivers, (1) Tang Thru Screwdriver & (3) Impacta screwdrivers
- · Impacta Screwdrivers (Gray handle)
- Tang Thru nut with cam rotation mechanism
- · Strike with a hammer to loosen stuck, usted or stripped screws
- High precision black point tip

VST 980MIXEVA

8 PC Jawsfit Tang-Thru Screwdriver Set

- New Phillips JAWSFIT tip that firmly grips screws
- Tang-Thru shank with large steel cap
- With a hexagonal bolster for additional wrenching

VST 9308EVA

8 PC Wood-Compo **Screwdriver Set**

- Non-slip handled screwdrivers
- · Efficient torque transmission when tightening screwdrivers
- · Provides secure grip even with an oily hand

VST 3308EVA











SCREWDRIVERS & PICKS

SCREWDRIVER SETS

Professional-Grade Screwdriver Sets

- Moldybdenum vanadium steel shafts are hardened and have magnetic tips
- Ergonically-designed soft grip handles feature size identification, color coding, and bolster holes for extra leverage
- · Lifetime warranty

13-Piece (Slotted: 1/8"x3", 3/16"x4", 3/16"x6", 1/4"x6", 1/4"x1-1/2", 3/8"x10"; Phillips: #0x3", #1x3", #1x4", #2x1-1/2", #2x6"; Torx: T15x4", T20x4")

ATD 6255

18-Piece (Slotted: 1/8"x3", 3/16"x4", 3/16"x6", 1/16"x6", 1/16"x6", 1/4"x2-1/4", 1/4"x4", 1/4"x6", 1/4"x8", 5/16"x6", 5/16"x6", 3/8"x10"; Phillips: #0x3", #1x4", #2x1-1/2", #2x4", #2x6"; Torx" T15x4", T20x4").

ATD 6256





6PC Professional Screwdriver Set

- Custom heat-treated alloy steel blade
- Nickel chrome finish for exceptional corrosion resistance
- High torque acetate handle for superior durability and solvent resistance

CNL SD-6A

10PC Professional Screwdriver Set

- Precision machined vapor blast tip for a precise fit
- Made in the USA

CNL SD-10A





8PC Dual Material Screwdriver Set

• **Slotted:** 1/4 x 1.5"; 1/4 x 4"; 3/16"x 3" with Cabinet Tip;

• **Phillips:** #1 x 3"; #2 x 1-1/2"; #2 x 4" with Hex Bolster; #3 x 6" with Hex Bolster



| Part # | Color |
|-----------|--------|
| KDT 82682 | Orange |
| KDT 82683 | Green |

- PICK SETS

9PC Scraper, Pick & Hook Set

• Drop forged, Heat-treated chrome vanadium steel shafts • Cushion grip handles

• Includes (4) mini precision tools and (5) full size tools, (1) Mini Straight Pick, (1) Mini Full Hook, (1) Mini 45° Hook, (1) Mini 90° Hook, (1) Large 1" Scraper, (1) Large Straight Pick, (1) Large Full Hook, (1) Large 45° Hook, (1) Large 90° Hook

ATD 8424



7PC Hook & Pick Set

- Dual material handles
- Includes: Cotter Pin Puller, Hose Pick Puller, Awl, Mini Full Hook, 90° Mini Hook, Straight Mini Hook, Mini Offset Hook

KDT 84000





8PC Long Hook & Pick Set

- 9" overall length Oil & solvent resistant handle
- Includes: Full Hook, 90° Pick, 45° Pick, Double Angle Pick, Complex Pick, Angle Hook Pick, Combination Pick, Straight Pick

KDT 84010

4PC Heavy-Duty Long Hook & Pick Set

- 14" overall length for reach
- Includes: : Full Hook, Straight Pick, 90° Pick, Combination Pick

KDT 84020



NUT DRIVER SETS

Nut Driver Sets

- Ergonomically designed, soft grip handles Chrome vanadium steel shafts
- Bolster holes for extra leverage Size identification on shafts
- Hollow shaft to allow clearance for bolts

| Part # | Description |
|----------|-----------------------|
| ATD 6257 | 7PC, SAE 3/16" - 1/2" |
| ATD 6258 | 7PC. Metric 6mm-12mm |









26 PC Ratcheting Precision Screwdriver

• (1) 5" ratcheting driver • (1) 4-1/2" extension bar • (7) Phillips • (5) Slotted • (5) SAE Hex • (5) Star • (2) Tri-Wing®

TTN 16092



26 Pc. Precision Bit and Driver Set

• Specialized tip for iPhone • Set includes: (4) Phillips: 000, 00, 0, 1 (5) Slotted: 1.0, 1.5, 2.0, 2.5, 3.0 (6) STAR: T4, T5, T6, T7, T8, T9 (7) Hex: 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0 (2) 5 lobe: TS1, TS5 (1) Magnetic bit holder (1) Aluminum bit driver

TTN 16028

RATCHETING WRENCHES

GW GEARWRENCH

16 PC Metric Combination Ratcheting Set

- 8 19, 20, 21, 22, 24mm
- Included rack for storage and organization
- 72-tooth ratcheting box end needs a minimal 5° to move fasteners vs. 30° for standard wrenches
- Off-corner loading design on box end
- Thin head and beam provide greater access
- Size conveniently stamped on both ends of the beam Bright, full polish chrome finish
- Meets or exceeds ASME and ANSI specifications

KDT 9416



Combination Ratcheting GearWrench® Sets

| Part # | Description | SAE/Metric | Range |
|-----------|-------------|------------|--------------|
| KDT 9417 | 7 Piece | Metric | 8mm — 18mm |
| KDT 9412 | 12 Piece | Metric | 8mm — 19mm |
| KDT 9416 | 16 Piece | Metric | 8mm – 24mm |
| KDT 9413 | 4 Piece | Metric | 21mm – 25mm |
| KDT 9317 | 7 Piece | SAE | 5/16" — 3/4" |
| KDT 9308D | 8 Piece | SAE | 5/16" — 3/4" |
| KDT 9312 | 13 Piece | SAE | 1/4" — 1" |
| KDT 9309D | 4 Piece | SAE | 13/16" — 1" |





Reversible Combination Ratcheting GearWrench® Sets

| Part # | Description | SAE/Metric | Range |
|-----------|-------------|------------|--------------|
| KDT 9620N | 12 Piece | Metric | 8mm – 19mm |
| | 16 Piece | Metric | 8mm – 25mm |
| KDT 9533N | 8 Piece | SAE | 5/16" - 3/4" |
| KDT 9509N | 13 Piece | SAE | 5/16" – 1" |





Flex Combination Ratcheting GearWrench® Sets

| Part # | Description | SAE/Metric | Range |
|-----------|-------------|------------|--------------|
| KDT 9901D | 12 Piece | Metric | 8mm — 19mm |
| KDT 9902D | 16 Piece | Metric | 8mm – 25mm |
| KDT 9903D | 4 Piece | Metric | 21mm – 25mm |
| KDT 9701 | 8 Piece | SAE | 5/16" — 3/4" |
| KDT 9702D | 13 Piece | SAE | 5/16" — 1" |
| KDT 9703 | 4 Piece | SAE | 13/16" – 1" |

OPEN STOCK WRENCHES

Combination Ratcheting GearWrench®

-Metric-

| Part # | Opening | Length |
|-----------|---------|---------|
| KDT 9106 | 6mm | 4.921" |
| KDT 9107 | 7mm | 5.236" |
| KDT 9108D | 8mm | 5.508" |
| KDT 9109 | 9mm | 5.882" |
| KDT 9110D | 10mm | 6.256" |
| KDT 9111 | 11mm | 6.508" |
| KDT 9112 | 12mm | 6.756" |
| KDT 9113D | 13mm | 7.008" |
| KDT 9114D | 14mm | 7.504" |
| KDT 9115D | 15mm | 7.854" |
| KDT 9116D | 16mm | 8.201" |
| KDT 9117D | 17mm | 8.878" |
| KDT 9118D | 18mm | 9.315" |
| KDT 9119 | 19mm | 9.764" |
| KDT 9120 | 20mm | 11.476" |
| KDT 9121 | 21mm | 11.476" |
| KDT 9122 | 22mm | 11.476" |
| KDT 9124 | 24mm | 13.116" |
| KDT 9125D | 25mm | 13.116" |
| KDT 9127D | 27mm | 14.142" |
| KDT 9130D | 30mm | 15.846" |
| KDT 9132 | 32mm | 16.764" |
| KDT 9134D | 34mm | 18.11" |
| KDT 9136 | 36mm | 19.685" |
| KDT 9141D | 41mm | 22.638" |
| KDT 9146D | 46mm | 25.394" |
| KDT 9150 | 50mm | 25,787" |

Reversible Combination Ratcheting GearWrench®

-Metric-

| Part # | Opening | Length |
|-----------|---------|---------|
| KDT 9608N | 8mm | 5.508" |
| KDT 9609N | 9mm | 5.882" |
| KDT 9610N | 10mm | 6.256" |
| KDT 9611N | 11mm | 6.508" |
| KDT 9612N | 12mm | 6.756" |
| KDT 9613N | 13mm | 7.008" |
| KDT 9614N | 14mm | 7.504" |
| KDT 9615N | 15mm | 7.854" |
| KDT 9616N | 16mm | 8.201" |
| KDT 9617N | 17mm | 8.878" |
| KDT 9618N | 18mm | 9.315" |
| KDT 9619N | 19mm | 9.764" |
| KDT 9621N | 21mm | 11.476" |
| KDT 9622N | 22mm | 11.476" |
| KDT 9624N | 24mm | 13.116" |
| KDT 9625N | 25mm | 13.116" |

KDT 9032 13.116" KDT 9034 1-1/16 14 142 KDT 9036 1-1/8" 15.846 **KDT 9038D** 1-1/4" 16.764" KDT 9060D 1-5/16" 18.110" KDT 9062D 1-3/8" 18.110" KDT 9040 1-7/16 19.685" KDT 9042 19.685 1-1/2 KDT 9044 1-9/16" 22.638" **KDT 9046D** 1-5/8" 22.638" KDT 9048 1-11/16 24.213" KDT 9050D 1-3/4 24.213" KDT 9052D 1-13/16" 25.394"

-SAF-

Part #

KDT 9008

KDT 9010D

KDT 9011D

KDT 9012D

KDT 9014

KDT 9016D

KDT 9018D

KDT 9020

KDT 9022

KDT 9024

KDT 9026D

KDT 9028D

KDT 9030

KDT 9054D

KDT 9056D

Opening Length

4.921"

5.508

5.882'

6.256

6.508

7.008

7.504

8.201

8.878

9.764

11.476

11.476"

13.116

25.394

25.787"

1/4"

5/16"

11/32"

3/8"

7/16"

1/2"

9/16


5/8"

11/16

13/16

7/8"

15/16



Flex Combination Ratcheting GearWrench®

-Metric-

| IVIOLITO | | |
|-----------|---------|---------|
| Part # | Opening | Length |
| KDT 9908D | 8mm | 5.512" |
| KDT 9909D | 9mm | 5.866" |
| KDT 9910D | 10mm | 6.22" |
| KDT 9911D | 11mm | 6.496" |
| KDT 9912D | 12mm | 6.732" |
| KDT 9913D | 13mm | 7.008" |
| KDT 9914D | 14mm | 7.48" |
| KDT 9915D | 15mm | 7.835" |
| KDT 9916D | 16mm | 8.189" |
| KDT 9917 | 17mm | 8.858" |
| KDT 9918 | 18mm | 9.291" |
| KDT 9919D | 19mm | 9.764" |
| KDT 9921D | 21mm | 11.457" |
| KDT 9922D | 22mm | 11.457" |
| KDT 9924D | 24mm | 13.11" |
| KDT 9925D | 25mm | 13.11" |



| Part # | Upening | Length |
|------------|---------|----------|
| KDT 9705 | 5/16" | 5.512" |
| KDT 9704D | 11/32" | 5.866" |
| KDT 9706 | 3/8" | 6.22" |
| KDT 9707 | 7/16" | 6.496" |
| KDT 9708 | 1/2" | 7.008" |
| KDT 9709 | 9/16" | 7.48" |
| KDT 9710 | 5/8" | 8.189" |
| KDT 9711 | 11/16" | 8.858" |
| KDT 9712 | 3/4" | 9.764" |
| KDT 9713 | 13/16" | 11.457" |
| KDT 071/ID | 7 /0" | 11 /157" |

15/16'

13.11"

KDT 9715D

KDT 9716D

128

WRENCHES

T-SHAPE WRENCHES



T-Handle Sets

- High quality steel · Plastic handle grips for comfort and increased
- turning power Storage rack included

| Part # | Description |
|---------|--------------------------|
| ATD 574 | 10PC SAE Set, 3/32"-3/8" |
| ATD 575 | 10PC SAE Set, 3/32"-3/8" |
| ATD 576 | 10PC Star Set, T7-T40 |







| Part # | Description |
|-----------|--------------------------------|
| BHS 13389 | 8 Piece - Metric 2mm — 10mm |
| BHS 13390 | 10 Piece - SAE 3/32" – 3/8" |

FOLD UP WRENCHES





Hex GorillaGrip® Fold Up Set

| Part # | Description | Range |
|-----------|------------------|---|
| BHS 12587 | 7 Piece – Metric | 2mm – 8mm |
| BHS 12589 | 9 Piece – SAE | 5/64" — 1/4" |
| | Metric/SAE | 5/64 - 1/4" 2mm-8mm T9, T10, T15, T20, T25, T27, T30, T40 |

L-SHAPE WRENCHES

ProGuard™ Ball End, L-Wrenches, Inch, Metric, Long, 22 PC

| Part # | Description |
|-----------|---|
| BHS 20199 | ProGuard Ball End L-Wrenches - 22 Piece |
| BHS 22199 | ProGuard Hex End L-Wrenches - 22 Piece |



Ball End "L" Wrench Sets

| Part # | Description | Range |
|-----------|------------------|---------------|
| BHS 10999 | 9 Piece - Metric | 1.5mm – 10mm |
| BHS 10936 | 12 Piece - SAE | 0.05" — 5/16" |
| BHS 10937 | 13 Piece - SAE | 0.05" - 3/8" |



22199

ADJUSTABLE WRENCHES -



| Part # | Description |
|---------|--------------------------------|
| ATD 425 | 4 Piece Set – 6", 8", 10", 12" |
| ATD 426 | 6" Long |
| ATD 427 | 8" Long |
| ATD 428 | 10" Long |
| ATD 429 | 12" Long |
| ATD 415 | 15" Long |
| ATD 418 | 18" Long |
| ATD 424 | 24" Long |
| | |

TITAN™



Extra Long "L" Wrench Sets

| Part # | Description | Range |
|-----------|----------------------------------|--------------|
| TTN 12713 | 13 Piece Set - Ball End - SAE | 0.05" — 3/8" |
| TTN 12714 | 9 Piece Set - Ball End - Metric | 1.5mm – 10mm |
| TTN 12715 | 13 Piece Set - Tamper Proof Torx | T6 – T50 |







L-Key Sets

- Made of heat treated, alloy steel for strength and durability
- Precision formed to exact tolerances
- Ball ends permit increased entry angle to work in hard-to-reach areas
- Longer length for extended reach and increased leverage

| Part # | Description |
|---------|---------------------------|
| ATD 580 | 22PC Combo Set |
| ATD 585 | 9PC Metric Set, 1.5-10 mm |
| ATD 584 | 13PC SAE Set, .050"-3/8" |



11PC Star Long Arm Key Set • 11PC Set, T7-T45 **ATD 586**



4 PC Adjustable Wrench Tray Set

 Alloy Steel, Chrome • Jaw Capacity: 1", 1-1/8", 1-1/4",

VSG 2078706

1-1/2"





Adjustable Spud Wrenches

- Chrome vanadium construction
- · Black oxide finish resists corrosion

| Part # | Description |
|---------|---------------------------|
| TTN 211 | 10" Long, 1-1/4" Capacity |
| TTN 216 | 16" Long, 1-1/2" Capacity |

ADJUSTABLE PLIERS



Pliers Sets


• Right angle, laser heat-treated teeth grip better & last longer

| Part # | Description |
|----------|---|
| CNL GLS3 | 3 Piece GripLock® Plier Set ● Contains Nos.: GL6, GL10 & GL12 |
| CNL GLS1 | 2 Piece Tongue & Groove Pliers Set ● Contains Nos.: GL10 & GL12 |
| CNL PC1 | 4 Piece Pliers Set • Contains Nos.: 424, 426, 440 & 460 |

Tongue & Groove Pliers

• High carbon steel for superior performance and specially coated for ultimate rust prevention

| Part # | Length | Adjustments | Capacity |
|---------|---------------------|-------------|----------|
| CNL 424 | 4-1/2" | 3 | 1/2" |
| CNL 420 | 9" | 5 | 1-1/2" |
| CNL 430 | 10" | 7 | 2" |
| CNL 440 | 12" | 7 | 2-1/4" |
| CNL 442 | 12" (Curved Jaw) | 7 | 2-1/4" |
| CNL 460 | 16.5" | 8 | 4-1/4" |
| CNL 480 | 20" | 12 | 5-1/2" |
| | | | |



Slip Joint Pliers

- Serrated jaws
- · provide a firm grip

| Part # | Description |
|---------|--|
| CNL 526 | 6-1/2" Slip Joint Pliers with Wire Cutting Shear |
| CNI 528 | 8" Slin Joint Plier |

GU GEARWRENCH

4 PC Pitbull Auto-Bite™ Tongue & Groove Dual Material Pliers

• Exclusive Auto-Bite lever enables one handed jaw adjustment

· More jaw positions for more flexibility, grip comfort and jaw capacity

· Grip Zone handles for non-marring grip

KDT 82594C

| Part # | Description | Length |
|------------|-----------------------|--------|
| KDT 82590C | Pitbull Dual Material | 6" |
| KDT 82591C | Pitbull Dual Material | 8" |
| KDT 82592C | Pitbull Dual Material | 10" |
| KDT 82593C | Pitbull Dual Material | 12" |



Pitbull Dipped Handle Tongue & Groove

| | - | |
|-----------|--------------|--------|
| Part # | Description | Length |
| KDT 82170 | Straight Jaw | 10" |
| KDT 82172 | V Jaw | 10" |
| KDT 82171 | Straight Jaw | 12" |
| KDT 82166 | Straight Jaw | 16" |






Pitbull Slip Joint Pliers

| Part # | Description | Length |
|------------|---------------|--------|
| KDT 82174 | Dipped | 6" |
| KDT 82175C | Dual Material | 8" |



424

GrooveLock Pliers









Adjustable Pliers/Wrenches

| Part # | Length | Adjustments | Capacity |
|---------------|--------|-------------|----------|
| KNT 8603125 | 5" | 11 | 7/8" |
| KNT 8603150 | 6" | 14 | 1" |
| KNT 8603180 | 7" | 13 | 1-3/8" |
| KNT 8603250 | 10" | 19 | 2" |
| KNT 8603300 | 12" | 22 | 2-3/8" |
| KNT 8603400US | 16" | 25 | 3-3/8" |

PLIERS

Rechargeable LED Multi Tool

- Detachable 13 in 1 multi tool
- LED light
- Easy and safe opening & closing mechanism

MAY 17945



Long Reach Pliers

applications and hard to reach spaces



718

| Part # | Description |
|----------|---------------------------------------|
| CNL 718 | 8" Long Reach Pliers with Flat Nose |
| CNL 738 | 8" Long Reach Pliers with Needle Nose |
| CIVE 750 | o Long heach theis with Needle Nose |







Long Nose Pliers with Side Cutter

• Crossbatch pattern on jaws grips work tightly

| Part # | Length |
|----------|--------|
| CNL 326 | 6" |
| CNL 317 | 7-1/2" |
| CNL E318 | 8" |

KNIPEX


2 PC XL Needle Nose Pliers Set

• Set includes the Two Extra Long Needle Nose Pliers: 28 71 280-Stright Jaw & 28 81 280-45 Degree Angled Jaw and Keeper Pouch

- 11" Needle Nose Pliers give you access that a 8" Needle nose can only dream of
- Also perfect for gripping, adjustment and assembly work in hard to reach areas.
- Serrated pipe grip to grip around parts.
- · Wave-shaped profile allows for better gripping and holding

KNT 9K0080128US







4Pc Long 11" Needle **Nose Pliers Set**

- 11" Needle Nose Pliers-Straight
- 11" Needle Nose Pliers- 90º
- 11" Needle Nose Pliers-45º
- 11" Needle Nose Pliers- S-Type Offset

ATD 814





| Part # | Description | Cut Capacity | Material |
|------------|-------------|--------------|---------------|
| KDT 82176 | 6" Long | 14 AWG | Dipped |
| KDT 82177C | 8" Long | 14 AWG | Dual MAterial |

16" Long Reach **4 PC Pliers Set**

- Extra-long reach for narrow spaces
- Non-slip, comfort grip handles f r user comfort
- Roll pouch included for storage

SUU 3706V



2 Piece "Kiwi" **Pliers Set**

• Includes 6" and 8" angled needle nose pliers

EZR KWP2



PLIERS

PLIERS SETS



5 PC Pliers Set in Kit Bag

• CNL 430 Tongue Plier • CNL 420 Groove Plier • CNL 337 Cutting Plier • CNL 3017 Long Nose Plier • CNL 526 Slip Joint Plier

CNL TOOLROLL3



5 PC Tool Roll Pliers Set

• CNL 526 2 Pos. Slip Joint Pliers, • CNL 447 7-3/4" Diagonal Lap Joint Pliers • CNL 420 9" Multi Tongue & Groove Pliers • CNL 317 Long Nose Pliers • CNL 909 Crimping Tool

CNL TOOLROLL1



CNL GS1



4 PC Pro's Choice Plier Set

• This popular four piece set includes 4-1/2", 6", 12" and 16" sizes of ChannelLocks famous straight jaw tongue and groove pliers

CNL PC1

LINEMAN'S PLIERS





2078208

CHAN NEL LOCK

Locking Pliers Sets

- Chrome vanadium steel provides durability and long life
- Handle and locking mechanism design provides a maximum clamping force
- Curved Jaw and Long Nose locking pliers include wire cutter feature





OCKING PLIFRS

Part #



Description VSG 2078208 8" Lineman's Pliers

VSG 2078209 9.5" Lineman's Pliers



2078209

Part # Description

ATD 15000

ATD 15001

ATD 15015

10 Piece Locking Plier Set, Set Includes:

• 5" Curved Jaw Locking Pliers with Cutter • 7" Curved Jaw Locking Pliers with Cutter

• 10" Curved Jaw Locking Pliers with Cutter • 7" Straight Jaw Locking Pliers • 10" Straight Jaw Locking Pliers • 4" Long Nose Locking Pliers with Cutter • 6" Long Nose Locking Pliers with Cutter • 9" Long

• 11" Locking "C" Clamp Pliers • Roll up storage pouch

Nose Locking Pliers with Cutter • 6" Locking "C" Clamp Pliers

5 Piece Locking Plier Set , Set Includes:

• 5" Curved Jaw Locking Pliers with Cutter • 7" Curved Jaw Locking Pliers with Cutter

• 10" Curved Jaw Locking Pliers with Cutter • 10" Straight Jaw Locking Pliers • 6" Long Nose Locking

Pliers with Cutter • Roll up storage pouch

2 Piece 10" Locking Plier Set, Set Includes: ATD 15002

• 10" Curved Jaw Locking Pliers with Cutter • 10" Straight Jaw Locking Pliers

2 Piece 10" & 6" Locking Plier Set, Set Includes: ATD 15003

• 10" Curved Jaw Locking Pliers with Cutter • 6" Straight Jaw Locking Pliers

5 Piece Locking Welding Clamp Set, Features:

• Locking clamps are ideal for welding and fabrication jobs • Chrome vanadium steel provides durability and long life

Handle and locking mechanism design provides maximum clamping force

· Adjustment screw allows precise clamping control Set Includes: • ATD 15110 - 10" Straight Jaw Locking Pliers • ATD 15106 - (2) 6" Locking "C" Clamp Pliers •

ATD 15111 - (2) 11" Locking "C" Clamp Pliers . Roll up storage pouch





LOCKING PLIERS



10Pc The Original™ **Locking Pliers Tray Set**

- Fits in a standard mechanic tool chest Set Includes:
- 10R, 11R, 10WR, 9LN, 7R, 7WR, 7LW, 6R, 6LN, 5WR

VSG 1078TRAY



5 Piece Locking Pliers Set with a T-Shirt

• Includes: one 10R, two 11R, two 6R **VSG 544T**



4 PC Locking Pliers Set • Includes: 10CR, 6LN, 7R, 5WR

VSG 71




5 Piece Locking Pliers Set • Includes: 5CR, 6LN, 7WR, 10R & 10CR **VSG 538KB**



6 Piece Locking Pliers Set with Koozie Cups

- 5", 7" & 10" curved jaw locking pliers
- 4", 6" & 9" long nose locking ?pliers
- 6 Koozie cups

VSG 641KB



7 Piece Locking Pliers Set

• Includes: 10WR, 6LN, 7WR, 10LW, 7LW, 5WR, 12LC

VSG 757KB

3 PC The Original™ Locking Pliers Set

• Includes: 1 each of the following: 10WR, 7R and 6L

• Hardened teeth are designed to grip from any angle

• Ideal for tightening, clamping, twisting and turning



Curved Jaw Locking Pliers with Cutter

| Part # | Model | Length |
|------------|-------|--------|
| VSG 1002L3 | 4WR | 4" |
| VSG 5WR | 5WR | 5" |
| VSG 7WR | 7WR | 7" |
| VSG 10WR | 10WR | 10" |



Curved Jaw Locking

| Part # | Model | Length |
|-------------|-------|--------|
| VSG 7CR | 7CR | 7" |
| VSG 4935576 | 10CR | 10" |



Straight Jaw Locking Pliers

| Part # | Model | Length |
|---------|-------|--------|
| VSG 7R | 7R | 7" |
| VSG 10R | 10R | 10" |



12" Large Jaw Locking Pliers

- Ideal for exhaust work, welding and plumbing
- Jaw opens to 3-1/8"

VSG 12LC



Long Nose Lockina **Pliers with Cutter**

| Part # | Model | Length |
|---------|-------|--------|
| VSG 4LN | 4LN | 4" |
| VSG 6LN | 6LN | 6" |
| VSG 9LN | 9LN | 9" |



Locking "C" Clamps

| Part # | Model | Length |
|---------|-------|--------|
| VSG 6R | 6R | 6" |
| VSG 11R | 11R | 11" |
| VSG 18R | 18R | 18" |
| VSG 24R | 24R | 24" |



Locking "C" Clamps with Swivel Pads

| Part # | Model | Length |
|----------|-------|--------|
| VSG 6SP | 6SP | 6" |
| VSG 11SP | 11SP | 11" |
| VSG 18SP | 18SP | 18" |
| VSG 24SP | 24SP | 24" |

IRWIN VISE-GRIP



8" Sheet Metal Pliers

- Versatile locking sheet metal tool
- Use to crimp, bend, form, or stretch work pieces

VSG 8R



9" Locking Welding Clamp

 Bottom jaw slides forward to clamp at 90° angle to tool

VSG 8R



5 PC The Original™ Locking Pliers Set• Ideal for tightening, clamping, twisting and turning

- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability
- Classic Trigger Release designed to provide maximum locking force
- Hardened teeth are designed to grip from any angle
- Set includes: 10R, 10WR, 7CR, 5WR and 6LN6R, and 11R

VSG 2077704



VSG 323S



CUTTING PLIERS





3 Piece Cutting Pliers Set - with FREE 10 Piece Tool Holder

- Set includes: 8" (71 01 200), 6 1/4" (72 01 160), and 8" (74 01 200)
- · Comes with free 10 piece tool holder

KNT 9K0080137US

2 Piece Cobra® and Diagonal Cutters Set - with 12'' Keeper

- Set includes: 8" (74 01 200) and 10" (87 01 250)
- Comes with 12" KNIPEX keeper pouch

KNT 9K0080124US





3 PC High Leverage Diagonal Cutters Set

- Contains 6" & 10" straight cutters and 8" angled cutter
- · Exceptional cutting performance

KNT 002005US

2 PC High Leverage Diagonal Cutter Set KNT 9K0080129US



High Leverage Cutting Pliers

| Part # | Description | Medium Wire | Hard Wire | Piano Wire |
|----------------|----------------------------------|-------------------|------------------|------------------|
| KNT 9021180SBA | 7" 25° Angled | 5/32" | 7/64" | 3/32" |
| | Diagonal Cutter | (3.8mm) | (2.7mm) | (2.3mm) |
| KNT 7401200 | 8" Diagonal Cutter | 11/64" (4.2mm) | 1/8" (3.0mm) | 7/64" (2.5mm) |
| KNT 7401250 | 10" Diagonal Cutter | 3/16" (4.6mm) | 9/64" (3.5mm) | 1/8" (3.0mm) |
| KNT 7421200 | 8" Diagonal Cutter with | 11/64" | 1/8" | 7/64" |
| | 12° Angled Head | (4.2mm) | (3.0mm) | (2.5mm) |
| KNT 7491250 | 10" Center Cutter Also cuts soft | 13/64" | 5/32" | 9/64" |
| | wire, 13/64" (5mm) | (5.0mm) | (3.8mm) | (3.5mm) |

7-1/2" Wire Rope Cutter

- Cutting capacity: Copper cable: 9/32" (7mm)
- Iron: 5/32" (4mm) Piano wire: 3/32" (2.5mm)
- Medium hard wire: 5/32" (4mm)
- Wire rope: 13/64" (5mm)


KNT 9561190





GW GEARWRENCH Cutting Pliers

| Part # | Description | Cut Capacity |
|-----------|--|--------------|
| KDT 82120 | 8" Diagonal Cutting Compound Action Pliers | 12 AWG |
| KDT 82121 | 8" Diagonal Long Nose Compound Action Pliers | 12 AWG |
| KDT 82183 | 7" Pitbull Dipped Handle Diagonal Cutting Pliers | 12 AWG |



Diagonal Cutting Pliers

- Durable nickel chromium steel construction
- ProTouch grips provide extra comfort and reduces hand fatigue
- Induction hardened cutting edge stays sharper, longer
- Meets or exceeds ANSI specifications

| Part # | Size |
|-------------|------|
| VSG 2078307 | 7" |
| VSG 2078308 | 8" |
| VSG 1773634 | 10" |
| VSG 1773389 | 11" |



2078307

134

WIRE STRIPPERS/CUTTERS/CRIMPERS



Quick Change Ratcheting Terminal Crimping Kit

• Includes 7 die sets for the most popular automotive terminal crimping applications

SGT 18960

6 PC Deutsch Terminals Service Kit

- Crimping tools for open and closed barrel terminals
- Release tools for 14-16, 16-18 and 20-22 gauge wire

SGT 18650

11 PC Master Terminals Service Kit

- For use on Deutsch open and closed barrel terminals
- Weatherpack terminals Metric-Pack terminals
- Other open barrel terminals

SGT 18700





220 Piece Weatherpack **Ratcheting Crimping Tool** & Accessory Set

• Includes ratcheting crimper, 2 jaws (AWG 22 / 20-18 & AWG 16-14 / 12), terminal release tool, wire seals, receptacles for male/ female terminals and male/female housings

AST 9478

Terminal Crimpers for Deutsch Closed Barrel Terminals

| | - | |
|--------------------------------|-----------------|-------------------------------|
| Part # | Description | TOOL AID® |
| SGT 18880 | 14, 16 & 18 AWG | PROFESSIONAL AUTOMOTIVE TOOLS |
| SGT 18890 | 20 & 22 AWG | |
| Crimps mos | rel Crimping To | 0 24 |

- Deutsch, computer sensor and Weatherpack
- Handles wire sizes 14-24 AWG

SGT 18600

Open Barrel Crimping Tool for 10-26 Awg Terminals

- Easily crimps 10-26 AWG non-insulated open barrel terminals in two operations
- Rolls the terminal tabs over the insulation and stripped wire
- 5 wire crimping positions Forms "B" crimp

SGT 18610

Automatic Wire Stripper

- Three tools in one strips, crimps and cuts
- · Self-adjusts to strip solid or stranded 26-10 AWG wires

SGT 18950

Professional Ratcheting Terminal Crimper

• Crimps 10-22 AWG insulated terminals

SGT 18900

Ratcheting Terminal Crimper for Weatherpack Terminals

• Crimps most Weatherpack terminals and non insulated open barrel connectors 10-22 gauge

SGT 18930



High Capacity Hydraulic Crimper

- Includes 8 hardened-steel die sets
- Powder-coated steel construction
- Non-slip handle
- On/Off retractor knob
- Powerful hydraulic action delivers
- 70kN (15,736 Lbf) of force for secure crimps

TTN 11981

5 Ton Hydraulic Cable Crimper TTN 11980

Self Adjusting Wire Stripper/Cutter and Crimper

- Automatically adjusts to strip 24-10 AWG wire and cable
- Crimps 22-10 AWG insulated and non-insulated wire terminals
- Crimps 7mm and 8mm ignition terminals

TTN 11475





TOOL AID®

Wire Stripper

- Automatically adjusts to wire size
- Adjustable strip length guide
- Cuts and strips solid or stranded 12-22 gage wire
- Handles single or multiple conductor wire
- Easy to use yields clean, nick-free results every time
- Not designed to strip teflon or similar insulations

SGT 19000

GW GEARWRENCH

Electrical Wire Cutter/ Stripper/ Crimper

Bolt cutter feature

KDT 2162D



CHAN NEL LOCK

8-1/2" Long Wire **Cutter/Stripper/Crimper**

- Crimps insulated and non-insulated wire
- Cuts and strips 10-22 AWG Cuts bolt sizes: 10-24, 6-32.
- 8-32, 10-32, 4-40

CNL 908

9-3/4" Crimping & Cutting Pliers

- Crimps both insulalted and non-insulalted solderless connections and terminals
- Cuts 10-22 AWG wire

CNL 909



WIRE STRIPPERS/CUTTERS/CRIMPERS

Forged Wire Strippers

- Cuts 6-32 and 8-32 screws without threading and can be cut from either the front or the back
- Strips 10 to 20 AWG both solid and stranded
- Locating ridges for finding stripping holes
- Bolted joint for precise and smooth cutting
- Induction hardened blades and screw shear
- Knurled jaws for better grip





13718

Super Knips® XL

- 5 1/2" Super Knips® XL
- Joint with stainless steel rivet
- With opening spring and opening limiter
- Cutting edge hardness approx. 54 HRC

KNT 7803140

5" Electronics Super Knips

- Precision pliers for ultra-fine cutting work in electronics and fine mechanics
- Ground, very sharp cutting edges without bevel for flush cutting.
- Precision shaped tips cut copper wires and zip ties with ease

KNT 7803125

KNIPEX PreciStrip16

- Simple, precise stripping of fine wires and solid round cables with a wide capacity range
- Good grip provided by semi-circular grooved metal holding clamps and exact cut from parabolic stripping blade
- With cable cutter for stranded wire from 0.08 to 16 mm



7.75" 6-in-1 Combination Wire Pliers

- Solid wire stripping: 8-18 AWG
- Stranded wire stripping: 10-20 AWG
- Wire cutter
- Loop maker
- Pipe reaming: 1/2" to 1"
- Bolt cutting and threading: #6 and #8 bolts

MWK 48-22-3079



7.5 inch Forged Wire Stripper

- XLT Xtreme Leverage Technology is proven to cut with less effort, reducing hand fatigue
- Screw shears 6-32 and 8-32
- Forged high carbon U.S. Steel precisionmachined and forged in the USA with high-carbon US steel to stay sharper and stronger for a long time
- Ultimate functionality
- Versatility built in with reaming head for up to 1-inch conduit and strips 10-20 AWG solid and strand wire

CNL 968

7" CrimPro™ 4-in-1 Wire Tools

- Gripping nose to pull, twist, bend, and shape
- Crimps 12-20 AWG insulated and non-insulated wire
- Strips 12-20 AWG wire
- · Cuts both above and below pivot

| Part # | Description | |
|-----------|-------------|--|
| OTC 5950A | Angled | |
| OTC 5950S | Straight | |
| | | |





7" Long Automotive Electrical Wire Tool

5950S

CHAN NEL LOCK

- Use as pliers to grab & twist, cut, strip, and crimp insulated and non-insulated connectors
- Strips wire 12-20 gauge

VIM WS57

10" Long Nose 5 in 1 Combination Pliers

- Ergonomic design is easier to use in difficult to reach areas
- 3.5" long gripping nose
- Bolt/screw extractor
- Wire stripper: 10-12-14-16-18-20-22 AWG
- Wire cutter
- Crimps fasteners 10-22 AWG

EZR PG5



136

HOSE CLAMP PLIERS & HOSE CUTTERS



Clamp Pliers

- Overall tool length of 17" provides extra-long reach
- · Cross-cut tip design grips most hose clamps from multiple angles
- Ratcheting lock mechanism holds the clamp in open position for hands-free use
- Dual material grips for comfort

LIS 17000



35° Long Hose Clamp Pliers

- Cross-cut tip design grips most hose clamps from multiple angles
- Ratcheting lock mechanism holds the clamp in open position for hands-free use
- Dual material grips for comfort

LIS 17370



Hose Clamp Pliers

- Range: 11/16" to 2.5" Lifetime warranty on
- pliers body only
- Cable excluded

AST 9409A

Flexible Hose Clamp Pliers

- Allows technician to access the flat-type hose clamps located in hard-to-reach areas
- Pliers has locking mechanism to hold clamp in the open position
- . Heavy-duty 24" cable flexes to almost any position

OTC 4525



Cable Hose Clamp Pliers

- · Clamps down on hose clamp with a stop lock for assured engagement and increased productivity
- · Clamp stays in pliers

KDT 82115



Straight Hose Clamp Pliers

· For flat ear style hose clamps, or Corbin (wire) style hose clamps

KDT 3976D

Mayhew Pro™ **Hose Clamp Pliers**

- Unique Jaw design fits clamps up to 2" (51mm)
- Extra-heavy duty 5/64" (2mm) cable
- Bi-material grips with snap feature
- Easy to replace cable

MAY 28680





| Part # | Description | |
|---------------|------------------------|--------|
| KNT 8551250A | 10" Hose Clamp Pliers | KNIPEX |
| KNT 8551250C | 10" Clic Clamp Pliers | |
| KNT 8551250AF | 10" Locking Hose Clamp | • |

7" Hose **Clamp Pliers**

- For removing and installing hose clamps up to 2" in diameter
- Rotatable tips for reliably gripping hose clamps in all positions
- Serrated gripping jaws for easy loosening of tight hoses



7" Hose **Clamp Pliers** for Click Clamps KNT 8551180C



HOSE CUTTERS -

Flexible Hose and PVC Cutter • For cutting composite pipes from Ø 12 - 25 mm

- Easily exchangeable blades
- Not suitable for cutting cables

KNT 9025185





Hose Cutter

- Makes guick clean cuts
- · Cuts hoses up to 1-1/2" OD

ATD 906



1-1/4" Capacity **Hose Cutter**

• For flexible hoses and tubes

LIS 11420



TOOL AID

1-1/8" Capacity **Hose Cutter**

· Makes accurate, straight, clean cuts on rubber or plastic hose, PVC pipe and certain types of wire and wire cable

SGT 14300



8" Anvil Shears

- · Includes opening spring and easy to use locking device
- Cutting capacity for round material up to 1" (25 mm)
- Cuts flat material up to 1.5" (40 mm) max. width
- Anvil shear blade design great for cutting soft material such as rubber, leather and hose





Pneumatic Hose Cutter

- Easily exchangeable blades • Ideal for liquid, multilayer &
- pneumatic hoses /pipes
- · Blade made of high-strength special grade steel, oil-hardened and tempered

KNT 9010185

HAMMER SETS



B.A.S.H[®] 8 PC Master Hammer Kit

- Kit Contains 8 B.A.S.H. Hammers with Unbreakable Handle Technology (20212, 20412, 55114, 55314, 30216, 32414, 33214 & 34014)
- Trademark Green Head Hi-Vis, drop forged 46 HRC steel head endures the most demanding applications
- Dead blow function eliminates bounce back when striking hardened surfaces
- Safety Plate Secures head to handle preventing head dislodging
- Ergonomic Handle shaped and thickened for improved comfort and less vibration

WIL 11108



6 PC Master BASH® Hammer Kit

- Unbreakable handle technology steel core design prevents breaking during overstrikes
- Safety plate locks head firmly to handle eliminating dislodging
- Anti-vibe neck- ergonomically designed to prevent injury from repeated jobsite use
- Lanyard Hole safely secure sledge hammer to wrist

WIL 11109



3 PC B.A.S.H® Mechanics Hammer Kit

- 4 lbs, 12" sledge hammer (#20412)
- 32 oz, 14" ball pein hammer (#33214)
- 2 lbs, 16" cross pein hammer (#30216)

WIL 11111



3 PC B.A.S.H[®] Shop Hammer Kit

- 4 lbs, 12" sledge hammer (#20412)
- 32 oz, 14" ball pein hammer (#33214)4 lbs, 16" dead blow hammer (#55416)

WIL 11112

Bam Trio

- Indestructible hammers have spring steel bars running the length of the handle
- Bars are locked with the hammer head using steel locking plates and a special bonding process to ensure that the head never gets dislodged
- Ergonomic rubber grip handle absorbs shock and vibration, reducing fatigue

ATD 14033



| Part # | Description |
|----------|-------------------------------------|
| ATD 4047 | 32oz Ball Pein Hammer/14in Handle |
| ATD 4063 | 2.5lb Cross Pein Hammer/16in Handle |
| ATD 4064 | 4lb Sledge Hammer/12in Handle |

5 Piece Hammer Set

- Drop forged, polished steel heads
- Quality fiberglass handles
- Meets or exceeds ANSI specs
- 16 oz and 32 oz ball pein hammers
- 3 lbs sledge hammer
- 3 lbs cross pein hammer
- 32 oz rubber mallet

ATD 4045



GEARWRENCH

5 Piece Hammer Set

- 16 oz dead blow hammer
- 12 oz soft face hammer with removable caps
- 16 oz rubber mallet
- 3 lbs drilling hammer
- 16 oz ball pein hammer

KDT 82303D



BALL PEIN HAMMERS



Ball Pein Hammers with Fiberglass Handles

Meets or exceeds ANSI specs

| Part # | Head Weight | |
|----------|-------------------------------------|--|
| ATD 4035 | 5 Piece Set – 8, 12, 16, 24 & 32 oz | |
| ATD 4036 | 8 oz | |
| ATD 4037 | 12 oz | |
| ATD 4038 | 16 oz | |
| ATD 4039 | 24 oz | |
| ATD 4040 | 32 oz | |

Ball Pein Hammer with Indestructible Handle

- 48 oz 14"
- Handle is made up of (2) spring steel bars that run all the way through the handle
- Bars are locked with the hammer head using steel locking plates
- Ergonomic rubber grip handle absorbs shock and vibration

ATD 4048



B.A.S.H® 3 PC Ball Pein Hammer Kit

- 14" Ergonomic Handle
- Includes: 11/2, 2, 21/2 lb Ball Pein Hammers

WIL 11110



Ball Pein Hammers with Unbreakable Handles

- Anti-Vibe Neck with tapered design
- No-Slip Grip made from vulcanized rubber ensures a secure hold
- Safety Plate prevents head from dislodging
- Unbreakable® Handle Technology: Steel core eliminates breaking during overstrikes

| Part # | Head Weight | Handle Length |
|-----------|-------------|---------------|
| WIL 32414 | 24 oz | 14" |
| WIL 33214 | 32 oz | 14" |
| WIL 34014 | 40 oz | 14" |



HAMMERS

DEAD BLOW HAMMERS

3 PC B.A.S.H® Dead **Blow Hammer Kit**

- 2 lbs, 14" long (#55214)
- 3 lbs, 14" long (#55314)
- 4 lbs, 16" long (#55416)

WIL 11113

B.A.S.H® Dead **Blow Hammers**

- Spark-resistant
- Soft face
- Unbreakable[®] handle technology
- Ergonomic handle with a no-slip grip
- · Lanyard hole

| Part # | Head Weight | Handle Length |
|-----------|-------------|---------------|
| WIL 55114 | 1.5 lbs | 14" |
| WIL 55214 | 2 lbs | 14" |
| WIL 55314 | 3 lbs | 14" |
| WIL 55416 | 4 lbs | 16" |
| WIL 55830 | 8 lbs | 30" |





3 PC Dead Blow **Hammer Set**

- Generate positive force with minimal rebound
- When a conventional hammer would be too harsh, hit it "dead on" with one of these dead blow hammers
- Featuring steel shot blast for increased positive force with minimal rebound.
- Use for chassis work or to dislodge stuck parts
- No-mar, impact-resistant composite handle has a solid molded case over inner steel frame
- Includes: 1/2 lb, 1 lb and 2 lbs

ATD 4082

GW GEARWRENCH

Dead Blow Hammers

| Part # | Head Weight | Head Length |
|-----------|-------------|-------------|
| KDT 82240 | 18 oz | 3.9" |
| KDT 82242 | 33 oz | 4.2" |
| KDT 82244 | 54 07 | 5.4" |



82240

Dead Blow Hammers

| Part # | Head Weight | Length |
|-------------|-------------|--------|
| KDT 69-550G | 5.5 lbs | 20" |
| KDT 69-551G | 9 lbs | 30" |
| KDT 69-552G | 10.5 lbs | 30" |
| KDT 69-554G | 12 lbs | 36" |

CROSS PEIN HAMMER -

Cross Pein Hammer with Unbreakable Handle

- Head Weight: 3 lbs
- Handle Length: 16"
- Unbreakable® Handle Technology
- Revolutionary design
- Engineered no-slip rubber grip

WIL 30316



BRASS HAMMERS

Cushion Grip Brass Hammers

- Non-sparking hammer with fiberglass handle
- Soft brass head absorbs blow impact and reduces or eliminates damage to work, fiberglass handle for comfort reduces impact to user

| Part # | Head Weight |
|----------|-------------|
| ATD 4067 | 2 lbs |
| ATD 4068 | 3 lbs |
| ATD 4069 | 5 lbs |
| | |

Non-Sparking Brass Hammers .

- Comfortable, textured handles for easy grip and handling
- Double-faced
- Solid brass head will prevent steel or iron parts from being damaged

| Part # | Head Weight |
|-----------|-------------|
| TTN 63216 | 2 lbs |
| TTN 63040 | 3 lbs |





3 PC Dead Blow **Hammer Set**

- 12 oz. Brass Hammer ,
- 1 lb. Ball-Pein Hammer & 1-1/2 lb. Dead Blow Hammer
- Shock absorbing steel shot filled canister for maximum force with reduced rebound

TTN 63133

LEVELS & TAPE MEASURES

LEVELS -

IRWIN

I-Beam Levels

- Dual-chamber design increases level durability, ensuring accuracy over time, and resists twisting twice more than traditional I-beams
- Plumb Site offers dual-sided, undistorted viewing in the plumb position and easy, more accurate plumb readings
- MagnaVials and wide top read window provide easy, accurate readings

| Part # | Length |
|-------------|--------|
| AHN 1794105 | 24" |
| AHN 1794108 | 48" |



Magnetic Torpedo Level

- Die cast aluminum body provides extreme durability and
- 1.5° integrated button for easy 1/4" per foot drainage
- Plumb sight offers dual-sided torpedo level viewing for easier and more accurate plumb readings

VSG 1794153

Magnetic Torpedo Level

- · Heavy duty aluminum frame with composite body for durability
- V-groove edge for leveling pipe
- · Locking dial vial for easier reading of angles

AHN 1794155

12" Metal Body **Combination Square**

- Black precision-etched scales Durable cast zinc body
- Rust proof stainless steel blade Perfect for 90° and 45° marking

VSG 1794469

CHALK REELS -



Classic Chalk Reel, 100 FT

- Abrasion-resistant poly-line 5-6 strikes per pull
- Durable aluminum housing & steel handle

VSG 1932873

Speedline™ Chalk Reel, 100 FT• 3:1 Gear ratio rewinds line 3X faster

- Lightweight ABS housing

| Part # | Length |
|-------------|---|
| VSG 1932875 | Speedline™ 100 FT Chalk Reel Only |
| VSG 1932883 | Speedline™ 100 FT Reel + Blue Chalk Combo |

Mach6 Chalk Reel, 100 FT

- 6:1 Gear ratio rewinds line 6X faster
- Durable aluminum housing
- Metal drive gear resists gear failure under heavy load

VSG 1932877

LayoutPro XL, 150 FT

- 20 oz chalk capacity for fewer refills on large jobs
- 150 FT heavy-duty braided line resists fraying and breaking over long distances
- 2:1 Gear ratio rewinds line 2X faster
- Soft-touch ergonomic grip

VSG 1932879











4PC Tape Measure Set

- Easy read markings Non-slip co-molded rubber grip with high impact ABS case
- Convenient belt clip keeps tape measures handy for the job
- Includes sizes: 12 FT x 5/8", 16 FT x 3/4", 25 FT x 1", 33 FT x 1"

ATD 330

4PC Quick Read Cushion Grip Tape Measure Set

- . Contains 12 FT, 16 FT, 25 FT and 33 FT tapes
- · Easy, quick-read markings
- Tough, impact resistant plastic cases
- Ergonomic cushion grips for maximum comfort
- · Hands-free blade locks

TTN 10902



2PC Dual Rule™ **Combination Tape Measure Set**

- Easy-to-read tape markings in both inches and centimeters
- 12 FT and 25 FT versions
- · Hands free blade lock
- Getta-Grip™ sleeve for better grip and user comfort
- . Tough, impact resistant plastic case

TIT 10903



Lufkin

Hi-Viz® Tape Measure

- Easy-to-find Hi-Viz® orange case
- High strength case
- Yellow blade has clear easy-to-read numerals
- Toggle lock is positioned for convenient operation
 - Removable belt clip

| Part # | Length | Width |
|-------------------|--------|-------|
| LUF HV1012 | 12′ | 1/2" |
| LUF HV1312 | 12′ | 3/4" |
| LUF HV1316 | 12′ | 3/4" |

Power Return Tape Measures

- Hi-viz® orange case easy to find on the job
- · Rubber cushion case exterior protects tape from impact and improves grip
- Bright yellow blade has clear easy-to-read numerals
- Cushioned blade return
- Removable belt clip Blade style: A1







SCISSORS & PUTTY KNIVES

SCISSORS -

Bent Handle Scissors

- · Commonly used in cutting fabrics, upholstery and composite materials
- Precision ground blades for sharper cutting edges & longer blade life
- Handle rings designed to comfortably fit users hands
- SET-EASY pivot adjustment easily and securely adjusts to preference
- Hot dropped forged nickel plated blades

| | 0 1 |
|-----------|---------------------------------|
| Part # | Description |
| WIS W20 | 10" Bent Handle |
| WIS W20W | 10" Bent Handle, Wide Blade |
| WIS W20LH | 10" Bent Handle, Left Hand |
| WIS 20-P | 10" Bent Handle, Cushioned Grip |
| WIS W22N | 12" Bent Handle |

8" Rug Shear

- Offset (upward) handle makes cutting easier on nap of rug surface
- Nickel-plated blades
- Double sharp points



8-1/2" Inlaid **Industrial Shears**

- Forged from high carbon steel
- Nickel-plated blades & handle
- SET-EASY pivot

WIS 1DSN

Jobsite Scissors

- Iron carbide edge blades
- All metal handle core
- Rust protection hard chrome plated blades
- · Large handle loops
- Ruler markings on blade

| • Huler Harkings on bi | aue |
|------------------------|-------------|
| Part # | Description |
| MWK 48-22-4040 | 9" Offset |
| MWK 48-22-4041 | 9" Straight |





- Multi purpose cutter designed to make quick work of thin wall PVC, poly pipe, hose and tubing
- · Blade forged from longest lasting, highest quality stainless steel

| Part # | Description | |
|------------|-----------------------------|--|
| KWI T100 | 1-1/4" PVC Cutter | |
| KWI SS200 | 1-7/8" PVC Cutter | |
| KWI BT100 | Replacement Blade for T100 | |
| KWI SSB200 | Replacement Blade for SS200 | |

PUTTY KNIVES & SPATULAS -

Black & Silver Putty Knifes

- Time-tested, pro-approved Black & Silver® putty knifes
- High carbon steel blade and durable nylon handle
- Full-tang blade Guaranteed forever
- Available with either flexible blade for applying compounds smoothing and taping or stiff blade for scraping paint and removing putty

| Part # | Description |
|-----------|------------------------|
| HYD 02000 | 1-1/4" Blade, Flexible |
| HYD 02050 | 1-1/4" Blade, Stiff |
| HYD 02150 | 1-1/2" Blade, Stiff |
| HYD 02250 | 2" Blade, Flexible |
| HYD 02350 | 3" Blade, Flexible |
| HYD 02400 | 3" Blade, Stiff |
| HYD 02850 | 6" Blade, Flexible |

5/8" Paint Spatula

- 3" Spring steel blades, hardened and tempered
- Two-piece hardwood handles with double-rivet construction

HYD 41010





1-1/4" Extra Heavy-Duty **Paint Chisel Putty Knife**

- For scraping paint and applying putty
- High carbon steel blade Wood handle

HYD 07210



3" Offset Pallet Knife **HYD 99615**

5-in-1 Tool

- High carbon steel blade with nylon handle
- Sharp scraper blade Putty spreader, remover
- Half round cut-out removes paint from paint rollers
- Sharp point opens cracks for patching

| Part # | Description |
|------------|------------------|
| HYD 02970 | Hyde Tool |
| TCE 20-022 | Techni-Edge Tool |

Retractable Scraper

- Contoured metal handle
- Push button open/close
- Uses standard single edge razor blades

ATD 8545





1-1/4" StainlessSteel Scraper

- Rigid stainless steel go through blade with metal capped handle for strength and durability
- · Comfortable TPR handle for maximum grip

TTN 11500

3" Offset Rigid Stainless Steel Scraper

- Rigid stainless steel blade for strength and durability. It has a comfortable
- Offset design for hard to reach areas

TTN 11504



SCRAPERS

RAZOR BLADE SCRAPERS

4 PC Scraper Set

• (1) 3-Position Safety Scraper



"Monster" Scraper Kit

- Three scrapers and 5 spare blades
- Unique design angled head!
- Durable and dependable.
- Weight 1 lb 3 oz.
- Case quantity: 12 per box.

EZR MS3000

Universal Razor Edged Scraper & 10 Blades

- Razer edge scraper with collet attaching interchangeable blades
- Removes glue, film, labels, sealant and more
- Includes #95312 10pk square blades, other replacement blade styles sold separately







Multi-Purpose Razor Scraper

Includes one extra heavy duty.020" razor blade

TTN 11030

Razor Blade Scraper

- Strong, Solid Handle Ideal for Stripping Paint, Caulk, Labels, Overspray, Gasket Material, Urethane and Glue
- No sharpening needed, just replace the blade
- Protective cover keeps blade sharp and prevents cuts
- Includes one standard single edge blade

LIS 52460



Long Reach Razor Blade Scraper

- Perfect for hard to reach places
- Comes with (5) stainless steel razor blades and (1) plastic blade for use on plastic laminated windshields
- Hollow handle stores all blades Length: 10-1/2"

ATD 8549

Inspection Sticker Remover

• Ideal for removing inspection stickers and excess sealer, adhesive, and caulking





Plastic Chisel Scraper Set

- For removing emblems,adhesive-backed trim, stick-onwheel weights and gaskets fromaluminum surfaces
- Blades can be resharpened
- Includes 3/4", 1" and 1-1/2"blade widths

LIS 81200



ARBON SCRAPERS



MAY 13082



GW GEARWRENCH

4 PC Scraper Set

• Oil and solvent resistant handle provides a longer tool life

KDT 84080H



1" Wide Scraper Long **KDT 84083H**

XL Carbide Scraper Kit

- Gasket, corrosion and carbon scraper
- · Double edged blade
- Works as a push or pull tool
- Ergonomic hand grip
- Removes burned-in corrosion on brakes, carbon on exhaust manifold, etc.
- Extra long! Total length: 11"

MKP 268320





2-PC Carbide Scraper Set

- Easily removes gasket material and sealers from cast iron, steel and aluminum engine
- Perfect for removing stubborn carbon build-up, rust and scale
- 6" handle, perfect for getting in tight areas

ATD 8564

Carbide Scraper Set 5/8" and 1-1/4"

- Can be used to clean disc brake caliper slides
- Tungsten carbide tips are brazed to steel blade that is molded into comfortable 6" long handle
- Two blade widths, 1-1/4" and 5/8'
- Precision ground tips remain very sharp

LIS 81780



INDUSTRIAL KNIVES & BLADES



1-1/4" Putty Knife Scraper

- Ideal for scraping old putty, paint, dirt and carbon
- 1-piece blade has a satin finish
- Handle is made of polypropylene for easy cleanup.

LIS 51350

Heavy-Duty Scraper

- Hardened steel blade removes carbon, sludge, old gaskets, etc. from blocks, manifolds and heads
- · Blade may be slanted for shaving action
- · Comes with (3) blades, 1", 1-1/2" and 2"

LIS 51000



Snap Knives

- For general light-duty cutting
- · Break off dull blade with integrated blade-beaker and push up to expose a new sharp edge
- . Manual lock holds blade in place during use

| Part # | Description | |
|---|-----------------------------------|--|
| HYD 42045 | Auto Lock Snap Off Knife, 9mm | |
| HYD 42356 Blades for 9mm Snap Knife, 10 PACK | | |
| STN 10-280 Self Locking Snap Off Knife, 18mm | | |
| STN 11-301L | 18mm Blades w/ Dispenser, 50 PACK | |
| STN 11-301T | 18mm Blades w/ Dispenser, 10 PACK | |





ProTouch Snap Knife ProTouch[™] handle provides secure grip and greater comfort · Solid cast aluminum body increases durability • Enhanced blade load cartridge allows for easy discharge

SNAP KNIVES

of used blades and automatic reload of new blade · Rubberized, hinged end cap is impact resistant

VSG 2086200



UTILITY KNIVES



Heavy-Duty Non-Retractable Knife

- Textured Grip Store spare blades inside handle
- · Packaged with 5 utility blades

TCE 03-900



6-3/8" Quick Change **Retractable Utility Knife**

- Change blades quickly no screwdriver required
 Three-position retractable blade
- · Swing-out blade storage magazine for easy access to blades

STN 10-499





6-1/2" Retractable Carpet Knife

- Retractable blade for controled depth of cut
- Angled handle design provides easy access

| Part # | Description | |
|---|-------------------------------|--|
| STN 10-525 | Retractable Carpet Knife | |
| STN 11-530 100 PACK Replacement Blades | | |
| TCE 03-061 100 PACK Round Corner Blades | | |
| TCE 03-062 | 100 PACK Square Corner Blades | |



6" Classic 99® Retractable Utility Knife

- Three-position retractable blade
- Made of carbon allov steel
- For all types of professional and home improvement jobs

STN 10-099



Standard Retractable Knife

- Tackle dozens of jobs, from box-cutting to strapping tape
- Features a multi-stop button and retractable blade to help minimize injuries in the workplace
- Constructed out of steel material to ensure strength and durability

ANR AB-99



with Folding Grip

- Quick change button
 Extended thumb ledge
- Anchored belt clip Wire stripper notch

VSG 2089100



Folding Pocket Utility Knife, Red

- Durable pocket utility knife folds with the touch of a button
- One step blade release
- Convenient metal belt clip
- Uses most standard utility knife blades ATD 8802





- Tool free blade change up to 5X faster
- Wire stripper Integrated gut hook Thin Body Design

MWK 48-22-1901

Folding Utility Knife

- Quick change blade requires no tools
- · Folding lock for safety
- Easy carry belt clip
- Includes 5 extra blades in handy dispenser

| Part # | Color |
|-----------|-------|
| TTN 11015 | Red |
| TTN 11018 | Blue |



Industrial





- Protected blade for safe us 1/4" opening
- Includes tape punch and replaceable blade

TCE 03-786




Safe Edge **Dual Hook** Safety Opener TCE TE20-501









MAY 17946

BLADES & SPECIALTY KNIVES



Utility Knife Blades (#92 **É**lade)

- .24" thick 5 per pack
- Fits most standard utility knives

ATD 8533



Single Edge Razor **Blades**

- .012" thick
- Super sharp industrial grade
- Individually wrapped for edge protection & safety
- Fit most standard scraper & carton cutters
- Box of 100

ATD 8812



Utility Knife Blades with Dispenser(#92) Blade

- Case contains 100 blades
- .24"thick
- Fits most standardutility knives

ATD 8813



Scraper Blades

- Case contains 10 blades
- Designed to remove inspection stickers and other adhesives without scratching
- Standard razor blade size to fit all scraper handles; use on metal, glass, wood or plastic

ATD 8541



Single Edge Razor Blades (#9 Blade)

- Case contains 100 blades
- .009" Single Edge Razor Blades
- Sliding Box of 100
- For industrial and home use
- Fits standard handles and scrapers
- Individually wrapped

ATD 8546



#9 Single Edge Razor Blades

Single edge razor blades

CUT OUT KNIVES

Box of 100





2 Point Bi-Metal Blades

- For heavy duty cutting and scoring
- Fits Irwin® and most other utility knives
- Pack of 5

VSG 2084100



100 Pack of Razor Blades

- Contains 100 stainless steel, single edged razor blades
- · Pack is resealable for organized storage

LIS 52150

FPR-9009



Professional Urethane Cut Out Knife

- 18"in length
- Extra reach to cut hardened urethane down to the dash line
- Heavy-duty steel and aluminum construction
- Use with standard utility razor blade
- Ergonomic cushion grip handle

ATD 8562



24" Urethane Cut Out Knife

- Made of rigid aluminum that will not flex
- Flush securing screws prevent dash and molding damage.
- Long range provides cutting leverage and distance needed in today's long dash windshields
- Use with utility knife blade
- Vinyl non-slip grip.

ATD 8563



Diamond File Set, 8"

• 4-Piece Set of Premium Industrial Files

IPA 8108



CHISELS -



STANLEY

Stanley FatMax Thru-Tang™ Chisels

- Hardened, tempered high-chrome carbon alloy steel blade for edge retention
- Steel striking cap for use with steel-headed hammer
- · Ergonomically designed,
- bi-material grip handle is shatter resistant
- Blade guard can be mounted to wall for storage

| Part # | Width |
|------------|--------|
| STN 16-975 | 1/2" |
| STN 16-312 | 3/4" |
| STN 16-324 | 1-1/2" |
| | |

Cinder Knife

- . Manual opening with thumb stud; Liner lock (locks the blade during use)
- Bottle opener; Lanyard hole
- Steel: 3Cr13, stonewashed finish; Handle: Glass-filled nylon
- Blade length: 1.4 inches (3.6 cm); Overall length: 4 inches (10.2 cm)

| Part # | Description |
|------------|---------------|
| KER 1025X | Black |
| KER 1025YL | Safety Yellow |



kershaw

KNIVES



Static Folding Knife, 2.8" Satin Blade, Gray Handle • Cleaver-shaped blade, great for cutting, slicing, and chopping.

- Blade is 3" long made of quality 8Cr13MoV steel
- Folds down to a compact 3.8 inches and slides neatly into your pocket
- Opens one-handed with KVT ball-bearings and a flipper

KER 3445

Static Folding Knife, 2.8" Satin Blade, Blue Handle **KER 3445BLU**

Parsec 2035

• With a modern aesthetic and sharp performance, the Parsec is lightyears ahead in style and function

KER 2035

Endgame Folding Knife

- D2 high-carbon tool steel is highly wear resistant, tough, offers excellent edge retention
- Steel handle includes bronze PVD-coated and glass-filled nylon overlays; frame lock secures the blade open
- Opens easily with KVT ball-bearing system and a flipper

KER 2095

Chive, Pocketknife

- High-carbon blade steel
- Good edge retention
- SpeedSafe assisted opening
- Frame lock secures the blade open
- Tip-Lock slider to lock the blade closed

KER 1600

Select Fire Knife

- 1/4" hex drive, 2 flathead bits
- 2 crosshead bits
- 8CR13MoV stainless steel blade
- Bit driver adjusts for many angles
- · Includes pocket clip

KER 1920

Outright - Black

- All-black PVD coating makes for a stylish. stealthy look
- 8Cr13MoV blade steel for edge retention, strength. and hardness
- Contoured steel handle is comfortable with a secure grip
- G10 overlay on front handle enhances grip
- SpeedSafe® assisted opening for fast, easy one-handed opening
- 7.1 in: blade 3in.

KER 8320BLK

Lightyear

- Slim profile is comfortable in the hand
- · Opens quickly and easily with SpeedSafe® assisted opening and built-in flipper
- 4Cr14 blade steel offers good corrosion resistance, easy sharpening, high strength; bead-blasted finish provides a subtle, matte look
- · Glass-filled nylon handle has patterned machining for secure grip

KER 1395

Tremolo

- Provides amazing bang for the buck; steel inlays and blade cutout add style
- · Contoured glass-filled nylon handle is comfortable, texturing helps provide secure grip during use
- Opens quickly and easily with SpeedSafe® assisted opening and built-in flipper

KER 1390



- SpeedSafe Assists you to open any SpeedSafe knife quickly and easily with a manual push on the thumbstud or pull back on the flipper
- Reversible Pre-drilled holes in the handle enable the user to change either the tip position or the side on which the knife carries
- Liner Lock Locks the blade open during use Made in the USA

| Part # | Description |
|---------------|--------------------------------------|
| KER 1670NBSW | Blue |
| KER 1670BLK | Black |
| KER 1670BLKST | Ken Onion Blur Knife-Black, Serrated |

ELECTRICIAN KNIVES



Folding Saw Electrician's Knife w/ Tanto Style Blade and #2 Phillips Driver

- Black oxide, stainless steel tanto blade saw
- The dual serrated edges have wire strippers on the top of the blade
- Opposite end of blade features flip out driver with a #1 Phillips driver

SUU KNSAW





Spark Fitter Electrician's Knife with Drop Point Blade and #1 Bit Driver

- lack oxide, stainless steel, drop point style blade that flips open and locks for safe and easy use.
- The dual serrated edges have wire strippers on the top of the blade
- Flip out driver with a #1 bit is located at the opposite end of the blade

SUU KNSPARKB

Spark Fitter w/ Drop Point Blade and **#1 Phillips Driver** SUU KNSPARKP



Wire Biter Electrician's Knife with Drop Point Blade with #2 Bit Driver

- Black oxide, stainless steel, drop point style blade
- Dual serrated edges have wire strippers on the top of the blade
- Opposite end of blade features flip out driver with a #2 bit

SUU KNWIREB

Wire Biter w/ Drop Point Blade and #2 Phillips Driver SUU KNWIREP

PUNCHES & CHISELS

5 PC Long Taper Punch Set

- Each taper punch has self-centering nose that aligns holes
- Forged from high-carbon molybdenum tool steel
- Individually heat-treated and hardened the entire length
- Tempered striking end for durability

PLT 99800

6 PC Precision Punch Set

- Ideal for maintenance and repair of smaller pins
- Forged from high-carbon molybdenum tool steel
- Individually heat-treated and hardened the entire length
- Tempered striking end for durability
- Pin punches designed with reverse taper eliminating sticking in workpiece

PLT 99801





5 PC Punch and Chisel Set

- Forged from high-carbon molybdenum tool steel
- Individually heat-treated and hardened the entire length
- Tempered striking end for durability
- Chisels are designed to be resharpened once they become dull
- Pin punches designed with reverse taper eliminating sticking in workpiece

PLT 99802

12 PC Roll Spring (Pin) Punch Set

- · Pins remove quickly and easily
- Has a pilot point that places the punch in perfect contact position
- · Forged from high-carbon molybdenum tool steel
- . Individually heat-treated and hardened the entire length
- Tempered striking end for durability

PLT 99803

6 PC Roll Spring (Pin) **Punch Set PLT 99804**





9 PC Brass Roll Pin Punch Set





24 PC Punch and Chisel Set **MAY 61050**

14 PC Punch and Chisel Set **MAY 61044**

> 20 PC Punch and Chisel Set **MAY 61020**





4 PC Brass Punch Kit

- 3/8" drift punch
- 1/4" solid punch
- 1/4" pin punch
- 3/8" pin punch
- (Product not under warranty)

MAY 62277



856 Series Extra-Long Pin **Punches with Handle**

• 16" length for increased access for hard-to-reach areas • Pin diameter sizes: 1/4", 5/16", and 3/8" • Ergonomic handle with striker cap for secure grip and striking • Handle reduces vibration when striking • Made from high carbon molybdenum tool steel and hardened entire length of punch

LNG 856-3ST



27 Piece Punch and Chisel Set **KDT 82306**

5 PC Pin **Punch Set** • 1/8" - 5/16th **KDT 82309**





4 PC Long Taper Punch Set

1/8" - 1/4

KDT 82307







3 Piece Brass Drift Punch Set

• 1/2" x 7", 5/8" x 7" and 3/4" x 8" drift pin style punches SGT 14270

INSPECTION & PICK UP TOOLS



| Part # | Description |
|-----------|--|
| MAY 17750 | 7-3/4" – 35-1/2" • Swivel head, shatter proof |
| MAY 17755 | 6-1/2" – 27-1/2" • Swivel head, shatter proof |
| MAY 17951 | 1-1/4" – 36-1/4" • Round scratch-resistant |
| MAY 17952 | 2-3/16" – 37-1/2" • Round scratch-resistant |
| MAY 17954 | 3-1/4" – 29" • Round scratch-resistant |
| MAY 17955 | 2" — 30" • Adaptable lighted magnetic |



II ULLMAN

720 Rechargeable Digital Inspection Mirror

- Bluetooth enabled 720P camera w/ LED illumination for pictures and videos
- Connect to your phone or tablet through Ullman DM App -Android / IOS
- Dual point 360° rotational knuckle to see behind, under and around objects

ULL DM-1



LED Lighted Telescoping Round Inspection Mirror

- Mirror measures 2-3/8" in diameter
- Telescopes from 6-1/2" to 36-3/8"

ULL HTC2LT



LED Lighted Telescoping Rectangular Inspection Mirror

- 2-1/4" x 3-1/2" mirror
- Three rotating LED lights
- Telescopes from 6-3/4" to 30-1/4"

ULL HTK-2LT



7-1/4" Long LED Lighted **Magnifying Glass**

- 2.2x magnification
- Non-distorting optical grade glass lens
- Comfortable rubber grip handle
- Rubber framing for extra protection
- Lens measures 2-7/8"

TTN 15029

PICK UP TOOLS





3 Lbs Magnetic Telescoping Pick-Up Tool

Extends to 25"



2-in-1 Flexible Magnetic Claw Pick-Up Tool Picks up steel and non

magnetic items, up to 2 lbs • 27" long flexible body

VIM FMC27



Mantus™ 14" Long Tight Access Tool Ultimate tool for accessing hard to reach areas

 Surpasses the reach of a long needle nose plier with greater precision and control

Serrated interlocking jaws for strong grip

Stainless steel construction

IPA 8100



3 Piece Flexible Magnetic **Pick-Up Tool Set**

- 2-in-1 magnetic pick-up tool with claw feature
- 1/4" bit driver 1/4" socket driver
- 24" long shafts

SUU 9813



| Part # | Description |
|-----------|-----------------------------------|
| MAY 17960 | 6-1/4 - 34-1/4 • 2-1/2lb capacity |
| MAY 17961 | 6-1/4 - 34-1/4 ● 5lb capacity |
| MAY 17962 | 6-1/4 - 30-1/4 • 10lb capacity |





| Part # | Description | | |
|-------------|------------------------------------|--|--|
| MAY 179600R | 2-1/2lb • orange • 6-1/4"- 34-1/4" | | |
| MAY 17960BL | 2-1/2lb • blue • 6-1/4"- 34-1/4" | | |
| | 2-1/2lb • green • 6-1/4"- 34-1/4" | | |
| MAY 179640R | 1-1/2lb • orange • 5-7/8"- 26-1/4" | | |
| | 1-1/2lb • red • 5-7/8"- 26-1/4" | | |
| | 1-1/2lb • green • 5-7/8"- 26-1/4" | | |

TORQUE WRENCHES

MICROMETER TORQUE WRENCHES

GW GEARWRENCH



| Part # | Drive | Ft-Lbs | In-Lbs | Nm | Length |
|-----------|-------|----------|----------|----------|---------|
| KDT 85171 | 1/4" | — | 30 - 200 | 4 - 23 | 11" |
| KDT 85176 | 3/8" | 10 - 100 | — | 20 - 142 | 18.35" |
| KDT 85181 | 1/2" | 30 - 250 | — | 54 - 353 | 24.875" |

Micrometer Torque Wrenches

- Positive lock torque setting right or left
- Meets ISO 6789 specifications
- Includes storage case

| Part # | Drive | Torque | Nm | Increments | Length |
|------------|-------|------------------|---------------|------------|---------|
| ATD 12500A | 1/4" | 30 - 200 in-lbs | 3.95 - 23.16 | 1 in-lbs | 11" |
| ATD 12501A | 3/8" | 30 - 250 in-lbs | 4.52 - 29.38 | 2 in-lbs | 14" |
| ATD 12502A | 3/8" | 10 - 100 ft-lbs | 20.3 - 142.4 | 1 ft-lbs | 18" |
| ATD 12504A | 1/2" | 30 - 250 ft-lbs | 54.2 - 352.6 | 2 ft-lbs | 24-1/4" |
| ATD 12505A | 3/4" | 100 - 600 ft-lbs | 152.6 - 830.6 | 2.5 ft-lbs | 42-3/4" |

Torque Wrenches

- Knurled, metal handle for non-slip grip
- Positive lock with spring loaded pull down lock ring
- Accuracy: ±4% CW ±4% CCW of indicated value, CW from 20% to 100% of full scale
- Quick release ratchet head for positive socket retention and easy removal
- Comes in blow molded storage case with instructions and calibration certificate



| Part # | Description |
|----------|--|
| ATD 2504 | 1/2" Drive 30-250 inlbs. Torque Wrench |
| ATD 2505 | 3/4" Drive 100-600 in.lbs- Torque Wrench |



Micrometer Torque Wrenches

| Part # | Drive | Ft-Lbs | In-Lbs | Nm | Length |
|-----------|-------|-----------|----------|--------------|--------|
| KDT 85061 | 3/8" | | 30 - 250 | 4.52 - 29.38 | 14" |
| KDT 85062 | | 10 - 100 | | 13.6 - 135.6 | 18" |
| KDT 85066 | | 30 - 250 | | 54.2 - 352.6 | 25.25" |
| KDT 85065 | 3/4" | 100 - 600 | | 153 - 830 | 45" |

ELECTRONIC TORQUE WRENCHES



| Part # | Drive | Ft-Lbs | In-Lbs | Nm | Length |
|-----------|-------|----------|--------|-----------|--------|
| KDT 85194 | 1/4" | 2.0 - 20 | 0.1 | 2.7 - 2.7 | 15.45 |
| KDT 85195 | 3/8" | 10 - 100 | 0.1 | 2.7 - 2.7 | 15.87 |
| KDT 85196 | 1/2" | 25 - 250 | 0.1 | 2.7 - 2.7 | 24.26 |

GW GEARWRENCH



Electronic Torque Wrenches with Angle

| Part # | Drive | Ft-Lbs | In-Lbs | Nm | Length |
|-----------|-------|----------|------------|--------------|----------|
| KDT 85078 | 3/8" | 10 - 100 | 120 - 1200 | 12.6 - 135.6 | 5 - 999° |
| KDT 85079 | 1/2" | 25 - 250 | 300 - 3000 | 33.8 - 338 | 5 - 999° |



Electronic Torque Wrenches

| Part # | Drive | Ft-Lbs | In-Lbs | Nm | Length |
|-----------|-------|--------------|-------------|----------|--------|
| KDT 85076 | -, - | 7.4 - 99.6 | 88.5 - 1194 | 10 - 135 | 15.75" |
| KDT 85077 | | 25.1 - 250.8 | 300 - 3008 | 30 - 340 | 24.62" |



Torque Wrenches

- "Split beam" torque measuring mechanism that requires only fingertip force to adjust
- Adjust from the bottom to the top of the scale in seconds
- No need to reset the tool to the bottom of the scale after use
- Steel construction Comes in a blow molded case 1 year warranty

| Part # | Drive | Head | Torque | Increments | Length |
|--------------|-------|-------|------------------|------------|---------|
| PRE C2FR50F | 3/8" | Flex | 10 - 50 ft-lbs | 1 ft-lb | 17-5/8" |
| PRE C2FR100F | 3/8" | Flex | 20 - 100 ft-lbs | 2 ft-lbs | 17-5/8" |
| PRE C3FR250F | 1/2" | Flex | 40 - 250 ft-Ibs | 5 ft-lbs | 22-1/8" |
| PRE C4D600F | 3/4" | Rigid | 200 - 600 ft-Ibs | 10 ft-lbs | 48" |
| PRE C5D600F | 1" | Rigid | 200 - 600 ft-Ibs | 10 ft-lbs | 48" |

shop-vac

AVAILABLE NOW AT AIM SUPPLY



VACUUMS & AIR MOVERS

GUN VACUUMS -



- Twice the power of a standard shop vacuum
- Powered by standard shop compressed air, this lightweight vac has no electric motors to burn out
- Easy to empty, high filtration collection bag attaches to rear of vacuum via hose cuff
- Tapered vacuum inlet accepts all standard 1-1/4" vac accessories
- Unit hangs on a hook, ready for use at anytime
- Rugged, all metal construction Contoured comfort grip
- Convenient hanging eyelet High filtration collection bag with zipper
- 9" crevice tool included 1/4" FNPT bottom and rear inlets

GRD 1500



AIR MOVERS -

Professional Air Movers

- For drying wet carpets and floors, walls and ceilings. Lightweight and can easily be moved wherever air movement is needed. Stackable for easy storage
- Three speed air control

500 CFM Air Mover

- . Built in outlets to connect multiple units
- Three operating positions
- 10 FT power cord
- Weighs only 11 LBS

SPV 1032100

1,600 CFM Air Mover

- 30 FT power cord for longer reach
- Two operating positions
- Collapsible handle and rear wheels

SPV 1030200





SHOP VACS

6.5 HP Professional 12 Gallon Stainless Steel Vacuum

- Upgraded ultra web cartridge filter Collector filter bag for fine dust and powders
- On-board accessory tool storage that includes crevice tool, nozzle with squeegee and brush insert, and a claw nozzle, blue ultra web cartridge filter that is easy to clean and a collector bag that fits inside the tank





| Part # | Description |
|-------------|---------------------|
| SPV 5850300 | 4-Gallon, 2.0 HP |
| SPV 5870800 | 8-Gallon, 4.5 HP |
| | • |





5.5 Gallon Pneumatic Vacuum

- Engineered to mount on any vertical surface
- No electric motor to spark or burn out
- · Chemical resistant polyethylene container
- Pre-drilled, steel mounting plate
- Cartridge filter (77% efficient @ 0.8 microns)
- Liquid shut-off and drum drain
- 1-1/2" ID x 10 FT flexible vacuum hose and 11" plastic crevice tools



SEATS, CREEPERS & LIFTS

SEATS -

Progear Mobile Gear Seat

- · Racing seat is designed for comfort
- Spinning gear tray
 Exclusive drop sleeve design
- 5" nylon and synthetic rubber casters

REL 2-700

Monster Gear Seat

- Pneumatic adjustable height
- Contoured and padded seat

REL 2-230



- Steel frames with tool trays
- Padded seats & durable casters


| . aaaca coa | to de darable datatore | |
|-------------|---------------------------------|-----------|
| Part # | Description | ATD 81010 |
| ATD 81009 | Mechanic's Seat | 1 Page 1 |
| ATD 81010 | Hydraulic Seat | |
| ATD 81012 | Hydraulic Tractor Seat | O |
| ATD 81047 | Heavy-Duty Toolbox Creeper Seat | ATD 81012 |
| | | _ |

TRAXION

REL 2-230

CREEPERS

Heavy Duty Creeper with Adjustable **Headrest**



- Full 40" length heavy-vinyl padded deck and adjustable head rest
- Solid wheel design for added strength with rounded sides
- · Six hooded 3"polyurethane swivel rollers
- 300 LB weight capacity



40" Convertible Creeper Seats

- Creeper to chair with just one motion!
- Steel frame construction with powder coat finish
- 6 swivel oil-resistant casters and upholstered pad
- Choose from standard or low profile frame styles

| ATD 81049 | Low-Profile 300 LBS Capacity | | |
|-----------|---------------------------------|--|--|
| ATD 81045 | Standard 450 LBS Capacity | | |

Description

Part #

ATD 8116F



Creeper Pad

- Made from heavy-duty EVA foam that is water, chemical and impact resistant
- Thick cushion design for comfort
- · End section folds to form headrest

ATD 81015

Foldable Topside Creeper

- Great for getting to the engine from the top of vehicle
- Padded chest rest

| Part # Height | | | |
|---------------|------------------------|--|--|
| ATD 8116F | Adjustable, 44" to 64" | | |
| REL 3-120 | Static, 48" | | |



500LB Capacity Pallet Trucks

- Turning radius: 180 degrees
- 2-1/2" low profile allows for easy engagement of pallets
- · Easy to use fingertip controls permit single handed operation
- Welded all steel frame and powdercoat finish
- Poly over steel 6-1/4" X 2-3/4" steer wheels ensure contact with uneven floors

| Part # | Description | Size |
|------------|--------------------------------|-----------|
| JET 151009 | 5,000 LB Capacity Pallet Truck | 27" x 48" |
| JET 151003 | 5,000 LB Capacity Pallet Truck | 16" x 36" |
| ATD 7406 | 5,500 LB Capacity Pallet Truck | 27" x 48" |



1/4 Ton Mini-Puller 5' Lift

- Industrial rated alloy steel hooks
- · Grade 80 black oxide coated load chain for added durability
- Needle bearing design increases efficiency and promotes smooth operation
- Compact small body and lightweight design for low headroom applications and use in confined areas

JET 287100



3/4Ton Adjustable **Engine Load Leveler**

- · Makes engine removal or installation faster and easier
- Can be used with shop crane or hoist
- 1,500 LBS capacity will handle most passenger car and small engines

ATD 7489



- Supplementary stand prevents tipping/rocking of vehicle

- Min Height: 66-1/2" Max Height: 75-3/4"
 Saddle Size: 5-1/4" x 1-1/2" Base Size: 24" x 24" x 24"
- This stand is NOT designed to support the vehicle

ATD 7440

ATD 7442

3/4 Ton Heavy-Duty Auxiliary Stand with Foot Pedal

- Provides partial support for components only
- · Foot pedal allows easy load movement
- Min Height: 53-3/4" Max Height: 78-7/8"
- Saddle Size: 5-1/4" x 1-1/2"
- Base Size: 12" diameter


ATD 7442



18" Convex Mirror With Brackets

- Comes with mounting brackets
- Swivel Assembly adjust to most positions





ATD 7440



GRINDERS, PRESSES & VISES

BENCH GRINDERS -





ATD 10551

ATD 8252

ATD 8250

| Grinding & Wire Wheels | 6" | 8" |
|----------------------------|-----------|-----------|
| Medium Face Wire Wheel | ATD 8250 | ATD 8261 |
| Twisted Wire Wheel | ATD 8252 | ATD 8248 |
| Medium Grit Grinding Wheel | ATD 10551 | ATD 10553 |
| Coarse GritGrinding Wheel | ATD 10552 | ATD 10554 |

6" 1/2 HP Bench Grinder

- Heavy-duty ball bearing motor
- Adjustable shatter resistant eye shields; (1) magnifying and (1) standard
- · Metal tool rests and spark guards
- · Base has pre-cast holes for mountingto stand or work bench
- Large flexible work light for increased visibility (bulb not included)
- Includes (2) grinding wheels; (1) medium and (1) coarse grit
- Dust proof switch Cooling tray
- · Takes standard bulb

ATD 10556



SHOP PRESSES -





16-1/2" Drill Press

- 16 speeds lets you choose the best speed for the job
- · Quick release crank operated worktable height adjustment rotates + or - 45° for versatility
- Hinged metal belt and pulley cover provides easy access to the guick adjustment motor mount to allow rapid spindle speed changes
- "X" pattern mounting grooves in table allow mounting a fence when table is in reverse position
- Depth stop displays inch/mm and has a quick set bolt for fast, accurate adjustments

JET 354169 (SPECIAL ORDER)

SHOP VISES —

Utility Workshop Vise with Swivel Base


- 180° swivel base with lockdown allows for quick and easy positioning
- Powder coat paint resists scratches
- Built-in pipe jaws handle various pipe sizes
- · Large anvil work surface

| Part # | Description |
|-----------|---|
| WIL 11128 | 6-1/2" Utility Workshop Vise with Swivel Base |
| WIL 11800 | Workshop Vise, 8" Jaw Width, 7-1/2" Jaw Opening, 4-1/2" Throat Depth |
| WIL 00191 | 6" Heavy-Duty Workshop Vise |



20 Ton Hydraulic **Shop Press** with Bottle Jack





- Multi-position bed for work height adjustment
- · Heavy steel, welded construction
- Hydraulic system is protected from internal damage by a by-pass mechanism
- Excellent for bending, bonding or straightening
- Hydraulic Stroke: 9-1/8"
- Minimum Working Space: 2-1/2"
- Maximum Working Space: 34-1/8"
- Column (Bed) Width: 4" Bed Positions: 8
- Press Size: 28" W x 28" D x 64-1/2" H

ATD 7454

Tradesman Vise

- Enclosed design keeps lubrication in and contaminants out for smooth operation
- · Wider jaws provide greater clamping surface
- 60,000 PSI ductile iron body is virtually indestructible with 2X the strength of grey casted vises

| Part # | Description |
|---|---|
| WIL 28801 Tradesman Vise, 6-1/2"Jaw Width, 6-1/2"Jaw Opening, 4" Throat Depth | |
| WIL 28802 | Tradesman Vise, 8"Jaw Width, 7" Jaw Opening, 4-3/4" Throat Depth |

General Purpose 6" Jaw Bench Vise with Swivel Base

- Made from high strength steel
- Double lock down swivel base
- · Large anvil work surface
- · Grooved steel jaw inserts
- 120 Degree Swivel

WIL 11106

UTILITY TARPS -

Mildew Resistent Tarps

- UV shield coating for long life
- Rustproof aluminum grommets every 36"

| Size |
|---------------|
| 10 FT x 12 FT |
| 12 FT x 12 FT |
| 20 FT x 20 FT |
| 20 FT x 30 FT |
| |



Mechanics Vise with Swivel Base

- . Heavy-duty 30,000 PSI iron casting built for rugged use and extended life
- Swivel base rotates 360° and has double lockdowns ensuring maximum stability
- · Large anvil work surface

| Part # | Description |
|-----------|--|
| WIL 21300 | Mechanics Vise 4" Jaw with Swivel Base |
| WIL 21400 | Mechanics Vise 5" Jaw with Swivel Base |
| WIL 21500 | Mechanics Vise 6" Jaw with Swivel Base |





WELDING





FP-135 Complete MIG Welder Kit

- Ready to weld right out of the box Everything you need to weld is included (gas bottle and shielding gas not included)
- · Perfect for general light duty fabrication, repair, auto body work
- · Can be used with or without shielding gas
- Easy to adjust for perfect welds 4 tap power settings and variable wire speed
- 6.5 FT MIG gun lead and ground cable length
- Uses Tweco compatible gun consumables
- Thermal overload protection protects unit when duty cycle is exceeded
- Comes complete with Tweco style gun, MIG welder cart, welding helmet, chipping hammer, wire brush, flow gauge regulator, 1.0 LB, .030 mild steel wire, extra contact tips, set-up chart, manual
- Maximum Output: 135 AMP Input voltage: 120V
- Duty Cycle (@ 104 degrees F): 40% @ 90 AMP 18V
- Maximum DC Volts: 32 Maximum Steel Thickness: 1/4"
- MIG Wire Feed Rolls: .023-.030/.035" Processes: MIG, Fluxcore

VCT 1444-0346



Medium Duty Acetylene Cutting & Welding Outfit

- All new WH411C torch handle provides a more ergonomic grip
- Made of a high-strength alloy, more durable than a standard
- Color-coded knobs reduce confusion when operating the torch

VCT 0384-2540

PROTECTIVE GEAR

Auto-Darkening Welding Helmets

- · Bold new graphics
- Ergonomically balanced to reduce stress and fatique
- Features exclusive 370 Speed Dial ratcheting headgear system
- 1/1/1/2 optical clarity rating
- · Meets or exceeds ANSI Z87.1 and CAN/ CSA Z94.3 standards. CE certified













JACKSON°

| Part # | Model Description |
|-----------|--|
| JCK 47100 | 6 Feet Under Premium Auto Darkening Welding Helmet |
| JCK 47101 | Hellfire Premium Auto Darkening Welding Helmet |
| JCK 47102 | Gray Matter Premium Auto Darkening Welding Helmet |
| JCK 47103 | Freedom Premium Auto Darkening Welding Helmet |
| JCK 47104 | Reapers n' Roses Premium Auto Darkening Welding Helmet |
| JCK 47105 | Bead Demon Premium Auto Darkening Welding Helmet |

Auto-Darkening Welding Helmet

- Skull/Green design 3.86" x 2.17" viewing area
- Ultra high performance filters protect against UV & IR



Deluxe Solar Auto-Darkening Welding Helmet with Leather Welding Gloves

- Viewing area: 96mm by 62mm
- · Automatically changes filter screen from clear to dark in 1/20,000 sec

AST 8077SE

130 AMP Mig/Flux Core Welder

- 40-130 Peak AMP power
- CSA rated output of 60 AMPs at 21 Volts, 40% duty cycle Weight: 54 LBS
- Use with standard 120 Volt electrical circuits

ATD

ATD 3130



175 AMP Mig/Flux Core Welder

- 35-175 Peak AMP power
- CSA Rated output of 120 AMPs at 20 Volts, 25% duty cycle
- Weight: 62 LBS
- Use with standard 230 Volt electrical circuits

ATD 3175

- Simple to operat CSA approved
- · Great for auto body, maintenance, hobbyist, farm & ranch
- Can be used right out of the box with included flux core wire (FCAW), or easily converted to shielding gas operation (GMAW)
- Weld steel, stainless steel, aluminum and cast iron (must use correct wire and gas)
- Tweco-Type torch with full on/off safety control
- Multiple power settings and infinite wire speed for accu rate welding control
- Fan cooled power unit and thermal overload protection
- 10 Year transformer warranty 1 year on all other parts

BOTH WELDERS INCLUDE:

- Welding mask Wire brush/hammer combo tool
- .030 Flux core wire starter spool & contact tip

WELDING ACCESSORIES

MIG Welder Cart

- · Heavy-duty steel construction
- (2) 5-3/8" rubber wheels & (2) 2-1/2" swivel casters
- 17-3/8" x 10-3/8" top shelf
- (2) storage shelves
- Built-in cylinder rack with safety chain
- Cable holders for torch and ground cables
- Weight Capacity: 110 LBS

ATD 7041







Tool Set

5-Piece

Welding

• Two 11R and 6R locking C-clamps, and one 10R • 6.6 LBS **VSG 544T**

BATTERY

BATTERY CHARGERS -



BIASSOCIATED

6/12 Volt Value Battery Charger

- 40 AMP continuous rating at 6/12 Volts
- 200 AMP cranking assist with a full 330 AMP Manufacturer's Boost Rating
- 90 minute timer with hold
- Fan cooling mechanism prevents overheating enhancing unit's life span significantly
- Convenient handle with grip and quality steel foot for long lasting use
- UL Listed "SAFE IN ANY WEATHER"
- Two year warranty

A0 US20



| Part # | Voltage | Output Current | Engine Start | Limited Warranty | Weight |
|-----------|-------------|-------------------|-----------------|---------------------|--------|
| ASO 6001A | 6/12V | 75/100A | 375A | 5 Year | 58 LBS |
| ASO 6002B | 6/12/18/24V | 40/50/80/100A | 400A | 5 Year | 70 LBS |
| ASO 6006 | 6/12/24V | 30/65/70A | 280A | 5 Year | 53 LBS |
| ASO US20 | 6/12/24V | | 250A | 2 Year | |

BATTERY MAINTAINER -

ASSOCIATED

Battery Maintainer 12-Volt

- Automatic charger/maintainer
- For all vehicles, where can be mounted in the vehicle
- Fully automatic with charging status indicated by LED
- Reverse polarity and short circuit protection

ASO 9002



Heavy-Duty Battery Carrier

- Designed for use on all top and side post batteries with horizontal ridges
- Sure-grip handle for secure lifting and carrying
- Rubber padded grips provide a firm hold on all batteries up to 7-1/2" wide

ATD 5486

JUMP STARTERS & BOOSTER CABLES -



JUMP n Carry.

12/24V Portable Jumpstart

- 3400 Peak AMPs of power in 12V mode
- 1700 Peak AMPs of power in 24V mode
- Long, 46" #2 gauge cables
- Industrial grade hot jaw clamps
- Automatic recharging
- Battery status indicator gauge

KKC JNC1224

12V Portable Jumpstart

- 1700 Peak AMPs
- Clore PROFORMER battery technology
- 46 inch heavy-duty #2 AWG cables

KKC JC660



S#LAR.

Booster Cables with Parrot Clamps

- Ideal for head-to-head and side-to-side starting of all classes of light and medium duty vehicles
- Designed for all-weather use, TPR cable jackets remain flexible in extreme temps and feature an operating temperature range from -40°C to +80°C
- Commercial grade parrot clamps provide strong biting force to penetrate corrosion on battery terminals.

| Part # | Gauge | Length | Cable Style | Clamps |
|------------|-----------|--------|-------------|-----------------|
| SOL 402252 | 2 Gauge | 25 FT | Single | 600A Parrot |
| SOL 404202 | 4 Gauge | 20 FT | Twin | 600A Parrot |
| SOL 410122 | 10 Gauge | 12 FT | Twin | 250A Parrot |
| SOL 422252 | 2/0 Gauge | 25 FT | Single | 800A Heavy Duty |



Booster Cables

- For 6 and 12 Volt automotive starting batteries and 12 and 24 Volt starting and/or charging systems
- All copper wire Tangle free
- Flexible in cold weather



| Part # | Gauge | Length | Clamp Rating |
|-----------|---------|--------|------------------------|
| ATD 79702 | 4 Gauge | 16 FT | 400 AMP Clamps |
| ATD 79703 | 4 Gauge | 20 FT | 500 AMP Parrot Clamps |
| ATD 79704 | 4 Gauge | 25 FT | Plug In 600 AMP Clamps |
| ATD 79705 | 2 Gauge | 20 FT | 600 AMP Clamps |

DIAGNOSTIC & SOLDERING

CIRCUIT TESTERS -



| Part # | Description |
|----------|--|
| ATD 5500 | Primary Circuit Tester w/ Ground Clip |
| ATD 5513 | Heavy-Duty Circuit Tester (for 6 & 12V systems), 5 FT Lead |

Digital High Current Probe/DMM

- · Ideal for all high current applications, especially starting/charging diagnostics
- Will measure up to 1000 AMP AC or DC
- Features built-in degrees °F and °C temperature readings
- (37) Test ranges (10) Test functions Auto power off Auto-ranging, data hold
- Test leads and temperature probe included
- Continuity beep Overload protection
- Clamp opening 1.5" 9V battery included
- Carrying case included

ATD 5597



FLUKE® Fluke 115 Compact True RMS Digital Multimeter

- · Check continuity, frequency, capacitance and diode test
- Measures 20 A (30 seconds momentary; 10 A continuous)
- True-RMS for accurate measurements on non-linear loads
- CAT III 600 V safety rated
- Large white LED backlight to work in poorly lit areas

FLK 115

DIGITAL MULTIMETERS -



Digital Mini Multimeter

- Economical digital multimeter that can't be beat
- Capabilities of full range units but small enough to fit in your pocket
- Includes test leads, protective holster and installed battery
- (16) test ranges
- (6) test functions
- Protective holster
- 3-1/2" Digital LCD display
- Fuse protected
- · Safety leads & jacks

ATD 5544



Digital Multimeter

- · Compact design and functions you need for overall convenience
- · Capabilities are equal to many higher priced multimeters
- · Comes with test leads, protective holster, instructions and installed 9V battery
- (20) test ranges
- (7) test functions
- 10 Amp test range
- Continuity beeper
- Fully fuse protected
- 10 Meg/Ohm impedance

ATD 5536

BEST! TESTS mA!

Auto-Ranging Multimeter

- High precision auto-ranging DMM can help you troubleshoot all types of electrical problems
- Set to the desired test function and unit automatically selects test range
- Includes test leads, instruction manual, protective holster & (2) AA batteries
- (43) test ranges, auto-ranging
- (10) test functions
- · Auto power off, data hold
- Dual fuse protection
- 10 Meg/Ohm input impedance

ATD 5519

THERMOMETERS -

Infrared Thermometer with Laser



- display and an expanded temperature range • Simple to use and easy to store
- Non Contact Temperature Range: -58 to 932°F (-50 to 500°C)
- Field Of View: 12 : 1 Target Indicator: single laser spot
- Emissivity: 0.95 Accuracy: ±2°C (4°F) or ±2% of reading

MSC 52224A

Thermal Imaging Camera

- Measures from -20 to 250°C (-4 to 482°F) and display thermal images and temperature
- Thermal Image Resolution: 32 x 31 pixels Focus Free
- Accuracy (Tamb=20 to 26°C): ±2% of reading, or 2°C (4°F)
- Thermal Sensitivity: 0.1°C Frame Rate: 9 Hz

MSC 52300

SOLDERING -

Self-Igniting Triggertorch™ Kit

• Kit Includes: MAC MT-76 3-in-1 Microtorch, removable stand, 5" wire cutter. 5" needle nose pliers, solder tip, heat tip, shrink attachment, polyfoam cutter hot knife tip, a roll of 60/40 solder, and stand with sponge



*Unit is shipped without fuel

| Part # | Description |
|------------|---|
| MRA MT-76K | Self-Igniting Triggertorch™ KIT |
| MRA MT-76 | Triggertorch™ Only |
| MRA MT70P | Microtorch Combo Pack: MT-11 Mini Trigger Torch & MT-70 Palm-Sized Microtorch |
| MRA GT-70 | General Industrial Butane Torch |



Butane Soldering Kit

- · Electronic ignition and flame adjustment
- Maximum temp: 950° F when used for soldering

PWP PPSK





Micro Torch

- Max 2,500° F
- 120 W 580 BTU
- Easily refillable
- Electronic Ignitor
- Base included

PWP PPMT









WEL D550PK Weller

TERMINALS & CONNECTORS

| Dort # | Description |
|--------------------------------|---|
| Part # TE 12-10-NB | Description Terminal Ring 16-14Ga #10 Nylon Hook Blue |
| TE 12-10-NB | Terminal Ring 16-14Ga #10 Vinyl Blue |
| TE 12-14-P | Terminal Ring 16-14Ga 1/4" Vinyl Blue |
| TE 12-38-P | Terminal Ring 16-14Ga 3/8" Vinyl Blue |
| TE 12-56-P | Terminal Ring 16-14Ga 5/16" Vinyl Blue |
| TE 13-10-NB | Terminal Ring 12-10Ga #10 Nylon Hook Yellow |
| TE 13-14-P | Terminal Ring 12-10Ga 1/4" Vinyl Yellow |
| TE 13-38-NB | Terminal Ring 12-10Ga 3/8" Nylon Hook Yellow |
| TE 13-38-P | Terminal Ring 12-10Ga 3/8" Vinyl Yellow |
| TE 13-56-P | Terminal Ring 12-10Ga 5/16" Vinyl Yellow |
| TE 14-38-WN | Terminal Ring 8Ga 3/8"Nylon Red |
| TE 14-56-WN | Terminal Ring 8Ga 5/16"Nylon Red |
| TE 19002-0034 TE 19019-0031 | Disconnect 16-14Ga .110.020 Fem Ful-Ins Blue |
| TE 19127-0089 | Disconnect 16-14Ga .250 Fem Nylon Blue Terminal Flanged Spade12-10 Avikrimp Each |
| TE 19127-0099 | Terminal Flanged Spade 12 10 Avikimp Each |
| TE 19130-0046 | Terminal Block Spade16-14Ga #10 Vinyl Blue |
| TE 19154-0022 | Terminal Step Down Butt 16-14 to 22-18 Vinyl Ea |
| TE 19164-0013 | Terminal Butt Splice 18-22 Awg Red Heat Shrink |
| TE 19164-0020 | Terminal Ring 16-14Ga 3/8" Shrink Blue |
| TE 19164-0026 | Terminal Ring 16-14Ga 1/4" Shrink Blue |
| TE 19164-0027 | Terminal Ring 16-14Ga 5/16" Shrink Blue |
| TE 19164-0030 | Terminal Spade 16-14Ga #10 Shrink Blue |
| TE 19164-0033 | Terminal Ring 16-14Ga #8 Shrink Blue |
| TE 19164-0034 | Terminal Ring 16-14Ga #10 Shrink Blue |
| TE 19164-0040 | Terminal Bullet 16-14Ga .156 Male Shrink Blue |
| TE 19164-0043 TE 19164-0047 | Terminal Butt Step Down 14/16 to 18/22 Ga Permasl Disconnect 16-14Ga Fem Shrink Blue |
| TE 19164-0048 | Disconnect 16-14Ga Male Shrink Ful-Ins Blue |
| TE 19164-0050 | Disconnect 16-14Ga Fem Shrink Ful-Ins Blue |
| TE 19164-0054 | Terminal Bullet 16-14 Ga.156 Fem Shrink Blue |
| TE 19164-0058 | Terminal Ring 12-10Ga 1/2" Shrink Yellow |
| TE 19164-0059 | Disconnect 12-10Ga .250 Fem Shrink Yellow |
| TE 19164-0062 | Terminal Ring 12-10Ga #8 Shrink Yellow |
| TE 19164-0063 | Terminal Ring 12-10Ga #10 Shrink Yellow |
| TE 19164-0066 | Terminal Ring 12-10Ga1/4" Shrink Yellow |
| TE 19164-0067 | Terminal Ring 12-10Ga 5/16" Shrink Yellow |
| TE 19164-0068 | Terminal Ring 12-10Ga 3/8" Shrink Yellow Terminal Butt Step Down 10-12 To 14-16 Permaseal |
| TE 19164-0077 TE 19193-0202 | Terminal Ring 8Ga #10 Versa Krimp |
| TE 19193-0245 | Terminal Ring #10 6 Awg Open Ends |
| TE 19200-0002 | Terminal Butt 22-18Ga Nylon Red |
| TE 19202-0013 | Terminal Butt 22-18Ga Nylon Red |
| TE 19202-0049 | Terminal Butt 12-10Ga Nylon Yellow |
| TE 19204-0024 | Terminal 3-Way 12-10Ga Vinyl Yellow Non Insulated |
| TE 19212-0005 | Terminal Wire Pin Wp 2614x Insulkrimp Blue |
| TE 19213-0011 | Terminal Wire Pin Wp 8614avikrimp Each |
| TE 61-P | Terminal Butt 22-18Ga Vinyl Red |
| TE 62-NB | Terminal Butt 16-14Ga Nylon Blue |
| TE 62-P TE 63-NB | Terminal Butt 16-14Ga Vinyl Blue Terminal Butt 12-10Ga Nylon Yellow |
| TE 63-P | Terminal Butt 12-10Ga Vinyl Yellow |
| TE 64-WP | Terminal Butt 8Ga Vinyl Red |
| TE 71F-250-32-NBL | Disconnect 22-18Ga .250 Fem Nylon Ful-Ins Red |
| TE 71M-250-32-NBL | Disconnect 22-18Ga .250 Male Nylon Ful-Ins Red |
| TE 72-MP | Disconnect 16-14Ga .250 Male Vinyl Blue |
| TE 72F-250-32-NBL | Disconnect 16-14Ga .250 Fem Nylon Ful-Ins Blue |
| TE 72F-250-32-NL | Disconnect 16-14Ga .250 Fem Nylon Ful-Ins Blue |
| TE 72M-250-32-NBL | Disconnect 16-14Ga .250 Male Nylon Ful-Ins Blue |
| TE 72M-250-32-NL | Disconnect 16-14Ga .250 Male Nylon Ful-Ins Blue |
| TE 73F-250-32-NL | Disconnect 12-10Ga .250 Fem Nylon Ful-Ins Yello |
| TE 73M-250-32-NBL | Disconnect 12-10Ga .250 Male Nylon Ful-Ins Yell |
| TE 77-250 TE 772-250-NB | Disconnect 16-14Ga .250 Male/Male/Fem Non-Ins Disconnect 16-14Ga .250 Male/Fem Nylon Blue |
| TE B-216-08X | Terminal Spade 16-14Ga #8 Flanged Vinyl Blue |
| TE B-289-X | Terminal Bullet 16-14Ga 156 Male Vinyl Blue |
| TE B-889 | Terminal Bullet 16-14Ga 156 Male Nylon Blue |
| TE BB-2318 | Disconnect 16-14Ga .250 Male/Fem Vinyl |
| - 0 | |



| | , |
|--------------|--|
| Part # | Description |
| TE BB-5269 | Disconnect 16-14Ga .187 Fem Ful-Ins Nylon |
| TE BRB-8156 | Terminal Bullet 16-14Ga .156 Fem Vinyl Blue |
| TE BRB-8156N | Terminal Bullet 16-14Ga .136 Fem Nylon Blue |
| TE BSN-331 | Terminal Butt 16-14Ga Nylon Blue |
| TE C-217-08X | Terminal Spade 12-10Ga #8 Flanged Vinyl |
| TE C-217-10X | Terminal Spade 12-10Ga #01Tanged Vinyl Yellow |
| TE C-236-08X | Terminal Space 12-10Ga #8 Narrow Tongue Vinyl |
| TE KS56-14 | Connector Butt Step Down10/12Ga-14/16Ga Yellow |
| TE SA-221-10 | Terminal Ring 22-18Ga #10 Shrink Red |
| TE SAA-22-18 | Terminal Butt 22-18Ga Shrink Red |
| TE SBB-16-14 | Terminal Butt 16-14Ga Shrink Blue |
| TE SC-12-10 | Terminal Butt 12-10Ga Shrink Yellow |
| TE SD-8 | Terminal Butt 8Ga Shrink Red |
| TE SD-810 | Terminal Ring 8Ga #10 Shrink Red |
| TE SD-814 | Terminal Ring 8Ga 1/4" Shrink Red |
| TE SD-838 | Terminal Ring 8Ga 3/8" Shrink Red |
| TE SD-8516 | Terminal Ring 8Ga 5/16 Red Shrink Tube |
| AE 2503 | Lug Copper 2Ga 1/2" Stud |
| AE 2561-1 | Lug Tinned Copper 2Ga 5/16" Stud |
| AE 30381-1 | |
| AE 4101-1 | Lug Tinned Copper 3/0Ga 3/8" Stud Lug Tinned Copper 4Ga #10 Stud Mds |
| AE 6101 | Lug Copper 6Ga #10 Stud |
| AE 6382 | Lug Copper 6Ga 3/8" Stud |
| AE 8101 | Lug Copper 8Ga #10 Stud |
| AE 8382 | Lug Copper 8Ga 3/8" Stud |
| AE 8561 | Lug Copper 8Ga 5/16" Stud |
| NC 10 | Clamp Cushioned #10 Alum/Rubber .625 |
| NC 12 | Clamp Cushioned #12 Alum/Rubber .750 |
| NC 12 | Clamp Cushioned #14 Alum/Rubber .875 |
| NC 15 | Clamp Cushioned #15 Alum/Rubber .937 |
| NC 16 | Clamp Cushioned #16 Alum/Rubber 1.000 |
| NC 18 | Clamp Cushioned #18 Alum/Rubber 1.125 |
| NC 20 | Clamp Cushioned #70 Alum/Rubber 1.725 |
| NC 24 | Clamp Cushioned #24 Alum/Rubber 1.500 |
| NC 28 | Clamp Cushioned #28 Alum/Rubber 1.750 |
| NC 32 | Clamp Cushioned #32 Alum/Rubber 2.000 |
| NC 36 | Clamp Cushioned #36 Alum/Rubber 2.250 |
| NC 4 | Clamp Cushioned #04 Alum/Rubber .250 |
| NC 40 | Clamp Cushioned #40 Alum/Rubber 2.500 |
| NC 48 | Clamp Cushioned #48 Alum/Rubber 3.000 |
| NC 6 | Clamp Cushioned #06 Alum/Rubber .375 |
| NC 7 | Clamp Cushioned #07 Alum/Rubber .437 |
| NC 8 | Clamp Cushioned #08 Alum/Rubber .500 |
| NC SS-10 | Clamp Cushioned #10 Ss/Pvc .625 |
| NC SS-12 | Clamp Cushioned #12 Ss/Pvc .750 |
| NC SS-14 | Clamp Cushioned #14 Ss/Pvc .875 |
| NC SS-15 | Clamp Cushioned #15 Ss/Pvc .937 |
| NC SS-16 | Clamp Cushioned #16 Ss/Pvc 1.000 |
| NC SS-18 | Clamp Cushioned #18 Ss/Pvc 1.125 |
| NC SS-20 | Clamp Cushioned #20 Ss/Pvc 1.250 |
| NC SS-22 | Clamp Cushioned #22 Ss/Pvc 1.375 |
| NC SS-24 | Clamp Cushioned #24 Ss/Pvc 1.500 |
| NC SS-26 | Clamp Cushioned #26 Ss/Pvc 1.625 |
| NC SS-28 | Clamp Cushioned #28 Ss/Pvc 1.750 |
| NC SS-32 | Clamp Cushioned #32 Ss/Pvc 2.00 |
| NC SS-34 | Clamp Cushioned #34 Ss/Pvc 2.125 |
| NC SS-36 | Clamp Cushioned #36 Ss/Pvc 2.250 |
| NC SS-40 | Clamp Cushioned #40 Ss/Pvc 2.500 |
| NC SS-44 | Clamp Cushioned #44 Ss/Pvc 2.750 |
| NC SS-48 | Clamp Cushioned #48 Ss/Pvc 3.000 |
| NC SS-6 | Clamp Cushioned #06 Ss/Pvc .375 |
| NC SS-8 | Clamp Cushioned #08 Ss/Pvc .500 |
| | |

ELECTRICAL SUPPLIES

ELECTRICAL TAPE -



Scotch Super 33+Vinyl Electrical Tape, Black

- Premium grade 7 MIL thick 3/4" x 66 FT
- ALG weather vinyl-insulating tape
- Temperature range of 0-220°F (-18-105°C)
- Provides moisture-tight electrical and mechanical protection
- UL Listed and CSA Certified

3MI 00053

Vinyl Electric Tape, Assorted Colors

- 7 MIL thick
- UL listed good dielectric strengthen

| Part # | Size | Color |
|------------|--------------------------------|--------|
| TX 60-BL | 3/4" x 66 FT, Roll | Blue |
| TX 60-GR | 3/4" x 66 FT, Roll | Green |
| TX 60-GRAY | 3/4" x 66 FT, Roll | Gray |
| TX 60-OR | 3/4" x 66 FT, Roll | Orange |
| TX 60-P | 3/4" x 66 FT, Roll | Purple |
| TX 60-R | 3/4" x 66 FT, Roll | Red |
| TX 60-W | 3/4" x 66 FT, Roll | White |
| TX 60-Y | 3/4" x 66 FT, Roll | Yellow |
| TX 65-2 | 2" x 66 FT, Roll | Black |
| TX 888-B | 3/4" x 66 FT, Bucket, 32 Rolls | Black |





TORCHES -



Micro Torch Kit

- 120 W 580 BTU Butane torch
- Electronic Ignitor
- · Soldering tips and accessories
- Excellent for soldering and brazing
- Maximum temperature: 2500° F

| Part # | Description |
|---------------|---------------------------------|
| PWP PPMKIT-01 | Micro Torch Kit |
| PWP PPMT04 | Heat Shrink Tip for Micro Torch |



MASTER

Master Butane-Powered Microtorch®

- Built-in self-igniting system with safety lock that ensures the switch is not turned on when not in use
- Wide, stable base is perfect for bench-top use
- Durable self-contained, refillable metal fuel tank
- 60 minutes continuous run time with a full charge
- Adjustable broad flame or pinpoint flame
- Flame temperature approximately 2500°F

MRA MT-30




Butane-Powered Flameless Micro Torch

- Use to contract shrink tubing over soldered wire repairs, crimped or soldered connectors
- · Heat deflector attachment circulates hot air around your project ensuring a consistent shrink
- Waterproof piezo ignition ensures flameless ignition in damp conditions
- Locking trigger Refillable butane fuel cell **OTC 4470**

HEAT SHRINK .

Heat Shrink Tubing

 Insulate wires, providing abrasion resistance and environmental protection for stranded and solid wire conductors, connections, joints and terminals



CABLE TOOLS & TIES -



Automatic Cut Off Cable Tie Tension Tool

- Quickly tensions and cuts off excess strap without leaving a sharp protrusion that can cause snags, cuts and abrasions to cables, hoses, and users
- Designed for cable ties from 8 LB to 50 LB

| Part # | Туре |
|-----------|-------------|
| TI AL-200 | 15-50 LBS |
| TI AL-300 | 120-175 LBS |

Nvlon Cable Ties

| Length | Tensile Strength | Black | Natural | Ωty |
|--------|------------------|-----------------|------------|-----------|
| 5" | 18 LB | TI RT-350-BLK | TI RT-350 | 1,000/BAG |
| 5.8" | 40 LB | TI RT-508-BLK | TI RT-508 | 1,000/BAG |
| 7.5" | 50 LB | TI RT-675-BLK | TI RT-675 | 1,000/BAG |
| 14.25" | 50 LB | TI RT-1400-BLK | TI RT-1400 | 500/BAG |
| 15" | 120 LB | TI RTH-1400-BLK | | 100/BAG |
| 25.2" | 175 LB | TI RTV-2400-BLK | | 50/BAG |
| 37.2" | 175 LB | TI RTV-3600-BLK | | 50/BAG |

Nylon Cable Ties With Mounting Hole

| Length | Tensile Strength | Black | Natural | Ωty |
|--------|------------------|------------------|--------------|-----------|
| 8" | 50 LB | TI RTM-675-BLK | TI RTM-675 | 1,000/BAG |
| 14.5" | 50 LB | TI RTM-1400-BLK | TI RTM-1400 | 100/BAG |
| 15.7" | 120 LB | TI RTHM-1400-BLK | TI RTHM-1400 | 100/BAG |

HARDWARE ASSORTMENTS

TERMINALS & HS TUBING-



| Part # | Description | |
|---------|--|--|
| ATD 355 | 360PC Insulated Terminal Assortment | |
| ATD 383 | 75PC Heat Shrinkable Terminal Assortment | |
| ATD 393 | 75PC Heat Shrink Tubing Assortment | |



171PC Heat Shrink Tube Assortment



- UL approved Polyolefin heat shrinkable tubing in a wide variety of diameters, lengths, colors, and sizes
- Operating Temperature: -67°F ~ 257°F (-55°C ~ +125°C)
- Shrink Temperature: Starts at 158°F (70°C) Ends at 230°F (110°C)
- 2:1 Shrink Ratio
- Maximum Electrical Rating: 600 Volts

TTN 45238

AUTOMOTIVE FUSES



| Part # | Description | |
|---------|---------------------------------------|--|
| ATD 364 | 120PC ATC Car Fuse Assortment | |
| ATD 382 | 100PC Mini Car Fuse Assortment | |
| ATD 386 | 50PC Maxi ATC Car Fuse Assortment | |
| ATD 392 | 100PC Low Profile ATM Fuse Assortment | |

SCREWS, WASHERS, NUTS & BOLTS



748PC SAE Nuts & Bolts

 Lock washers & nuts in coarse thread sizes 5/16" - 5/8"



ATD 343

800PC Metric SAE Nuts & Bolts

- Hex cap screws and flat washers Wall mounting racks
- Lock washers & nuts in coarse thread sizes 6-16mm
- (40) heavy-duty plastic bins with printed ID labels

ATD 344

| Part # | Description |
|-----------|---|
| ATD 371 | 200PC Fiber & Nylon Washer Assortment |
| ATD 359 | 100PC Copper Washer Assortment |
| ATD 360 | 350PC Stainless Steel Lock & Fast Washer Assortment |
| ATD 349 | 200PC Hex Washer Head Self-Drilling Screw Assortment |
| ATD 381 | 200PC Socket Set Screw Assortment |
| ATD 39360 | 120PC Master Hex Nut, U-Nut & Body Bolt Assortment |
| ATD 39359 | 185PC Master Universal Trim Screw Assortment |
| | |

O-RINGS, PLUGS, GROMMETS & FITTINGS -









| | Part # | Description |
|--|----------|--|
| | ATD 3600 | 407PC SAE O-Ring Assortment |
| | ATD 3601 | 419PC Metric O-Ring Assortment |
| | ATD 356 | 270PC HRNR O-Ring Assortment |
| | ATD 362 | 125PC Rubber Grommet Assortment |
| | ATD 357 | 100PC SAE Grease Fitting Assortment |
| | ATD 374 | 100PC Metric Grease Fitting Assortment |
| | | |

SNAP RINGS, E-CLIPS, PINS & SPRINGS



| | Part # | Description |
|--|---------|---------------------------------------|
| | ATD 350 | 55PC Cotter Pin Assortment |
| | ATD 363 | 144PC Large Cotter Pin Assortment |
| | ATD 351 | 300PC E-Clip Assortment |
| | ATD 354 | 300PC Snap Ring Assortment |
| | ATD 353 | 150PC Hair Pin Assortment |
| | ATD 352 | 200PC Spring Assortment |
| | ATD 372 | 315PC Roll Pin Assortment, 5/32"-3/8" |
| | ATD 373 | 245PC Roll Pin Assortment, 1/16"-1/4" |
| | | |

TAPS, EXTRACTORS & RIVET GUNS

Screw Extractor & Drill Sets

- Designed for the removal of broken studs, bolts, socket screws and fittings
- Aggressive left-hand spiral design provides extra gripping power



| Part # | Description | Types: Sizes |
|-----------|--|--|
| AHN 11135 | 35PC Screw Extractor & Drill Set | Various Spiral, Mulit-Spline & Left-Hand Cobalt |
| AHN 53227 | 25PC Hex Head Multi-Spline Screw Extractor Set | Hex 1/8" - 7/8" |
| AHN 11119 | 10PC Extractor & Left Hand Cobalt Drill Set | Spiral EX1-EX5 |
| AHN 26376 | 76PC Combination & Die Set | SAE: #4 to 1/2" Metric: 3-12mm |



76PC Fractional & Metric Tap & Die Set

- 34 plug tap sizes perfect for general purpose threading
- 34 hexagon die sizes ideal for general maintenance and repair work
- High carbon steel for durability and precision
- Also includes adjustable die stock, plain die stock, adjustable handle tap wrench, 2-in-1 tap wrench, T-handle wrench, metric thread pitch gauge, fractional thread pitch gauge

ATD 276

RIVET GUNS -

Deluxe Rivet Repair Kit

- Sets up to 3/16" rivets
- Includes (4) nose pieces and sample rivets

| Part # | Description |
|-----------|-------------------|
| MAR 39001 | Deluxe Repair Kit |
| MAR 39000 | Rivet Tool Only |
| | |



- Set includes 1/8"-1/4" diameter rivets
- Includes 3/16" and 1/4" nose pieces
- Extra long handles provides excellent leverage

MAR 39010

Professional Hand Riveter Kit

- Drop-forged steel handle
- Maximum setting power with minimal squeezing force
- Easy rivet loading and ejecting Comes with 4 nosepieces (3/32", 1/8", 15/32", 3/16") and assortment of rivets

ATD 5834

1/4" Heavy-Duty Hand Riveter

- Extra long handles provide excellent leverage (20.75" OAL with 2.25" nose)
- Includes 5 nosepieces toset 1/8", 5/32", 3/16", 7/32", and 1/4" steel and aluminum rivets

| Part # | Description |
|----------|---------------------|
| ATD 5842 | Standard Nose Piece |
| ATD 5843 | Extended Nose Piece |









TAPS

| Commence of the Commence of th | | |
|--|----------------------------------|-----------|
| Part # | Description | |
| UNB 10-10003 | Tap 1/4-20 4FH3 TPR Hand* 150 | 0 |
| UNB 10-10005 | Tap 1/4-20 4FH2 PLG Hand 1500 | |
| UNB 10-10006 | Tap 1/4-20 4FH3 PLG Hand 1500 | |
| UNB 10-10010 | Tap 1/4-20 4FH3 BTM Hand 150 | O |
| UNB 10-10014 | Tap 1/4-28 4FH3 TPR Hand 1500 | |
| UNB 10-10025 | Tap 5/16-18 4FH3 TPR HND 1500 |) |
| UNB 10-10028 | Tap 5/16-18 4FH3 PLG HND 1500 |) |
| UNB 10-10032 | Tap 5/16-18 4FH3 BTM HND 150 | 00 |
| UNB 10-10047 | Tap 3/8-16 4FH3 TPR Hand 1500 | |
| UNB 10-10050 | Tap 3/8-16 4FH3 PLG Hand 1500 | |
| UNB 10-10085 | Tap 1/2-13 H3 Taper Hand 1500 | |
| UNB 10-10291 | Tap 1/4-20 2FH2 PLG SPPT 1585 | |
| UNB 10-10305 | Tap 5/16-18 2FH2 PLG SPP 1585 | |
| UNB 10-10320 | Tap 3/8X16 H3 3FL SP PT Plug B | right |
| UNB 10-10336 | Tap 1/2-13 3FH3 PLG SPPT 1585 | |
| UNB 10-10379 | Tap 1/4-20 4FH3 PLG PLLY1519 F | Hand |
| UNB 10-10686 | Tap 6-32 H3 PL 2F Hand Plug 152 | 28 |
| UNB 10-10698 | Tap 8-32 4FH3 TPR Hand 1528 | |
| UNB 10-10701 | Tap 8-32 4FH3 PLG Hand 1500 | |
| UNB 10-10704 | Tap 8-32 4FH3 PLG BOTTOM 150 | 00 |
| UNB 10-10710 | Tap 8-32 H3 BT 2F 1528 | |
| UNB 10-10725 | Tap 10-24 4FH3 TPR Hand 1528 | |
| UNB 10-10728 | Tap 10-24 4FH3 PLG Hand 1528 | |
| UNB 10-10731 | Tap 10-24 4FH3 BTM Hand 1528 | |
| UNB 10-10746 | Tap 10-32 H3 TP 4F 1528 | |
| UNB 10-10749 | Tap 10-32 4FH3 Plug Hand 1528 | |
| UNB 10-10765 | Tap 12-24 H3 TP 4F 1528 | |
| UNB 10-12360 | Tap 6-32 2FH2 Plug SPPT 1534 | |
| UNB 10-12370 | Tap 8-32 2FH3 Plug SPPT 1534 | |
| UNB 10-12383 | Tap 10-32 2FH3 Plug SPPT1534 | |
| UNB 10-12515 | Tap Bottoming M16 X1.5 | |
| UNB 10-12534 | Tap 20MM X 1.5 HSS Hand Tape | er Bright |
| UNB 10-12674 | Tap 6 X 1.0 D5 2F PL 1785M | |
| UNB 10-12678 | Tap 8 X 1.25 D5 2F PL 1785M | |
| UNB 10-12853 | Tap 7/16-20 3 Flute SPPTH3 | - |
| UNB 10-20014 | Tap 10-24 H3 2F X6 P L 1534N | |
| UNB 10-20022 | Tap 1/4-20 H3 2F 6"OAL Extension | on |
| | | |

MINI-DUCTORS

MINI-DUCTOR™ Flameless Heat

 Makes removal of seized nuts thread lock compounds, bearings and other mechanical hardware and/or parts easy



| Description |
|---|
| Inductor® MINI-DUCTOR™ Flameless Heat Kit |
| MINI-DUCTOR™ Coil Kit |
| Mini-Ductor™ Long Coil Kit 13" |
| |

SEASONAL PRODUCTS

FANS & AIR BLOWERS

ALL ATD FANS FEATURE:

- Powder coated steel housing has front and rear roll formed embossments
- Convenient handles and durable rubber wheels
- Overheating cut-off protection
- UL/CUL Listed
 1 yr. limited warranty

30" Pedestal Fan

- Three speed energy efficient motor Pull switch
- Cut-off protects from overheating
 Base wheels for mobility
- Tubular steel stand with round base needs limited space
- Black powder coating for durable use
- Balanced aluminum blades for quiet operation
- Easy height adjustment from 63-3/4" to 75-5/8"

ATD 30330A

20" Floor Fan

- Three-speed energy efficient PSC motor
- · Aluminum 3-blade design provides even airflow and quiet operation
- 120° tilt feature lets user direct cooling
- Durable black powder finish

ATD 30320A







Direct Drive Drum Fans

- · Powerful two-speed direct drive motor provides even airflow
- Convenient handles and durable rubber wheels provide added portability
- Balanced aluminum 3-blade design provides even airflow and quiet operation
- · Powder coated steel housing has front & rear roll formed embossments

| Part # | Size |
|------------|------|
| ATD 30336A | 36" |
| ATD 30324A | 24" |

Wall Mounted Fans

• Aluminum 3-blade design provides even airflow and quiet operation

| Part # | Size/Type |
|------------|-----------------|
| ATD 30331A | 30" Stationary |
| ATD 30334A | 30" Oscillating |

42" Belt Drive **Drum Fan**

- Powerful two-speed belt driven motor provides even airflow
- Convenient handles and durable rubber wheels provide added portability
- Balanced aluminum 4-blade design provides quiet operation and high air flow
- Powder coated steel housing has front and rear roll formed embossments for added strength and rigidity
- · Overheating cut-off protection
- UL/CUL Listed
- 1 year limited warranty

ATD 30342A

1200 CFM Blower Fan

- 120 Volts, 60 Hz Rated power: 2.0 AMP
- Moves air up to: 1,100 CFM
- Variable speed switch controls motor speed: 900-1500 RPM
- Built-in overload protection
- 11 AMP built-in grounded receptacles (2PC)
- Housing material: Impact Resistant ABS
- 8.5 FT cord length, SJTW 14AWG Weight: I5.9 LBS

ATD 41200

300 CFM Blower Fan

- 120 Volts, 60 Hz Rated power: 1.0 AMP
- Moves air up to: 300 CFM
- Variable speed switch controls motor speed: 900-1500 RPM
- Built-in overload protection
- 11 AMP built-in grounded receptacles (2PC) Housing material: Impact Resistant ABS
- 8.5 FT cord length, SJTW 14AWG
- Unit weight: 11.5 LBS

ATD 40300







- · Galvanized steel frame
- Integrated touch-pad interface
- LED indicators
- · Stainless steel housing for durability and long life
- Large wheels for extreme mobility
- Hinged top cover for easy access and maintenance
- · Controls and valves in protected location . Thickest and longest-lasting pads in the industry
- Coated pad edges for easier cleaning and durability
- Drain plug for easy drainage Heavy-duty cord sets
- SPECIAL ORDER ITEM



| Black Powder oated Models | PCL 6622-1000 |
|------------------------------|-----------------------|
| Unit Size | 18" |
| ousing Material | Galvanize Steel Frame |
| Electrical Volts | 115 VAC |
| AMPs | 4.9 |

| Black Powder Coated Models | PCL 6622-1000 | |
|-------------------------------|-----------------------|--|
| Unit Size | 18" | |
| Housing Material | Galvanize Steel Frame | |
| Electrical Volts | 115 VAC | |
| AMPs | 4.9 | |
| Reservoir | 10 Gal. | |



| PCL 6622-1000 | PCL 6622-1100 |
|----------------------|----------------------|
| 18" | 24" |
| alvaniza Stool Framo | Galvaniza Stool Fran |

| 622-1000 | PCL 6622-1100 |
|----------|---------------|
| 18" | 24" |







| Black Powder Coated Models | PCL 6622-1000 | PCL 6622-1100 | PCL 6622-1200 | PCL 6622-1300 |
|-------------------------------|--------------------------|--------------------------|--------------------------|---------------------------|
| Unit Size | 18" | 24" | 36" | 48" |
| Housing Material | Galvanize Steel Frame | Galvanize Steel Frame | Galvanize Steel Frame | Galvanize Steel Frame |
| Electrical Volts | 115 VAC | 115 VAC | 115 VAC | 208, 230 VAC |
| AMPs | 4.9 | 6 | 8.5 | 9.5 |
| Reservoir | 10 Gal. | 9 Gal. | 12.5 Gal. | 13.5 Gal. |
| Led Indicators | Χ | Χ | Χ | |
| /ater Consumption Rate | 6 gal/hr | 7 gal/hr | 12 gal/hr | 17 gal/hr |
| CFM | 3000 | 4400 | 10000 | 17500 |
| Fan Speed | Variable - 10 Speeds | Variable - 10 Speeds | Variable - 10 Speeds | Single Speed |
| Coated Pad Edges | Extended Life/Durability | Extended Life/Durability | Extended Life/Durability | Extended Life/Durability |
| loise Levels in Decibels | Low:19.4 High: 29.1 | Low:18.5 High: 37.0 | Low: 22.0 High: 33.5 | Single Speed - High: 35.2 |
| Cooling area (sq ft) | 800 | 1200 | 3000 | 4000 |
| Dimensions (in.) | 25W x 50H x 20D | 43W x 41H x 36D | 56W x 53H x 36D | 80W x 65H x 36D |

SEASONAL PRODUCTS

HEATERS



30,000-60,000 BTU/HR Cordless **Forced Air Propane Heater**

- Quiet Burner Technology® delivers 50% less noise
- Heats 1,250 SQ FT 4 hours on a single charge
- · Replaceable 12 Volt sealed lead acid battery
- Built in battery charger/Electronic ignition
- Recharges in 5 Hours
- Operates while charging
- 20 LBS Minimum tank size Weight: 22





Forced Air Propane Heaters

- Rugged and durable steel construction
- Economical, efficient and clean burning
- Heavy duty high output fan
- Hose and regulator included



| Part # | BTU/Hour | Heat Area | Duration | Ignition |
|-------------|-----------------|-------------|---------------------|------------|
| ENR F170035 | 35,000 | 800 SQ FT | 12 HR / 20 LB Tank | Piezo |
| ENR F170125 | 75,000-125,000 | 3,000 SQ FT | 11 HR / 40 LB Tank | Continuous |
| ENR F170170 | 125,000-170,000 | 4,000 SQ FT | 17 HR / 100 LB Tank | Continuous |

Forced Air Kerosene Heaters

- Use with kerosene 1 & 2, diesel 1 & 2, home heating oil and JP-8
- Overheat safety shutdown Fuel Gauge Continuous ignition
- Heavy Construction Enclosed motor Thermostat for temperature control

| Part # | BTU/Hour | Heating Area | Duration | Ignition |
|-------------|----------|--------------|----------|------------|
| ENR F170250 | 50,000 | 1,200 SQ FT | 11 Hours | Continuous |
| ENR F170275 | 75,000 | 1,750 SQ FT | 11 Hours | Continuous |
| ENR F170325 | 125,000 | 3,000 SQ FT | 15 Hours | Continuous |

Mr. Heater "Portable Buddy" **Propane Heater**

- 2 heat settings 4,000/9,000 BTU's/HR Heats up to 200 SQ FT for 3 to 6 hours with 1 LB propane cylinder
- Heats up to 110 hours on a 20 LB LP tank
- Features a larger heating surface, fold-down handle, swivel regulator and an easy-start four-position control
- low-oxygen shut off sensor (ODS)

ENR F232050



• Hi-Medium-Low regulator CSA certified **ENR F242100**

TankFoot® Tank **Stabilizer** ENR F273169-6





Mr. Heater Portable Propane **Radiant Cabinet Heater**

- 6000/12.000/18.000 BTU Propane
- Heats up to 400 SQ FT
- Ready to use hose and regulator included
 Easy to use 20 LB tank rests securely in cabinet
- Rugged durable steel construction
- Tip over and low oxygen safety shut-offs
- Heater easy roll casters

ENR F227500





Heater Attachment for ATD Blowers

- Converts 300 CFM blower into a lightweight portable heater
- Clips securely onto the front of the blower and plugs into one of the outlets
- 1320 Watts, 120 Volts, 11 AMP, 5000 BTU

ATD 40302

SHOP SUPPLIES

HOSE CLAMPS

Marine Grade Hose Clamps • All 300 grade stainless steel for greater

resistance to corrosion

| Min. Dia. | Max. Dia. | Hose I.D. Min. | Hose I.D. Max. | Tridon | Murry |
|--------------|--------------|-------------------|----------------------|-----------|------------|
| 1/4" | 5/8" | 1/8" | 5/16" | HC 1004-M | MUR MM4SS |
| 1/4" | 11/16" | 1/8" | 3/8" | HC 1005-M | MUR MM5SS |
| 3/8" | 7/8" | 5/16" | 3/8" | HC 1006-P | MUR HF6SS |
| 7/16" | 1" | 5/16" | 1/2" | HC 1008-P | MUR HF8SS |
| 1/2" | 1-1/16" | 3/8" | 5/8" | HC 1010-P | MUR HF10SS |
| 1/2" | 1-1/4" | 3/8" | 3/4" | HC 1012-P | MUR HF12SS |
| 11/16" | 1-1/2" | 3/4" | 7/8" | HC 1016-P | MUR HF16SS |
| 3/4" | 1-3/4" | 3/4" | 1-1/8" | HC 1020-P | MUR HF20SS |
| 1" | 2" | 7/8" | 1-3/8" | HC 1024-P | MUR HF24SS |
| 1-1/4" | 2-1/4" | 1-1/4" | 1-5/8" | HC 1028-P | MUR HF28SS |
| 1-1/2" | 2-1/2" | 1-1/2" | 1-7/8" | HC 1032-P | MUR HF32SS |
| 1-3/4" | 2-3/4" | 1-3/4" | 2" | HC 1036-P | MUR HF36SS |
| 2-3/4" | 3-3/4" | 2-3/4" | 3" | HC 1052-P | MUR HF52SS |
| 2-1/2" | 4-1/2" | 2-1/2" | 4" | HC 1064-P | MUR HF64SS |
| 3" | 5" | 3" | 4-1/2" | HC 1072-P | MUR HF72SS |

BATTERIES

Industrial Alkaline Batteries

• Long-lasting mercury free alkaline batteries

· Created for professional applications

| Size | Rayovac | Pack | Duracell | Pack | - |
|------|------------|------|------------|------|---|
| 9V | ROV AL-9V | 6 | DUR PC-9V | 12 | |
| AA | ROV AL-AA | 8 | DUR PC-AA | 24 | |
| AAA | ROV AL-AAA | 8 | DUR PC-AAA | 24 | |
| С | ROV AL-C | 6 | DUR PC-C | 12 | |
| D | ROV AL-D | 6 | DUR PC-D | 12 | |

PENCILS -

Peel-Off China Markers 12/BX

· Great for writing on china, glass, metal or plastic

No sharpening required

• Just peel the tear-string to reveal more marker

• Easily erased with a damp cloth

| Color | Berol | Dixon |
|-------|----------|--------|
| White | SAN 2060 | DIX 92 |
| Red | SAN 2089 | DIX 77 |
| Black | SAN 2059 | DIX 79 |

Commercial Grade Woodcase Pencils 12/Bx

Bonded, break-resistant black core

| Quality latex- | free eraser |
|------------------------------------|-------------------------------------|
| Part # | Description |
| DIX 12875 | #2.5 Oriole Pencil |
| DIX 13308 | #2 Large Round Size Pencil |
| UNV 55400 | #2 Yellow School Pencil |
| DIX 14412 | #2 Yellow School Pencil with Eraser |
| DIX 19972 | Carpenter Pencil |

THREAD SEALANTS -

Red Threadlocker

- Permanent, high strength product that is applied before assembly
- Designed for securing parts that must withstand heavy shock, vibration, or extreme chemical or environmental conditions
- Localized heating and hand tools are required to separate parts

| Part # | Description |
|-----------|---|
| PER 26210 | Permatex® Red High Temperature Threadlocker, 10 ml Bottle |
| PER 56521 | Permatex® High Performance Thread Sealant, 1.7 oz Tube |
| LOT 26221 | LOCTITE® 262™ High Strength MIL Red, 10 ml Bottle |
| LOT 26231 | LOCTITE® 262™ High Strength MIL Red, 50 ml Bottle |



Blue Threadlocker

- All-purpose, medium strength threadlocker
- Locks and seals while preventing parts loosening due to vibration
- Protects threads from corrosion
- · Removable with hand tools for easy disassembly

| Part # | Description |
|------------|---|
| PER 24210 | Permatex® Blue Medium Strength Threadlocker, 10 ml bottle |
| PER 24010 | Permatex® Blue Threadlocker, 10 ml Twist Applicator |
| LOT 24221 | LOCTITE® 242™ Medium Strength MIL Blue, 10 ml Bottle |
| LOT 24231 | LOCTITE® 242™ Medium Strength MIL Blue, 50 ml Bottle |
| LOT 37087 | LOCTITE® 248™ Med Strength Threadlocker Blue, 19 g Stick |
| ASI 242-31 | Adhesive Systems Blue Thread Sealant, 50 ml Bottle |





Thread Sealant with PTFE

- General-purpose fitting sealant
- Outperforms tapes and pipe dopes
- Seals and resists pressure in air, oil, diesel fuel and hydraulic systems
- Remains pliable at higher and lower temperatures

| | Part # | Description |
|---|-------------|--|
| | PER 80632 | Permatex® Thread Sealant with PTFE, 4 oz Bottle |
| ĺ | PER 80633 | Permatex® Thread Sealant with PTFE, 16 oz Bottle |
| | LOT 1527514 | LOCTITE® Brush Top Pipe Thread Sealant, White, 16 oz Can |
| | LOT 2087067 | LOCTITE® 567™ Pipe Thread Sealant, White, 50 ml Tube |



MARKERS -

Permanent Markers

- Ink dries quickly, resists smearing/fading
- Water resistant
- Works on most hard-to-mark surfaces

| Part # | Туре | Color |
|-----------|--------------------------------|--------|
| SAN 30001 | Fine Point, Box | Black |
| SAN 16002 | Fine Point, Box | Red |
| SAN 39100 | Fine Point, Box | Silver |
| SAN 15001 | King Size Chisel Point, Box | Black |

Paint Markers

- Valve action mechanism prevents paintfrom drying out when cap left off
- · Ideal for color coding
- Drying Time: 25 35 seconds

| Part # | Color |
|----------|--------|
| DY 84001 | Blue |
| DY 84002 | Black |
| DY 84003 | Willia |
| DY 84004 | Yellow |
| DY 84005 | Orange |
| DY 84006 | Red |
| DY 84007 | Green |





TOOL CARTS & UTILITY CARTS

TOOL CARTS

GSUNEX GSUNEX: GSUNEX.

No Hassle 1-YR. Warranty Covers structure, casters, bearings & gas shocks

SUNEXPRESS

Cart, Green

compartment lid

locking system

• (4) 5" x 2" swivel

wheel brakes

ATD 70400

casters: (2) with

• HMC high security tubular

• 3.2 MIL epoxy-polyester

powder coat paint finish

35" 7-Drawer Flip Top Tool

• Full-extension gas struts support

SUNEX TOOLS

Full Drawer Professional

- **Duty Service Cart** • Professional grade full drawer service cart
- Full extension roller bearing drawer slides
- 5" x 2" heavy duty casters 2 locking and 2 non-locking
- · Gas shocks raise and support lid when unlocked

SUNEX TOOLS

Cart with Locking

5" oversized casters (2

locking, 2 non-locking)

Chrome 16 gauge steel

Optional: 5PC lock set

Screwdriver/pry bar holder

Top, Red

SUU 8045

Pro5 Drawer Service

• Ergonomic push handle

| Part # | Color |
|------------|-------------|
| SUU 8057BK | Black |
| SUU 8057 | Red |
| SUU 8057G | Green |
| SUU 80570 | Orange |
| SUU 8057P | Purple |
| SUU 8057S | Silver |
| SUU 8057MB | Matte Black |

UTILITY CARTS

Heavy-Duty Multi- Purpose Service Cart

- Large, easy to maneuver
- 4 casters: 2" locking
- Chrome plated 16 gauge (1.6mm) steel frame:
- Durable powder coat finish

SUU 8005SC





Economy Service Cart

- 350 LB Capacity
- Large easy to maneuver
- 4" wheels 2 locking and 2 standard
- Chrome plated steel handle
- Durable powder coated finish

SUU 8003SC



Compact Heavy Duty Utility Cart

- 500 LB weight rating (250 LB per shelf) to support all transport needs
- Four bin, on board storage built into the





Large Soft Side Tool Bag

- Overall: 20-1/2" @ x 9-1/2 D x 10" H
- Constructed of heavy-duty canvas
- Wide-mouth opening Heavy-duty canvas handle
- · Durable, heavyweight zipper
- (8) inside pockets, (10) outside pockets
- Maximum capacity: 40 LBS

ATD 22



Professional 4-Drawer Service Carts

- Heavy-duty all steel construction, quality ball bearing slides for smooth and easy opening/closing
- Gas struts to keep lid open Professional barrel key lock
- · Locking screwdriver and pry bar holder
- Oil resistant heavy-duty 5"x 1 1/4"casters
- Weight capacity: 500 LBS Cart weighs 145 LBS
- 30-7/8" W x 20-1/2" D x 40-1/2" H



Heavy Duty

Part #

ATD 7016

ATD 7018

Plastic Utility Carts

will not mar floors

• Two handles for pushing from either side

• Trays are 3-1/2" deep • Capacity of 300 LBS

Description

2-Shelf Cart

3-Shelf Cart

• Four 3-7/8" x 3/8" heavy duty swivel casters (2 locking)

MAGNETIC PARTS TRAYS

| L | Part # | Description | Dimensions | Magnets |
|---|----------|-------------|----------------------------|---------|
| | ATD 8760 | Round | 5-7/8" Diameter x 1"D | 1 |
| | ATD 8761 | Rectangular | 9-3/8"W x 5-3/8"L x 1"D | 2 |
| | ATD 8762 | Square | 11-1/2"W x 10-1/2"L x 1" D | 4 |
| | ATD 8763 | Long | 14"W x 6-1/4"L x 1"D | 3 |

GREASE GUNS & FUNNELS

GREASE GUNS-

Tilwaukee[®]

18V Cordless Lithium-Ion 2-Speed Grease Gun Kit

- 10,000 PSI max pressure
- Flow rate up to 10 oz
- Pre-set counter allows for dispensing precise amounts of grease
- Locking trigger
- 48" flex hose whit spring guard and coupler
- · Comes with battery, charger and storage case

MWK 2646-21CT

Whip Hoses

- Includes 1/8" NPT(m) fitting on each end
- For use on hand operated grease guns only
- 4.500 PSI
- · Allows greasing access to nipples with limited reach
- Flexible, thermoplastic construction
- Zinc-plated steel end connections with hydraulic crimping

| Part # | Description |
|----------|----------------------|
| ATD 8202 | 12" Grease Whip Hose |
| ATD 8203 | 18" Grease Whip Hose |

Lever Action Gear Lube Dispenser For 5 Gallon Pails

- · Enamel-coated steel cover plate fits any original 25-to-50-LB refinery container
- Includes pump, 5 FT delivery hoses, and non-drip nozzle



• Designed for heavy industrial applications • For use with 14 oz. grease cartridge or 500cc bulk grease

• 10,000 PSI / 690 BAR • Air bleeder valve

• 12" flexible hose and 6" steel extension

ATD 5001

Pistol Grip Grease Gun

Professional Lever

ActionGrease Gun

- Designed for use in confined spaces or where access to grease nipples is restricted
- 8,000 PSI 18" flexible hose and 6"steel extension
- · Heavy-duty aluminum die-cast head for durability

· Pistol handle designed to prevent fingers from pinching

ATD 5002

Continuous Action Pneumatic Grease Gun

• 40 to 120 PSI with 12" flexible hose and 6" steel extension





ATD 5252

FUNNELS-







| Part # | Description |
|-----------|--|
| WRC 32300 | 3 Quart "Guzzler" Funnel with pivoting spout (0.5 LBS) |
| WRC 32400 | 55 Gallon Drum Funnel with threaded end (0.5 LBS) |
| WRC 32002 | 2 Quart Heavy-Duty Funnel with Screen (0.3 LBS) |
| WRC 32006 | 6 Quart Heavy-Duty Funnel with Screen (0.5 LBS) |
| WRC 32027 | 16 oz Autostop Funnel (1.8 LBS) |

DRUMS, SAFETY CANS & PANS

Type 1 Red Safety Cans for Flammables

- Stainless steel flame arrester stops flashback to reduce fire risks
- Cans also have self-closing lid, leak-proof cap, and 24-gauge coated steel construction
- OSHA, NFPA, and CARB compliant, FM approved, UL/ULC listed, TUV certified







JUS 7120100

Part #

JUS 7120100

JUS 7150100

JUS 7150100

Description 2 Gallon 5 Gallon 5 Gallon, with Bottom Faucet

JUS 7150150 JUS 7150200 5 Gallon, Yellow Diesel

JUSTRITE

Truck & Trailer Wheel Pan

- Catches oil from wheel hubs after removing cap
- Prevents oil mess during wheel repair
- The pan fits rims with 13-3/4" ID and larger
- Handle compartments hold hub nuts out of the oil
- Will not warp if oil is warm
- Made of polypropylene
- · Capacity 88 ounces





LIS 19852

- **Drum Dolly For 55 Gallon Drum** • Extra-heavy drum dolly with 23" diameter band
- Suitable for use with 55 gallon barrels
- Fitted with 4 heavy-duty iron casters
- Maximum load 450 LBS

ATD 5255



164

PUMPS & DRAINS

PUMPS & DRAINS -

25-Gallon Steel Gas Caddy with Heavy-Duty Pump

Makes fuel transfer safe and easy . Complies with OSHA guidelines • Heavy-duty cast iron pump • Pump - two-way operation for either siphoning or dispensing • Pump - 1 gallon for every 12 revolutions • Fill level gauge • Ground wire and clamp • Fire-screened vent and filler neck combination • 88 lbs

ATD 2025



Nylon Acetone Lift Pump with Hose

INESCO.

- Dispenses approximately 1 Gallon per 8 lifts
- Designed to fit 15-55 Gallon containers
- Typically used with water-based fluids, acid, and alkali solutions

NTL 365

Ezee Flo Pump

- For use with most popular 5 Gal. containers with 48" discharge hose
- Delivers 1 gt. per 15 strokes
- · Works with engine oil, gear oil, kerosene, diesel, light fuel, oil based paint thinners like turpentine and other petroleum based media

ATD 5024



12 Volt Fuel Transfer Pump

- Industry standard DC pump dispenses up to 15 GPM
- Explosion-proof UL/cUL listed 1/4-HP motor
- Heavy-duty switch, thermal overload protection and junction box
- Includes 12 FT hose and nozzle, 18 FT heavy duty battery cable and a telescoping suction pipe



1-1/2 Gallon Fluid Evaluator

- Use to evacuate fluids such as gear oil, transmission fluid, brake fluid & coolant
- Automatic shut off valve for overfill protection
- Hand operated pump allows portable use
- Includes 6 FT suction hose & nylon dipstick tubes

ATD 5176

Drum Faucet

- Corrosion resistant polyethylene faucet fits standard 2" NPT opening
- Easily attaches to plastic and steel drums
- Instant on-off control with the turn of a lever
- Built in bucket hanger and padlock hole
- · Features sight glass port for mounting

ATD 5037



2" Brass Drum Gate Valve

• NPT thread • For viscous liquids JUS 08552



BARREL PUMPS



Rotary Drum Pumps

- Suitable for transferring non-corrosive petroleum based fluids, kerosene diesel fuel and light oils
- Not for use with acids, thinners or alkaline solutions
- 2" threaded bung adapter and extension tubes to fit multiple size containers

| Part # | Pump Body | Container Sizes | Outlet | Flow (per 20 turns) |
|----------|----------------------------|--------------------|--------|------------------------|
| ATD 5019 | Glass Filled Polypropylene | 15-55 Gallon | 1" | 1.3 Gallon |
| ATD 5009 | Cast Iron | 16-55 Gallon | 1" | 1.3 Gallon |
| FIL SD62 | Cast Aluminum | 15-55 Gallon | 3/4" | .4 Gallon |

Vertical Lift Pump

- · Self-priming, Hi-volume pump for use with petroleum based media
- Suitable for use with light oils, kerosene, diesel, ATF, hydraulic fluid and most types of paint thinners
- Fits 16-55 Gallon drums
- Die-cast piston with wear-resistant brass piston rings provides a smooth operation
- Comes with steel discharge spout and 2" cast iron bung nut
- Steel construction with aluminum die-cast head
- Do not use with gasoline, water based and other corrosives

ATD 5022

Heavy-Duty Barrel Pump

- Engineered for heavy-duty use
- 2-piece telescoping suction tube fits 30 to 55 Gallon drums
- Pump delivers a full 10 oz of fluid per stroke
- · Rugged epoxy finish pump assembly
- Premium powder coated steel pump body with ribbed section aluminum die-cast pump head for maximum strength
- Discharge spout thread fits all garden hose fittings
- Complete with a standard 1-1/2" and 2" bung adapter, tough all steel foot valve and piston valve

ATD 5007

Non-Sparking Aluminum **Drum Wrench**





- Manufactured from non-sparking cast aluminum
- Hardened and tempered for increased strength
- Easy and convenient wrench opens most 2" and 3/4" drum plugs

ATD 5271

SHOP SAFETY

SAFETY SIGNAGE















• Inform, protect, and motivate your workforce with a variety facility signage

| Part # | Sign Text | | Size |
|----------------|---|---------------------|---------|
| ACC MCHL222VP | DANGER : CORROSIVE | Plastic | 10 x 14 |
| ACC MWLD101XV | DANGER : DO NOT WATCH THE ARC | Adhesive Dura-Vinyl | 10 x 7 |
| ACC MSMK136VP | DANGER: NO SMOKING, MATCHES OR OPEN LIGHTS | Plastic | 10 x 14 |
| ACC MADM488VS | DO NOT ENTER | Adhesive Vinyl | 7 x 10 |
| ACC MADC531VP | EXIT (Red on White) | Plastic | 7 x 10 |
| ACC MFXG553-GP | FIRE EXTINGUSIHER | Lumi-Glow Flex | 12 x 4 |
| ACC MPPE825VP | NOTICE : EYE PROTECTION REQUIRED | Plastic | 10 x 14 |
| ACC MSMK407XV | NO SMOKING | Adhesive Dura-Vinyl | 10 x 7 |
| ACC MSMK948VP | NO SMOKING | Plastic | 10 x 14 |
| ACC MFSD903VP | SAFETY FIRST : FIRST AID KIT | Plastic | 10 x 14 |
| ACC MPPE911VP | SAFETY FIRST : WEAR FACE SHIELD, GLOVES & APRONS WHEN WORKING WITH ACIDS | Plastic | 10 x 14 |
| ACC MPPA818XV | SAFETY GLASSES REQUIRED BEYOND THIS POINT | Adhesive Dura-Vinyl | 10 x 14 |

FIRST AID



25 Person Class A First Aid Kit, Plastic Case

- 120 pieces Meets new ANSI standards
- Economic bulk supplies that can be readily accessed

NTH FAK25PL-CLSA

GLOVES



| Part # | Size |
|---------------|------|
| AMX GPNB44100 | MD |
| AMX GPNB46100 | LG |
| AMX GPNB49100 | XL |



SAFETY CANS





Approved by FM, UL/ULC & TUV and meets OSHA & NFPA regs

| Part # | Description | Color | Use |
|-------------|-------------------|--------|----------|
| JUS 7120100 | Type I Safety Can | Red | Gasoline |
| JUS 7120200 | Type I Safety Can | Yellow | Diesel |

5 Gallon Safety Cans for Flammables

- Precision arrester screen stops flashback ignition to reduce fire risks
- Superior chemical resistance Excellent corrosion protection
- Color coding avoids accidents Self-closing lid controls spills
- Leakproof, auto-venting lid prevents explosion
- · Long length for safe insertion of nozzle
- Faster liquid flow 11.75"OD x 16.875"
- Approved by FM, UL/ULC & TUV and meets OSHA & NFPA reqs

| Part # | Description | Color | Use |
|-------------|-------------------|--------|----------|
| JUS 7150100 | Type I Safety Can | Red | Gasoline |
| JUS 7150200 | Type I Safety Can | Yellow | Diesel |

10 Gallon Oily Waste Can with **Self-Closing Cover, Red**

- Dispose of oil-soaked rags Lid stays closed
- Prevent fires caused by stray sparks or spontaneous combustion

JUS 09300



SAFETY CABINET



W JUSTRITE®

Sure-Grip® EX Flammable 45 Gallon Safety Cabinet

- Yellow 2 shelves 2 manual close doors
- 18-Gauge CR Steel Meet safety codes
- Protect workersReduce fire risks
- Ten-year warranty
- Multiple color options available

JUS 894500

A PANCE OF DIENT

SERVICE JACKS

Heavy Duty Long Chassis Service Jacks

- Designed for heavy-duty lifting applications Welded pump for increased strength
- Chrome plated ram with wiper seals for superior leak prevention
- Convenient foot pedal for no load lifts Handle can be locked in 3 positions
- Overload and bypass safety valves Roller bearing wheels and ball bearing casters
- Meets or exceeds ASME PASE 2019 standards

| Part # | Description |
|-----------|---|
| ATD 7390A | 5 Ton Air/Hydraulic Long Chassis Service Jack |
| ATD 7391A | 10 Ton Heavy Duty Hydraulic Long Chassis Service Jack |
| ATD 7392A | 20 Ton Air/Hydraulic Long Chassis Service Jack |
| ATD 7396A | 10 Ton Air/Hydraulic Long Chassis Service Jack |



22-Ton Low Profile Axle Jack

- High speed air turbo motor quickly raises the load to the desired height
- Air control knob allows precise lifting and lowering
- Welded pump for trouble free performance
- Heat-treated extension screw allows for maximum lift height
- Heavy-duty wheels with bearings for easy movement
- (3) Adapters included: .8", 2.4", 3.9"
- (3) handle positions allow for easy storage, movement and access to lift point
- Meets or exceeds ASME PASE 2019 standards

ATD 7328A

BOTTLE JACKS -

Heavy Duty Hydraulic Side Pump Bottle Jacks

- Welded design for greater strength and eliminates leaks
- Chrome plated piston and ram for increased rust resistance and durability
- · Extension screw for height adjustment
- Overload bypass safety system prevents damage
- Meets or exceeds ASME PASE 2019 standards

| Part # | Description |
|-----------|---------------------------------|
| ATD 7384W | 10 Ton HD Side Pump Bottle Jack |
| ATD 7386 | 20 Ton HD Side Pump Bottle Jack |





20 Ton Hydraulic Shop Press with Bottle Jack

- · Ideal for the removal or installation of gears, bearings, universal joints, pulleys, wrist pins and other various press jobs
- · Multi-position bed for work height adjustment
- Heavy steel, welded construction
- Hydraulic system is protected from internal damage by a by-pass mechanism
- · Excellent for bending, bonding or straightening operations
- Meets or exceeds ASME PASE 2019 standards

ATD 7454



2.5 Ton Swift Lift™ Hydraulic **Service Jack**

- ATD's exclusive Swift Lift™ Technology offers a quicker lift for professional performance
- Dual pump pistons are shielded to prevent contaminants from damaging the hydraulic system
- Internal by-pass valve protects the hydraulic system from over pumping
- U-Joint release mechanism provides precise control of load descent in any handle position
- Heavy-gauge construction features rolled edges for added strength
- Protective foam cover on handle prevents vehicle damage
- Upgraded casters allow greater maneuverability and easy positioning of the jack
- Rubber saddle pad protects the vehicle from damage during lifting
- Meets or exceeds ASME PASE 2019 standards

ATD 7333B

TRANSMISSION JACK -

1/2 Ton Heavy-Duty Hydraulic **Telescopic Transmission Jack**

- Extra-wide base lowers center of gravity and promotes stability
- Rugged 4" polyurethane wheels for smooth and easy movement
- Foot release pedal provides controlled lowering of load
- Saddle adjusts to fit most pan configurations
- Chrome-plated, two-stage rams maximize the high reach
- Nylon strap to secure transmission to jack
- Meets or exceeds ASME PASE 2019 standards

ATD 7430A

JACK STANDS -

6 Ton Double Lock Ratchet Style Jack Stands, PAIR

- Double lock design with safety pin provides additional security when working beneath a vehicle
- Welded foot pads provide added stability and resist sinking into soft ground or asphalt
- · Counter-weighted pawl locks ratchet bar securely in place
- Sturdy, welded steel construction
- One-piece, multi-position ductile iron ratchet bar
- Meets or exceeds ASME/PASE 2019 standards

ATD 7446



LIFTING EQUIPMENT & WORK

SHOP PRESS



20 Ton Hydraulic **Shop Press**

- Fully welded design for superior durability and strength
 Includes 2 piece super hist had a
- Includes 3 piece punch kit, bed plates, and bearing shield
 Ideal for straightening, bending, and
- removing/installing gears, bearings and bushings

SUU 5720




6PC Press Accesory Kit

- For use with presses 12-20 tons
- 1" and 2" punches" Two 14" x 3" x 1" steel press plates

SUU 57KIT6



WORK STATION -



Tree Style Masking Machine

- Heavy-duty steel construction
- 6" tires for easy maneuvering
- Holds (4) rolls of tape
- Holds (4) rolls of masking paper: (2) 12" rolls and (2) 18" rolls
- Never needs adjusting, always keeps tape and paper aligned

ATD 6563





6" Professional Shop Vise

- Swivel locking base to better position your work
- Base swivels 360 degrees
- Max Jaw Opening: 7" Jaw Width: 6"

ATD 9306

5" Mechanic's Vise

- Swivel base rotates 360° and has double lockdowns ensuring
- maximum stability

 Max Jaw Opening: 5-1/4" Jaw Width: 5'

WIL 21400



WHEELED BATTERY CHARGERS











| | | | | | _ | | | | | _ | - |
|-------------|--|----------------------|--------------------|-----------------|--------------------|-----------------|------------|----------------|-------------|---------------------|-----------------|
| Part # | Description | Continuous Rating | Cranking Assist | AC Cord | DC Leads | Clamp Rating | AGM AGM | Spiral Cell | Gel Cell | Warranty (Years) | Weight (Lbs) |
| ASO 6001A | 6/12 Volt Heavy Duty Fast Charger | 100/75A | 375A | 10 ft. 14-3 | 8 ft. 4 AWG | 500A | _ | | | 5 | 58 |
| ASO 6012AGM | 6/12 Volt Professional Fast Charger | 70/60A | 250A | 6 ft. 16-3 | 6.5 ft. 6.5 AWG | 400A | | | | 5 | 48 |
| ASO US20 | 6/12 Volt Value Charger with 90 Minute Timer | 40/40/10A | 200A | 6 ft. 16-3 | 6.5 ft. 6.5 AWG | 400A | _ | | | 2 | 35 |
| ASO 6002B | 6/12/18/24V Heavy Duty Fleet Charger | 100/80/50/40A | 400A | 10 ft. 14-3 | 8 ft. 4 AWG | 500A | | | | 5 | 70 |
| ASO 6006AGM | 6/12/24V Heavy Duty Fleet Charger | 70/65/30A | 280A | 6.5 ft. 16-3 | 7 ft. 4 AWG | 500A | | | | 5 | 58 |
| ASO ESS6011 | 12/24V Smart Charger & Power Supply | 70/35A | 200A | 6 ft. 16-3 | 6.5 ft. 4 AWG | 500A | | | | 3 | 49 |

PORTABLE BATTERY CHARGERS

Start All Jump Pack® 10,000A 12V

- Instantly starts Class 8/Class CE gasoline and diesel engines for trucks, semis, buses, construction and agriculture equipment
- Power ports include: (2) DC auxiliary power ports (2) 2.1A USB ports (1) 12V output port
- Large metal clamp with 1/0 gauge jumper cables
- Solid-state technology control provides longer durability and eliminates wear points
- 500 lumen LED flashlight with SOS and strobe emergency functions

GDL JP-12-10000T









Heavy Duty 6/12/24V Portable & Compact Battery Charger

- Charges all standard and maintenance-free batteries with 4 charging positions
- 60/60/30A charger
- 230 Amp crank assist
- Stop/Go light technology
- 500 Amp insulated clamps
- Limited 5 year warranty

ASO 6010B

Start All Plug w Bumper Box & 30 FT 1/0 Jumper Cable

- Red polarity-protected heavy duty plug
- Weatherproof stainless steel bumper box with 5' battery to plug connector cable
- 25 foot welding cable
- 1/0 gauge
- 800 amp clamps

GDL 12-608





ELECTRICAL SYSTEMS TESTER

500-Amp Carbon Pile Load **Tester with Battery Electrical Systems Tester**

- Easy-to-read LED voltmeter and ammeter
- 500 Amp safety clamps
 Heavy-duty single extruded leads for testing up to 15 feet apart
- Inductive pick up included
- Convenient heavy-duty tilt back cart included
- Made in USA

ASO 6042



AC EQUIPMENT, GENERATORS & PRES

RECOVER, RECYCLE, RECHARGE

ROBINAIR

R134a Advanced HD Recover, Recycle, **Recharge Machine**

- · Large capacity, removable tank and liquid pump for larger A/C systems
- Nitrogen port to dry and leak test A/C systems
- Fully automatic recovery
- Optional printer for capturing and retaining vehicle service data
- Not compatible with data kits

ROB 34888HD

Refrigerant Recovery/Recycling for Multiple Refrigerants

- Prompts lead you through programming and also signal when it's time to change the filter-drier, vacuum pump oil, and compressor oil
- Automatically adjusts from liquid to vapor for most efficient recovery
- Makes it simple to recharge to factory specifications; also weighs recovered refrigerant and provides tank overfill protection
- 6 CFM has the capacity to thoroughly evacuate the system, readying it for recharging
- Compatible with R12, R22, R134A, R401A, R401B, R402A, R402B, R404A, R407A, R407B, R407C, R410A, R500, R502, and R507 refrigerants
- Not compatible with data kits

ROB 17800C



9281yf Vacuum Pump and Gauge Set for R-1234yf

 Aluminum manifold gauge set with anti-flutter design, manual couplers and adapters and 72" hose

FJC 9281YF



Automatic R134a A/C System Recovery, Recycle, **Recharge Machine**

- 6 CFM vacuum pump 8" command center colour touch screen
- Automatic and manual procedures
 Refrigerant database
- Automatic vacuum leak test: programmable
- Auto oil discharge Auto and manual air purge
- Auto oil injection

MSC COMMANDR2000


Semi-Auto R134A Rrr Machine MSC COMMANDR1000

Automatic R1234yf & Hybrid A/C System Recovery, Recycle, Recharge Machine

- 6 CFM vacuum pump
- 8" command center colour touch screen
- Automatic and manual procedures
- Refrigerant identifier and database
- Automatic vacuum leak test: programmable
- Auto oil discharge Auto and manual air purge

MSC COMMANDR4000

MANIFOLD GAUGES -



Deluxe Dual R134a/R12 Aluminum Manifold Gauge Set

- R12/R134a gauges (3) 60" hoses Manual couplers
- 1/4" SAE M x 1/2" ACME-F adapter
- Gauge guards

ATD 3695



R134a Brass Manifold Hose Kit

• 90° manual couplers • 72" R134a hose set

ROB 45111

GENERATORS

Watt Generators

- Portable generator that brings power to remote worksites and emergency situations.
- Rugged and reliable engine with automatic low oil-shutdown that safeguards the engine.
- Easy access outlets are protected by circuit breakers for safety. Durable powder coated steel roll cage protects the generator and allows easy access for maintenance.
- Includes heavy-duty flat free tires and folding handles to help with portability and storage.

| Part # | Description |
|---------------|-------------------------------------|
| BEP BE4200PS | 4,200 Watt Generator |
| BEP BE-9000ER | 9,000 Watt Electric Start Generator |

RE4200PS







PRESSURE WASHERS

4,000 PSI - 4.0 GPM Hot **Water Pressure Washer** with Honda GX390 Engine and General Triplex Pump

- Die-cast body Forged brass manifold • One-piece plungers
- Thermal release valve Improved heat dissipation

BEP HW4013HG



1,800 PSI - 1,3 GPM **Electric Pressure Washer** With Powerease Motor and AR Axial Pump

 Compact electric pressure washer designed for projects around the house such as cleaning driveways, patios, vehicles, siding and more

BEP P1815EN

2.700 PSI 2.5 GPM Pressure Washer W/ Powerease 225 **Engine and AR Axial Pump** Powerease engine drives the pump

with power to spare • Maintenance free axial pump includes built-in soap injector • Built-In unloader regulates water flow in a compact design

BEP BE276RA



170

DIAGNOSTICS

TRAILER TESTERS

- Super MUTT® PRO Edition
 Intuitive and durable design is ideal for both on and off-site commercial trailer testing and repairs
- Power lights: Manually, all-on, auto scan, or by remote control
- · Audible and visual alerts: cross, open, overloaded and short circuit indication
- Pulsar® mode allows diagnostic repair
- Advanced trailer wiring diagnostics
- Amperage readout and range (0-20 amps)
- Cable testing
- Ground failure detection: differentiates between wire and chassis ground
- · Performs leak-down test on service and emergency lines
 • Remote control allows observation
- of slackers to measure and adjust pushrods
- · Real-time, repetitive brake activation to find developing problems and verify leaking servo cans
- (2x) 12-button remote controls test all trailer electric circuitry and air brake actuation, 200 ft, range
- Sync multiple remotes to one unit

IPA 9008-DL

Super MUTT® Base Model | IPA 9008-SE





Super MUTT® Service, Truck Edition

- Quickly troubleshoot lighting and air brake systems with the industry's leading mobile universal trailer tester head
- Electrical testing (12/24 volt operation)
- Air brake testing
- Remote control

IPA 9005A



Smart MUTT® (7-Way Round Pin) • Portable trailer light tester

- Reduces guesswork and inspection time to prevent electrical failures
- Electrical testing (12/24 volt operation) Remote control

IPA 9005A



7-Way Round Pin Tractor Trailer Circuit Tester

- Allows bypassing of troubled circuitry
 Packaged with an extra jumper connector
- Plugs into the vehicle side socket LEDs indicate that each circuit is working
- · Eliminates guesswork
- "Winged" grip for easy removal from electrical connector

IPA 7865L

King Pin Tester

- Tool is used to check any brand fifth wheel for proper adjustment and adjust accordingly
- · Easy for one person to use
- Also used to lift fifth wheel off for repair or replacement
- 800 lbs. Lift capacity Weight of tool 15lbs.

MSC 712

COOLING SYSTEM TESTERS -



STORM™ Muti-Purpose Refractometer

- Replace 2 tools with 1Verify coolant/battery and def
- Easy to use and calibrate

CEN 3R401

Cold-Chek Professional **Antifreeze Tester**

- Disc-Type anti-freeze tester
- Tests coolant hot or cold, including Dex-Cool®. Easy to read discs. Celsius and Fahrenheit scales.
 Special feature is the "6th Disc" which
- shows overprotection
- . One-piece bulb and neoprene dip tube

THX 106

Def-Chek Tester

- Designed to test the urea concentration of Diesel Exhaust Fluid
 • Professional disc-type16 1/4" tester is
- accurate at all temperatures
- Easy to read discs are magnified by convex design of the clear SAN plastic

THX 108



Refractometer for Antifreeze

- Hand-held instrument that features automatic temperature compensation and is used to measure the concentration of ethylene glycol based antifreeze
- Ranges Measured 32 to 84F Ethylene Glycol
 Minimum Division 10F

WST RHA-400-ATC

Replacement Daylight Plate WST RP-DPA-2

DEF/Coolant Refractometer

- · 3-in-1 tool combines coolant, battery, and DEF scales all in one
- · Focusing eyepiece for clear readings and comfort
- No power needed, uses ambient light to verify fluid condition
- Automatic temperature compensation
- Reads both Ethylene and Propylene Glycol based coolants

ATD 3325

FUEL SYSTEM TESTER

Basic Diesel Fuel Pressure Test Kit

- Used to test fuel pressure between the lift pump and the injection pump on diesel engines.
- Includes 100 PSI gauge assembly with 4FT hose, pressure relief valve and 6FT. clear PVC tube. 5 banjo bolt adapters ranging from 8mm to 14mm and 1 repair kit
- Can be used to test most diesel engines from single cylinder to V32 models

HOF TU-32-2



TIRE, WHEEL & BRA

MEASURING TOOLS

Air Brake Stroke **Indicators**

- BRAKE TECH TOOLS
- Hole for push rod size either 5/8" common or 1/2"
 Large and small diameters are 1-3/4" or 1-3/8"
- Easy way to check air brake adjustment for trailer & drive axle applications Stays on the vehicle

| Part # | Description | Qty |
|-------------------|-----------------------------------|---------|
| BKT 100-625SD-200 | Air Brake Stroke Indicator, SMALL | 200/Bag |
| BKT 100-625LD-200 | Air Brake Stroke Indicator, LARGE | 200/Bag |
| BKT 625SD-TTK10 | EZ Chek Tractor Trailer Kit | 10/WHL |

Go-No-Go Brake Lining Fleet Gauge

Go no go indicator for wide or standard brakes

BKT 102-2TAG

Pocket Technician Air Brake Gauge

• Labeled in 32nds and has a ruler for measuring stroke on one side

BKT 103-4T32R

Stroker Gauge

Key chain gauge for measuring brake stroke

BKT BT-106STR



Radial Run OutGauge

- Measures vehicle vibration sensitivityMeasures out of round condition of tire
- Pinpoints high or low spots in the tire
- Determines accurate centering of tire and wheel mounting
- Unique roller design accommodates aggressive treads
- Saves on labor costs by reducing diagnostic and repair time
- Easy to use

BKT TRU-RRG-1940

Electronic Digital Drum Gauge

- .001"/.01mm graduations
- 6"-20.00"/150mm-500mm range
- Easy to read digital display with inch/metric conversion
- Selectable depth stops for easier use

CEN 3B530

STORM™ Digital **Caliper**

- Range: 0-6"/1-150mms
- Easy to read digital display Lightweight plastic frame
- Readout includes fractions

CEN 3C351

STORMTM Digital Rotor Gauge• Range: 0-5.5"/0-140mm Pointed anvil for grooves

Large digital display

CEN 3M430A



STORM™ Tread Depth Gauge

- Wide base for big treads
- 1"+ range
- Fractional scale reads 32nds only
- Spring loade

CEN 3S402A



Tire Tread Depth Gauge

- Quickly and accurately measure treadCalibrated to provide measurements in both 1/32" units and millimeters

HAL GA-190

Color Coded Tire Tread Depth Gauge

- Easy to read Diagnosis of tread life easily determined
 Color codes show life of tire tread

AME 51007



HALTEC



Dual Foot Recalibratable Truck Service Gauge• Operating rang: 10-150 PSI • Straight-on 30° reverse chuck

HAL GA-155S-RCL

TIRE & WHEEL TOOLS -

Low Speed Tire Buffer

- 2800 RPM Max
 Quick change slip chuck
- Throttle with safety lever
- 1/4" whip hose with exhaust muffler

AME 79610

Tire Inner Liner Scraper

- Prepare inner liner surface for repair
- Removes dirt and mold lubricants that can reduce repair unit adhesion

AME 51011

- from getting scratched while put-ting on weights



Heavy-Duty Tire & Wheel Cart

- · Easily remove and install truck tire and wheel assemblies
- Suitable for tire diameters of 36" to 48"
- 300 lbs capacity

ATD 7229



TIRE, WHEEL & BRAKE

TIRE CHANGING & REPAIR

Nut Buddy Lug Loosener

- Bust loose the most stubborn wheel nuts
 Use on commercial or agricultural wheels
- Gear ratio 58:1 Rated output torque: 2,950 ft lbs Two sockets included: 1-1/2" (38mm) and 115/16" (33mm)

AME 67300



Super Golden **Buddy Tire Changing System** AME 71055

- standard and super single truck tire sizes 22.5 and 24.5
- Demount and Mount tool assembly for super singles 215 to 445
 Will remove both top and botton beads Includes bead saver
- Heavy duty steel construction z8 Nylon rollers protect the bead





Hub Buddy Lug/Disc Surface Cleaner

- Removes rust, corrosion and other build-up from wheel stud, drums and tire rim
- · Helps proper torque of lug nuts by removing corrosion

AME 37330

Replacement Discs | AME 37335

16PC. Locking Wheel Nut **Master Key Set**

- Specifically designed to easily remove locking lug nuts on aftermarket wheels
- Thin wall sockets prevent damage to wheels Extra long lug keys keep your wrench away from the wheel preventing nicks and scratches

ATD 3065



1/2" Drive 6 Piece Twist **Socket Removal Kit**

- · Easily removes damaged nuts, studs, pipe nipples, and bolts
- Comes mounted on 1/2" rail

LOC 4400





Cheetah Bead Seater, 5 Gallon Capacity

 A simple charge of the tank is all it takes to seat the most difficult tire beads

TSE CH-5





Tire Swab & Brush

- Used to lubricate tire beads when mounting or removing tires
- 11 1/2" (30cm) long swab

AME 79030

INFLATION TOOLS & ACCESSORIES



- 3.5 Digital Tire Inflator with Hose

 Maximum accuracy and 0.1psi resolution for use with TPMS (Tire Pressure Monitoring System)
- Displays KG, PSI or BAR measurement
- · Large face backlit LCD digital read-out

AST 3018

5 Bar Inflation Cage

- · Heavy duty steel construction
- Meets or exceeds OSHA standards 29 CFR 1910.177
- · Certified and burst tested at 157 PSI (10.8 bar)
- Max Tire: 54"0D x 20" W (1371mm OD x 508 mm W)

AME 24450



Valve Stem & Core Remover

- Ideal for quick removal of valve stems and for seating newly installed valve stems
- Units offers steel construction with heavy duty nylon boot that will not wear or mar aluminum

AME 51140

Valve Core Remover

Screwdriver style
 Standard bore

AME 51075



8" Valve Stem Fishing Tool

- Cable tool for ease of installation and removal of valve stems during tire service
- T-handle serves as 2-way valve tool



Easy Lock Air Chucks

- Easy on/off applicationAutomatic locking-design
- Hardened steel pins for
- increased service life
- · Extended reach for dual wheels



| Part # | Description | Position |
|------------|----------------------------------|------------------------|
| HAL ES-306 | 12" Easy Lock Extended Air Chuck | Straight/Open |
| HAL ES-308 | 8" Easy Lock Air Chuck | 15° Reverse Angle/Open |

O-Ring Seal Valves for Aluminum **Truck Wheels**

9.7mm Valve Hole

HAL TV-544D Box of 50 HAL TV-545D



European-Style

European-style clip

with a brass 1/4

Clip-On Air

Chuck, Open

female fitting

Compact, durable

and easy to use

HAL CH-3600P

Straight Clamp-In Truck & Bus Valve, 3-3/4"

- Straight clamp-in valves used on both demountable and non-demountable rims
- For .625" diameter valve hole

HAL TV572-A



Double Seal Valve Cap · Inflate directly through

- sealing cap
- Reduces time and labor
- · No lost valve caps
- Overall length 7/8'
- Temperature rated seal: -40°F to 250°F

HAL DS-1

BRAKE, TIRE & SUSPENSIO

PULLERS .



Heavy Duty U-Joint Puller

- Provides ultimate brute strength for disassembling even the most seized U-joints in minutes on virtually all Class 7 and 8 trucks and machinery
- Engineered for use with up to a 1" impact wrench
- Eliminates dangerous vice and socket or hammering methods
- Does not damage the driveshaft, yokes, joints, or bearing cups
- Used for U-Joints with bearing cups 1.5" to 2.2"
- O.D., Spicer 1610, 1710, 1760, 1810, 1880 Series, Spicer SPL 140, 170, & 250 Life Series, Meritor (Rockwell) 16N, 17N, 18N, 1710 Series, Meritor RPL 20, 25 Permalube Series

Tiger Tool

TGR 10102

Heavy Duty U-Joint Puller

- Fits all Class 7 and 8 trucks, including:
- Spicer 1610, 1710, 1760, 1810, 1880
- Spicer SPL 140, 170, 250 "Life Series"
- Meritor 16N, 17N, 18N, 1710, RPL 20 and 25 "Permalube Series"







5 Ton Bar-Type Puller/Bearing Separator Set

- Perfect for a wide variety of pulling jobs
- Drop forged and heat treated
- 2" and 3" bearing separators
- (4) sets hex push-puller legs
 5" puller cross bar with 6-1/4" forcing screw
- · Molded storage and carrying case

ATD 3056

Yoke Puller

- · Expedites removal of commercial heavy duty yokes on driveshafts, transmissions and rear-end differentials
- High-grade steel for strength
 For use with a 1" impact tool
- Capable of generating over 25,000 lbs of pulling power

TGR 10803

TIGER TOOL





Hub Grappler™

- Six new adapters increases application coverage up to 2009 model year
- Also includes tie rod/ball joint tool and 2 Ford axle installers

OTC-6575

14 PC Axle Nut Socket Display

- 3/4" square drive opening to be used with a hand ratchet or torque wrench
- Constructed with high-grade steel and feature a heavy-duty welded drive bar for added strength
- Black E-coating for long lasting corrosion protection

ATD 11292



STRUT & SPRING SERVICE TOOLS-

BRAKE TECH TOOLS

Spring Tech Tool

- ast, safe and easy way to remove and
- replace return springs
 Unique design cups the return spring to stop it from sliding off and possible injury
- . High quality material and extra long handle provides exceptional stability
- Made in the USA

BKT 105-1SP

S-Cam Air Brake Spring Tool

- Safely replace brake shoes on heavy-duty tractors and trailers
- . Simply hook the retaining spring loop and press down against the axle

OTC 5081



Strut Spring Compressor

- Handles the heaviest coil-over-shocks on light trucks and SUVs without needing additional adapters
- Also has longer handles for extra torque
- · Multi-position upper spring hooks can be arranged for ultimate flexibility to fit "factory" coil spring config-
- Longer compression stroke that can even handle the Jeep KX Cherokee Trailhawk and an integrated structural ring guard

BRN 7600

Strut Tamer II **Extreme with Stand**

- Capable of safely compressing the largest strut springs
- · Locking jaws clamp onto and compress springs even tighter than before
- Extra thick 5/8' compression arms for superior strength, stability and safety
- Locking trunions for optimal stability during spring compression
- Arm-locking rings eliminate the need for tools to adjust

OTC 6637-ST





Electric Brake Bleeder, 2.5 Gal

- · Constant pressure on all four wheels throughout the service.
- Adjustable pressure from 0-50 psi.
- One-man operation.
- · Fluid level indicator. 2.5 Gallon capacity

CCT STBBE2.5GAL

John Dow

Industries

SHOP TOOLS & ACCESSORIES

MISCELLANEOUS MEASURING

Trailer King Pin Gauge

- Measures trailer king pin wear, height and squareness
- Stainless steel, laser cut, laser engraved

BKT 106-J700

Fifth Wheel King Pin Gauge **BKT 106-KP1**



Central



STORM™ Long Range **Indicator Set**

- 1" range
- On/off mag base
- Flex arm for extra reach

CEN 3D102



Long Range Indicator Set

- Mount with locking pliers
- Flex arm for extra reach

CEN 3D103

KRIKIT Automotive Belt Tension Testers

| Part # | Description |
|-----------|---|
| HMC CKRI | For belts up to 7/8" wide Tension range: 30-150 lbs (14-70 kg |
| HMC CKRII | For belts up to 2" wide Tension range: 100-300 lbs (45-135 kg) |





LOC 1500-LWC

- Diesel Compression Tester, One Size

 For measuring cylinder pressure on diesel cars and trucks

 Comes with a handy deflator for releasing air and automatic resetting of the gauge, allowing for repeat testing
- Features an easy to read black and red M68 gauge with a dual scale dial with ranges from 0-1000 PSI and 0-70 bar

HOF TU-15

TorqCheck

- Most affordable way to accurately check and test torque wrenches
- Accurate within +/- 2 PSI
- Precision needle gauge measures from 0 180 ft-lbs
 For use with all 1/2" torque wrenches
- Not to be used with impact wrenches

AME 67000

Digital Torque Tester

- Accuracy to +/- 1%
- Torque range 25-250 ft-lbs
- Easily switch between ft-lb, Nm, in-lb
 Compatible with 1/4", 3/8", and 1/2" drive wrenches
- 20V power source
- Large display with back light
- Store up to 99 previous test results

AME 67015



LUBRICATION

17 Gallon Low-Profile Oil Drain

- 17 gallon capacity reservoir
- 10" ground clearance
- All steel construction
- 110V electric pump
- 6" industrial casters
- · Long-reach T-Handle makes drain easy to position under the vehicle
- Expanded metal shield reduces splash

JDI LP4

25 Gallon Low-Profile Oil Drain JDI LP5



- Easy-to-install 110V pump kit makes oil transfer from low-profile oil drain a breeze
- Kit transfers fluid at 5 gpm and includes: 110V electric pump, mounting hardware, 8' evacuation hose 1/2' ball valve, hose fittings and clamps



Evacuator Kit

- Optional kit converts the JDI-LP4 into a selfevacuating drain
- · Using regular shop air, easily transfer oil from the drain to your storage tank.
- Kit includes: 7PSI fixed air regulator, safety relief valve, 10' evacuation hose, 3/4" male guick disconnect coupler, 3/4" female quick disconnect coupler, 2" drain plug







TORQUE WRENCHES -

Break Back Torque Wrench, 1" Drive

- 200-600 ft-lbs range allows for nearly all applications
- Break back design wrench "breaks" when torque is reached to prevent over tightening
- · Works in either direction (for right or left hand threads)





| Part # | Description | Torque |
|---------------|-------------------------------|----------------|
| CDI 2502MRPH | 3/8" Micrometer Torque Wrench | 30-250 in-lbs |
| CDI 2503MFRPH | 1/2" Micrometer Torque Wrench | 30-250 in-lbs |
| CDI 6004MFRPH | 3/4" Micrometer Torque Wrench | 100-600 in-lbs |

STORM™ Torque Wrench

- Micrometer type scale for setting
- Torque indicated by feel and sound
- Includes plastic case

CEN 3T425



5PC 1/2" Drive Wheel Torque Extension Set

Minimize damage to wheels and rotors when torquing wheel nuts

ATD 4375



10 Piece Wheel **Torque Master Kit**

- Designed for use with 1/2" drive impact wrench
- Custom molded case
- Yearly updated color wall chart

LOC 1510

<<< See Wall Chart



SHOP TOOLS & ACCESSO



| Part # | Drive | Description | Extended Anvil | Maximum Torque Forward/Reverse | RPM | dBA | Weight |
|----------------|-------|--|-------------------|-----------------------------------|------|-------|----------|
| IRC 2145QIMAX | 3/4" | Ultra Duty Lightweight Quiet Impact Wrench | _ | 1100 – 1350 ft-lbs | 7000 | 91.1 | 7.4 lbs |
| IRC 2235QTIMAX | 1/2" | Quiet Titanium MAX Impactool™ | _ | 870 – 900 ft-Ibs | 8500 | 88.7 | 4.6 lbs |
| IRC 231HA | 1/2" | Super Duty Impact Wrench | _ | 350 – 590 ft-lbs | 8000 | 105 | 5.8 lbs |
| IRC 261 | 3/4" | Heavy Duty Impact Wrench | _ | 800 – 1050 ft-lbs | 6000 | 107.5 | 8.8 lbs |
| IRC 261-6 | 3/4" | Super-Duty Air Impact Wrench with 6" Extended Anvil | _ | 1,200 ft-lbs | 5500 | 98.4 | 13.7 lbs |
| IRC 290 | 1" | Super Duty Impact Wrench | _ | 2200 | 6000 | 101.6 | 21.9 |
| IRC 285B | 1" | Heavy Duty Impact Wrench | _ | 1475 ft-lbs | 5000 | | 24 lbs |
| IRC 285B-6 | 1" | Heavy Duty Impact Wrench with Extended Anvil | 6" | 900 – 1475 ft-lbs | 5000 | 114.4 | 27.8 lbs |
| IRC 285B-S6 | #5 | Heavy Duty #5 Spline Impact Wrench with Extended Anvil | 6' | 900 – 1475 ft-lbs | 5000 | 114.4 | 27.8 lbs |

SPECIALTY HAND TOOLS -



- Heavy Duty Hand Riveter
 Extra long handles provide excellent leverage
 Includes 5 nosepieces: 1/8-inch, 5/32-inch, 3/16-inch, 7/32-inch, 1/4-inch
 Spent mandrels are collected in the plastic container for safety and ease of disposal
 Tool length 20-3/4"

AST 1426

Tweakster

- Repair crushed, bent and twisted roll up trailer door tracks
- Hammer it through a crushed track section to open it
- Use the slot to "tweak" the edges of the track
- Pry the track open with the slot to replace rollers and then close it back up again
- Use as a back up dolly to hammer bulged sections back into shape

| Part # | Application | | |
|------------|------------------------|--|--|
| KIE K-1311 | Todco 1" door tracks | | |
| KIE K-1312 | Whiting 2" door Tracks | | |

- Stubby Fluorescent Light w/ 40 FT Reel

 Patented rough service lamp 10x more impact resistant!

 Tough polycarbonate outer tube

- Spring steel hook slides up and down the outer tube and rotates for hands free lighting
 Soft end caps provide moisture and dirt resistance and absorb impacts when dropped
 SJTOW oil resistant
 Watertight cord

SL 3313-4000

AIR & WATER -

- Heavy Duty Hose, 5/8"

- For lasting value and proven performance
 Knitted radial reinforcement
 Tough, weather-resistant vinyl cover
 Excellent handling, even in cold weather
- Solid crush-proof couplings

| Part # | Length |
|-------------|--------|
| FXN FXG5825 | 25 FT |
| FXN FXG5850 | 50 FT |



Adjustable Water Spray Hose Nozzle

- Attaches to any garden hoseTwist action adjustable valve for variable water streams
- Durable rubber material

TTN 11091

Steel Spot Spray Non-Aerosol Sprayers

- · Colored sprayers for convenient recognition
- Refillable ECO friendly
 Eliminates dangerous or harmful propellants
- Not for use with paint products or flammable propellants

| Part # | Color |
|-----------|-------|
| TTN 19419 | Red |
| TTN 19424 | Blue |





MANUFACTURER LINE CODES

| ABRASIVES 3M Industrial ATD Tools ATD Camel Grinding Wheels CGW Carborumdum Diatrim Tools Dura-Block DRB Dynabrade Dyny Global Abrasive Products Hermes Abrasives HRM Makita Mirka Abrasives MITA Morton SIA Abrasives SIA Starcke U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives UA ADHESIVES 3M Industrial Adhesive Systems Aim Supply Bostik Findley Choice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong PSY Fibreglass Evercoat Kleanstrip Klean | | |
|--|---|---|
| ATD Tools Camel Grinding Wheels Cafworumdum Diatrim Tools Dura-Block Dynabrade Dynbarade Dynbarade Dynbarade Boynabrade Makita Mermes Abrasives Makita Meguiar's Mirka Abrasives SIA Starcke U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives ADHESIVES 3M Industrial Adhesive Systems Asi Aim Supply AIM Bostik Findley Choice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong Psy Fibreglass Evercoat FIB Kleanstrip KLE Loctite Loott Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Franklin International Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Franklin International TBG Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Tools ATD Tools ATD Tools ATD Autel AUL Cal-Van Tools FLK General Technologies GTE Goodall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PPM Quip-All Raytek Schumacher Clore Automotive V. T. E. WTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Filter, Inc Air Flow Technology AFT ATD Tools DTC Power Probe PPM Quip-All Raytek RTK Schumacher Clore Automotive SOL V. T. E. WTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools BON U.S. Can Color Putty Devilbiss DEV Fibreglass Evercoat FIB GIL Enterprises GLE Kimberly Clark KIM | ABRASIVES | |
| Camel Grinding Wheels Carborumdum Diatrim Tools Dura-Block Dynabrade Dynabrade Global Abrasive Products Hermes Abrasives HRM Makita Mikta | | 3MI |
| Carborumdum Diatrim Tools Dura-Block Dynabrade Dynabrade Global Abrasive Products Hermes Abrasives HrM Makita Mikta Mikt | Campl Grinding Whools | |
| Diatrim Tools Dura-Block Dynabrade Dynabrade Global Abrasive Products Hermes Abrasives Hermes Abrasives Mirka Meguiar's Meguiar's Mirka Abrasives SIA Starcke SKA U.S. Chemical & Plastics Usc Uneeda Enterprises Inc. United Abrasives ADHESIVES Jin Industrial Adhesive Systems ASI Aim Supply AIM Bostik Findley Bo Choice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong Pibreglass Evercoat Kleanstrip Kleanstri | Carborumdum | |
| Dura-Block Dynabrade Makita MKT Meguiar's MGL Merit Abrasives MTA Mirka Abrasives MRK Motor Guard MOT Norton NTN SIA Abrasives SIA Starcke SKA U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives ADHESIVES 3M Industrial Adhesive Systems ASI Aim Supply AIM Bostik Findley Bo Choice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat File Kleanstrip Everstrong Psy Fibreglass Evercoat File Kleanstrip KLE Loctite Lotite Lotite Lotine Lotite Lotine Lotite Lotine Lotite Lotine Lotite Lotine Rapid-Fix Royal Adhesives & Sealants Sika Sika Sika Sika Sika Franklin International Selena Tyt Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel Cal-Van Tools Fluke Electronics General Technologies Goddall Innovative Products Jump-N-Carry MKC Midronics MDT OTC Tools OTC Power Probe Pyw Power Probe Pym Rother Color Putty Color Att Bond Corp Bon U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat Filb FinishPro FAF Air Flow Technology AFT ATD Tools ATD Bond Corp Bon U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat Filb FinishPro FAF Air Flow Technology AFT ATD Tools Bon Color Putty CLR Devilibiss DEV Fibreglass Evercoat Filb FinishPro FPR G.I. Enerprises KIM | Diatrim Tools | DIT |
| Hermes Abrasives HRM Makita MKT Meguiar's MGL Merit Abrasives MTA Mirka Abrasives MRK Motor Guard MOT Norton NTN SIA Abrasives SIA Starcke SKA U.S. Chemical & Plastics USC Uneeda Enterprises Inc. United Abrasives UA ADHESIVES 3M Industrial 3MI Adhesive Systems ASI Aim Supply AIM Bostik Findley BO Choice Brands Adhesives CB Cox COX Dap DAP Dent Fix Equipment DTF Everstrong PSY Fibreglass Evercoat FIB Kleanstrip KLE Loctite LOT Newborn NEW Norton NTN Premier Building Solutions Rapid-Fix RFX Royal Adhesives & Sealants Sika SIK Franklin International TBG Selena TYT Polyvance URE BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools FLK General Technologies GTE Goodall GDL Innovative Products IPA Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PPM Quip-All QPL Raytek STH SCH SCH SCH SCH SCH SCH SCH SCH SCH SC | Dura-Block | |
| Hermes Abrasives HRM Makita MKT Meguiar's MGL Merit Abrasives MTA Mirka Abrasives MRK Motor Guard MOT Norton NTN SIA Abrasives SIA Starcke SKA U.S. Chemical & Plastics USC Uneeda Enterprises Inc. United Abrasives UA ADHESIVES 3M Industrial 3MI Adhesive Systems ASI Aim Supply AIM Bostik Findley BO Choice Brands Adhesives CB Cox COX Dap DAP Dent Fix Equipment DTF Everstrong PSY Fibreglass Evercoat FIB Kleanstrip KLE Loctite LOT Newborn NEW Norton NTN Premier Building Solutions Rapid-Fix RFX Royal Adhesives & Sealants Sika SIK Franklin International TBG Selena TYT Polyvance URE BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools FLK General Technologies GTE Goodall GDL Innovative Products IPA Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PPM Quip-All QPL Raytek STH SCH SCH SCH SCH SCH SCH SCH SCH SCH SC | Dynabrade | DYN |
| Makita Meguiar's MGL Merit Abrasives MTA Mirka Abrasives MRK Motor Guard MOT Norton NTN SIA Abrasives SIA Starcke SKA U.S. Chemical & Plastics USC Uneeda Enterprises Inc. UNE United Abrasives 3M Industrial 3MI Adhesive Systems ASI Aim Supply AIM Bostik Findley BO Choice Brands Adhesives CB Cox COX Dap DAP Dent Fix Equipment DTF Everstrong PSY Fibreglass Evercoat FIB Kleanstrip KLE Loctite LOT Newborn NEW Norton NTN Premier Building Solutions PRM Rapid-Fix Royal Adhesives & Sealants SEM Sika SIK Franklin International TBG Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools FLK General Technologies GTE Goodall Innovative Products IPA Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PPM Quip-All QPL Raytek STH SCH SCH SCH SCH SCH SCH SCH SCH SCH SC | Hormos Abrasives | UKA HRM |
| Meguiar's MGL Merit Abrasives MTA Mirka Abrasives MRK Motor Guard MOT Norton NTN SIA Abrasives SIA Starcke SKA U.S. Chemical & Plastics USC Uneeda Enterprises Inc. UNE United Abrasives JA ADHESIVES JM Industrial JAMI Adhesive Systems ASI Aim Supply AIM Bostik Findley BO Choice Brands Adhesives CB Cox COX Dap Dent Fix Equipment DTF Everstrong PSY Fibreglass Evercoat FIB Kleanstrip KLE Loctite LOT Newborn NEW Norton NTN Premier Building Solutions PRM Rapid-Fix Royal Adhesives & Sealants Sika SIK Franklin International TBG Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools CAL Fluke Electronics FLK General Technologies GTE Goodall GDL Innovative Products IPA Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PPM Quip-All OPL Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E. VTE BOD Y SHOP, PAINT & FILLERS JM Industrial JMI Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR Devilibiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | N A 1 ' (| MKT |
| Merit Abrasives Mirka Abrasives Motor Guard Motor Guard Norton Norton NIN SIA Abrasives Starcke U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives 3M Industrial Adhesive Systems ASI Aim Supply AIM Bostik Findley Choice Brands Adhesives Cox Cox Dap Dent Fix Equipment Everstrong Psy Fibreglass Evercoat Kleanstrip KLE Loctite Lotti Lotti Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO AID Tools Autel Cal-Van Tools CAL Fluke Electronics General Technologies Goodall Innovative Products IPA Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe PyM Quip-All Raytek RTK Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp U.S. Can Color Putty CLR Devilbiss DEV Fibreglass Evercoat FIB KIEA KIM | Meguiar's | MGL |
| Motor Guard Norton SIA Abrasives Starcke U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives 3M Industrial Adhesive Systems Aim Supply Bostik Findley Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip Loctite Lott Newborn Nerw Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel Cal-Van Tools Fiuke Electronics General Technologies Gre Goodall Innovative Products Jump-N-Carry Mictor OTC Tools OTC Power Probe Power | Merit Abrasives | |
| Norton SIA Abrasives SIA Starcke U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives 3M Industrial Adhesive Systems AIM Bostik Findley Choice Brands Adhesives COX Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip Loctite Lott Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools Autel AUL Cal-Van Tools FLK General Technologies Godall Innovative Products Jump-N-Carry Mick Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PPM Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp U.S. Can Color Putty CLR Devilibiss EVER GILE Enterprises GLE Kimberly Clark KIM | Mirka Abrasives | |
| Starcke U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives 3M Industrial Adhesive Systems Aim Supply Bostik Findley Choice Brands Adhesives Cox Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip Loctite Lott Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Autel Cal-Van Tools Fluke Electronics General Technologies Gre Goodall Innovative Products Jump-N-Carry MKC Midtronics MDT OTC Tools OTC Power Probe PPM Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools BON U.S. Can Color Putty Devilibiss DEV Fibreglass Evercoat FIB KIEA KIM AIT Flow Technology AFT ATD Tools BON U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat FIBR KIEA KIM KIM | Norton | <u> </u> |
| Starcke U.S. Chemical & Plastics Uneeda Enterprises Inc. United Abrasives ADHESIVES 3M Industrial Adhesive Systems Aim Supply Bostik Findley Cochoice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat FIB Kleanstrip Loctite Loctite Lottin Newborn New Norton Norton NTN Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Silk Franklin International TBG Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Tools ATD Autel AUL Cal-Van Tools FLK General Technologies Godall Innovative Products Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe PPM Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Bond Corp Bon U.S. Can Color Putty Devilbiss DEV Fibreglass Evercoat FIB Kimberly Clark KIM | SIA Abrasives | |
| Uneeda Enterprises Inc. United Abrasives ADHESIVES 3M Industrial Adhesive Systems ASI Aim Supply AIM Bostik Findley Bo Choice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong Pibreglass Evercoat Kleanstrip Loctite Lotite Lotite Lotin Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants Sika Sika Sika Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel Cal-Van Tools FLK General Technologies Goodall Innovative Products IIPA Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Filow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FinshPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Starcke | |
| United Abrasives ADHESIVES 3M Industrial Adhesive Systems ASI Aim Supply Bostik Findley Bo Choice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip Loctite Lottie Rewborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Sikia Franklin International Selena Tytt Polyvance BATTERY/ELECTRIC Associated Equipment ATD Autel AUL Cal-Van Tools Autel AUL Cal-Van Tools Fluke Electronics Godall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PWP Power Probe PPM Quip-All Raytek RTK Schumacher Clore Automotive V. T. E BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Filow Technology AFT ATD Tools BON U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat FibrinsihPro FPR G.I. Enterprises GLE Kimberly Clark KIM | U.S. Chemical & Plastics | • |
| ADHESIVES 3M Industrial Adhesive Systems ASI Aim Supply BO Choice Brands Adhesives CB Cox COX Dap DAP Dent Fix Equipment DTF Everstrong PSY Fibreglass Evercoat FIB Kleanstrip KLE Loctite LOT Newborn NEW Norton NTN Premier Building Solutions Rapid-Fix Ry Royal Adhesives & Sealants SSEM Sika SIK Franklin International TBG Selena TYT Polyvance URE BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools CAL Fluke Electronics GTE Goodall GDL Innovative Products JPA Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PWP Power Probe PPM Quip-All QPL Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial 3MI Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR EKIMBERY CLR FINE Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Uneeda Enterprises inc. | |
| AM Industrial Adhesive Systems ASI Aim Supply Bostik Findley Choice Brands Adhesives Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip KLE Loctite Lotite Lotite Nowborn Newborn New Norton Premier Building Solutions Rapid-Fix Reyal Adhesives & Sealants SEM Sika SIK Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Tools ATD Tools ATD Tools ATD Autel AUL Cal-Van Tools Fluke Electronics General Technologies GTE Goodall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PPM Quip-All Raytek Schumacher SHM Clore Automotive SOL V. T. E. WTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp BON U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat FIB FinishPro G.I. Enterprises GLE Kimberly Clark KIM | ADHESIVES | • |
| Adhesive Systems Aim Supply Aim Bostik Findley Choice Brands Adhesives Cox Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip Kle Kleanstrip Kle Kle Kle Kle Kle Lootite LOT Newborn NEW Norton NEW Norton NTN Premier Building Solutions Rapid-Fix RFX Royal Adhesives & Sealants SEM SEM SEM Sika SIK Franklin International TBG Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Tools ATD Tools ATD Tools ATD Autel AUL Cal-Van Tools FLK General Technologies GTE Goodall GDL Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PPM Quip-All Corp Power Probe PPM Quip-All Raytek Schumacher SHM Clore Automotive SOL V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Filow Technology AFT ATD Tools Bond Corp BON U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat FIB FinishPro GI. Enterprises GLE Kimberly Clark KIM | 3M Industrial | 3МІ |
| Bostik Findley Choice Brands Adhesives Cox Cox Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip KLE Loctite Lotite Lotite Lotin Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel Cal-Van Tools CAL Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe Power Probe Power Probe Power Probe Power Probe Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFD AID Bond Corp BON U.S. Can Color Putty CLR Devilibiss FPR G.I. Enterprises GLE Kimberly Clark KIM | Adhesive Systems | ASI |
| Dap DAP Dent Fix Equipment DTF Everstrong PSY Fibreglass Evercoat FIB Kleanstrip KLE Loctite LOT Newborn NEW Norton NTN Premier Building Solutions Rapid-Fix RFX Royal Adhesives & Sealants SEM SEM Sika SIK Franklin International TBG Selena TYT Polyvance URE BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools CAL Fluke Electronics FLK General Technologies GTE Goodall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PWP Power Probe PWP Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial 3MI Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB Kimberly Clark KIM | Aim Supply | AIM |
| Dap DAP Dent Fix Equipment DTF Everstrong PSY Fibreglass Evercoat FIB Kleanstrip KLE Loctite LOT Newborn NEW Norton NTN Premier Building Solutions Rapid-Fix RFX Royal Adhesives & Sealants SEM SEM Sika SIK Franklin International TBG Selena TYT Polyvance URE BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools CAL Fluke Electronics FLK General Technologies GTE Goodall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PWP Power Probe PWP Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial 3MI Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB Kimberly Clark KIM | Choice Brands Adhesives | |
| Dap Dent Fix Equipment Everstrong Fibreglass Evercoat Kleanstrip Loctite Lottite Lottite Lottite Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants Sika Sika Sik Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Tools ATD Tools ATD Autel Cal-Van Tools Fluke Electronics General Technologies Gre Goodall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Tools OTC Power Probe Power | Cox | COX |
| Fibreglass Evercoat Kleanstrip KLE Loctite Lootite Nowborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Tools ATD Tools Fluke Electronics General Technologies Gre Goodall Innovative Products Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe Powe | | DAP |
| Fibreglass Evercoat Kleanstrip Kleanstrip Kleanstrip Kleanstrip Kle Loctite LOT Newborn NeW Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika SIK Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Tools ATD Autel Cal-Van Tools CAL Fluke Electronics General Technologies Gre Goodall Innovative Products Jump-N-Carry KKC Midtronics Midtronics Midtronics OTC Power Probe Power Probe Ouip-All Raytek RTK Schumacher Clore Automotive V. T. E BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | Dent Fix Equipment | DTF |
| Kleanstrip Loctite Lottite Lottine Newborn Newborn New Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Sika Franklin International Selena Tyt Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Tools ATD Tools ATD Autel Cal-Van Tools General Technologies Godall Innovative Products Jump-N-Carry Midtronics Midtronics Midtronics Midtronics OTC Power Probe Power Probe Power Probe Ouip-All Raytek RTK Schumacher Clore Automotive V. T. E. WTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | Everstrong Eibrogloop Evergoot | PSY |
| Loctite | Kleanstrin | |
| Newborn Norton Premier Building Solutions Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Sika Siki Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel Cal-Van Tools Fluke Electronics General Technologies Godall Innovative Products Innovative Products Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PWP Power Probe Quip-All Raytek RTK Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | | |
| Remier Building Solutions Rapid-Fix Royal Adhesives & Sealants Sika Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Tools ATD Autel Cal-Van Tools Fluke Electronics General Technologies Gregodall Innovative Products Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp BoN U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | Newborn | <u>.</u> |
| Rapid-Fix Royal Adhesives & Sealants SEM Sika Sika Sika Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ATD Tools ATD Tools ATD Autel Cal-Van Tools General Technologies Gre Goodall Innovative Products Jump-N-Carry Midtronics MOT OTC Tools OTC Power Probe Power Probe Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp BoN U.S. Can Color Putty Devilibiss DEV Fibreglass Evercoat FinishPro GIL Enterprises GLE Kimberly Clark KIM | Norton | ÷ |
| Royal Adhesives & Sealants SEM Sika Sik Franklin International Selena Tyt Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel AUL Cal-Van Tools Fluke Electronics General Technologies GTE Goodall Innovative Products Jump-N-Carry Midtronics OTC Power Probe PWP Power Probe Ouip-All Raytek RTK Schumacher Clore Automotive V. T. E BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can Color Putty Devilbiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | Premier Building Solutions Banid-Fix | PKIVI |
| SEM Sika Sik Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel AUL Cal-Van Tools Fluke Electronics General Technologies Gre Goodall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe Ouip-All Schumacher Clore Automotive V. T. E. WTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp U.S. Can Color Putty Devilbiss DEV Fibreglass Evercoat FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Royal Adhesives & Sealants | |
| Franklin International Selena TYT Polyvance BATTERY/ELECTRIC Associated Equipment ASO ATD Tools Autel Cal-Van Tools Fluke Electronics General Technologies Godall Innovative Products Jump-N-Carry McC Midtronics MDT OTC Tools OTC Tools Power Probe Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Filow Technology AFT ATD Tools BON U.S. Can Color Putty CLR Devilibiss DEV Fibreglass Evercoat FinishPro GI. Enterprises GLE Kimberly Clark KIM | SEM | SEM |
| Selena TYT Polyvance URE BATTERY/ELECTRIC Associated Equipment ASO ATD Tools ATD Autel AUL Cal-Van Tools CAL Fluke Electronics FLK General Technologies GTE Goodall GDL Innovative Products IPA Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PWP Power Probe PPM Quip-All QPL Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial 3MI Air Filter, Inc FAF Air Flow Technology AFT ATD Tools BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Sika | |
| Polyvance BATTERY/FLECTRIC Associated Equipment ATD Tools ATD Tools ATD Autel Cal-Van Tools CAL Fluke Electronics General Technologies Godall Innovative Products Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe Power Probe Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp BON U.S. Can Color Putty DeVilbiss FinishPro G.I. Enterprises GLE Kimberly Clark KIM | 0 1 | |
| ASSOCIATED FOR POWER PROBLEM SCHOOL POWER PROBLEM SCHOOL POWER POWER PROBLEM SCHOOL POWER | | |
| Associated Equipment ASO ATD Tools Autel Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe Power Probe Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools BON U.S. Can Color Putty Devilbiss Fibreglass Evercoat FinishPro GLE Kimberly Clark KIM | BATTERY/ELECTRIC | OIIL |
| Autel Cal-Van Tools CAL Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe Power Probe Ouip-All Raytek RTK Schumacher Clore Automotive V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools ATD Bond Corp U.S. Can Color Putty Devilibiss DEV Fibreglass Evercoat Fibs FinishPro GLE Kimberly Clark KIM GODAL CAL CAL CAL CAL CAL CAL CAL | Associated Equipment | |
| Cal-Van Tools Fluke Electronics General Technologies Godall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Tools Power Probe Power Probe Power Probe Power Probe Raytek RTK Schumacher Clore Automotive V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp BON U.S. Can Color Putty Devilibiss DEV Fibreglass Evercoat FinishPro GLE Kimberly Clark KIM | | ATD |
| Fluke Electronics General Technologies Godall Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe Power Probe Power Probe Quip-All Raytek RTK Schumacher Clore Automotive V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp Bon U.S. Can Color Putty DeVilbiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | AID lools | |
| General Technologies Goodall GOL Innovative Products Jump-N-Carry KKC Midtronics MDT OTC Tools Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc FAF Air Flow Technology AFT ATD Tools Bond Corp U.S. Can Color Putty DeVilbiss Fibreglass Evercoat FinishPro GLE Kimberly Clark KKC MCC MDT KKC MDT MDT KKC MDT MDT MDT MDT MDT MCC MDT MDT MCC MCC MDT MCC MDT MCC MDT MCC MCC MCC MDT MCC M | Autel | AUL |
| Goodall GDL Innovative Products IPA Jump-N-Carry KKC Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe PPM Quip-All QPL Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial 3MI Air Filter, Inc FAF Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark | Autel Cal-Van Tools | AUL CAL |
| Jump-N-Carry Midtronics MDT OTC Tools OTC Power Probe PWP Ouip-All Raytek RTK Schumacher Clore Automotive V. T. E BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp Bon U.S. Can Color Putty DeVilbiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies | AUL CAL FLK GTE |
| Midtronics MDT OTC Tools OTC Power Probe PWP Power Probe Outp-All OPL Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E VTE BODY SHOP, PAINT & FILLERS 3M Industrial 3MI Air Filter, Inc FAF AID Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall | AUL CAL FLK GTE GDL |
| OTC Tools OTC Power Probe PWP Power Probe PPM Quip-All QPL Raytek RTK Schumacher SHM Clore Automotive SOL V. T. E VTE BODY SHOP, PAINT & FILLERS 3MI Air Filter, Inc FAF Air Filow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products | AUL CAL FLK GTE GDL IPA |
| Power Probe | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics | AUL CAL FLK GTE GDL IPA KKC |
| Ouip-All Raytek RTK Schumacher Schumacher SHM Clore Automotive V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc AIr Flow Technology AFT ATD Tools Bond Corp Bon U.S. Can Color Putty CLR DeVilbiss DEV Fibreglass Evercoat Filb FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools | AUL CAL FLK GTE GDL IPA KKC MDT OTC |
| Raytek Schumacher SHM Clore Automotive SOL V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial 3MI Air Filter, Inc FAF Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP |
| Schumacher SHM Clore Automotive SOL V. T. E. VTE BODY SHOP, PAINT & FILLERS 3M Industrial SMI Air Filter, Inc FAF Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM |
| Clore Automotive V. T. E BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp BON U.S. Can Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Quip-All | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM QPL |
| V. T. E. BODY SHOP, PAINT & FILLERS 3M Industrial Air Filter, Inc Air Flow Technology AFT ATD Tools Bond Corp BON U.S. Can Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FinishPro G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Ouip-All Raytek | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM QPL RTK |
| 3M Industrial 3MI Air Filter, Inc FAF Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Ouip-All Raytek Schumacher Clore Automotive | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM QPL RTK SHM SOL |
| Air Filter, Inc FAF Air Flow Technology AFT ATD Tools ATD Bond Corp BON U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Ouip-All Raytek Schumacher Clore Automotive | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM QPL RTK SHM SOL VTE |
| ATD Iools BON | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM OPL RTK SHM SOL VTE LERS |
| ATD Iools BON | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM OPL RTK SHM SOL VTE LERS 3MI |
| U.S. Can CAN Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Ouip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM OPL RTK SHM SOL VTE LERS 3MI FAFF |
| Color Putty CLR DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Ouip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM OPL SHM SOL VTE LERS 3MI FAFT ATD |
| DeVilbiss DEV Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools Bond Corp | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM OPL RTK SOL VTE LERS 3MI FAF AFT AFT BON |
| Fibreglass Evercoat FIB FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools Bond Corp U.S. Can | AUL CAL FLK GTE GDL IIPA KKC MDT OTC PWP PPM OPL RTK SOL VTE LERS 3MI FAF AFT ATD BON CAN |
| FinishPro FPR G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools Bond Corp U.S. Can Color Putty | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM OPL RTK SOL VTE LERS 3MI FAF AFT ATD BON CAN |
| G.I. Enterprises GLE Kimberly Clark KIM | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Power Probe Quip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools Bond Corp U.S. Can Color Putty DeVilbiss Fibreglass Evercoat | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PM OPL RTK SHM SOL VTE LERS AFT ATD BON CAN CLR FIB |
| Kleanstrip KLE | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Ouip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools Bond Corp U.S. Can Color Putty DeVilbiss Fibreglass Evercoat FinishPro | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PM OPL RTK SHM SOL VTE LERS AFT ATD BON CAN CLR DEV FIB FPR |
| RIGHTOUTH INC. | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Ouip-All Raytek Schumacher Clore Automotive V. T. E BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools Bond Corp U.S. Can Color Putty DeVilbiss Fibreglass Evercoat FinishPro G.I. Enterprises | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PM OPL RTK SHM SOL VTE LERS 3MI FAFT ATD BON CAN CLR DEV FIB FPR GLE |
| | Autel Cal-Van Tools Fluke Electronics General Technologies Goodall Innovative Products Jump-N-Carry Midtronics OTC Tools Power Probe Ouip-All Raytek Schumacher Clore Automotive V. T. E. BODY SHOP, PAINT & FIL 3M Industrial Air Filter, Inc Air Flow Technology ATD Tools Bond Corp U.S. Can Color Putty DeVilbiss Fibreglass Evercoat FinishPro G.I. Enterprises Kimberly Clark | AUL CAL FLK GTE GDL IPA KKC MDT OTC PWP PPM QPL KKS SHM SOL VTE LERS 3MI FAF ATD BON CAN CLR DEV FIB FR GLE KIM |

| Lidco | LID |
|---|---|
| Linzer Products | LIN |
| N 4 | MGB MAR |
| | PB |
| Lagasse Brothers | LAG |
| Preval | PRV RC |
| Rollers, Covers, Brushes Sellars Wipers & Sorbents | SEL |
| SEM | SEM |
| U.S. Chemical & Plastics | USC |
| CHEMICAL PRODUCTS 3M Industrial | 3МІ |
| Aim Compounds | AIM |
| Aim Supply Apex International | AIM APE |
| C.R. Laurence | CRL |
| CRC Industries | CC |
| Cyclo Industries | |
| ITW Dykem Farecla | DY FAR |
| Goof Off | GOF |
| IZI C. | KAM |
| Kleanstrip Lagasse Brothers | KLE LAG |
| Meguiar's | MGL |
| RPM Wood Finishes | MOH |
| Interstate Chemical | MP NTN |
| Norton Polar Industrial Lubricants | PRT |
| Rust-Oleum | RST |
| Sprayway | SPR |
| Sprayway Selena | SPW TYT |
| Ultra Safety Systems | USS |
| T.R. Industries | WX |
| WD-40 Yacht Brite | WDF YBP |
| CUTTING TOOLS | 1 |
| | |
| 3M Industrial | 3MI |
| 3M Industrial AC Delco | ACD |
| 3M Industrial AC Delco AIRCAT Hansen | ACD ACA AHN |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool | ACD ACA AHN AMA |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic | ACD ACA AHN AMA AST |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda | ACD ACA AHN AMA AST ATD BAR |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools | ACD ACA AHN AMA AST ATD BAR BPT |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Ferson Saws | ACD ACA AHN AMA AST ATD BAR BPT BSB |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CCPT DS DWT DYN |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand | ACD ACA AHN AMA AST BAR BPT BSB BUR CPT DS DWT DYN IRC IRW |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic WI. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson | ACD ACA AHN AMA AST ATD BBAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R. W. Thompson Dawn Legacy Manufacturing | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Legnox | ACD ACA AHN AMA AST BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Legnox M.K. Morse | ACD ACA AHN AMA AST BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN MK |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R. W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN MKT MIL |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN MK MKT MIL MWK |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic WI. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R. W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN MK MKT MIL MINK MIKK MIKK MIKK MIKK MIKK MIKK MIKK |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic WI. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R. W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka Norseman Drill & Tool LMT Onsrud | ACD ACA AHN AMA AST BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN MK MKT MIL MWK MRK MRK MRD ONS |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka Norseman Drill & Tool LMT Onsrud | ACD ACA AHN AMA AST BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNIK KWI LEG LEN MK MKT MIL MWK MRK NMD ONS RIIK |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka Norseman Drill & Tool LMT Onsrud Ruko Tool Stanley-Proto Tools | ACD ACA AHN AMA AST BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN MK MKT MIL MWK MRK NMD ONS |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka Norseman Drill & Tool LMT Onsrud Ruko Tool Stanley-Proto Tools Sunex | ACD ACA AHN AMA AST BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK KWI LEG LEN MK MKT MIL MWK MRK NMD ONS RUK STN SUU |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka Norseman Drill & Tool LMT Onsrud Ruko Tool Stanley-Proto Tools Sunex Schrade Tru-Cut | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET LEN MK KWI LEG LEN MK MKT MIL MWK MKT MIL STN SUU SCR TCT |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka Norseman Drill & Tool LMT Onsrud Ruko Tool Stanley-Proto Tools Sunex Schrade Tru-Cut | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET LEN MK KWI LEG LEN MK MKT MIL MWK MKT MIL STN SUU SCR TCT |
| 3M Industrial AC Delco AIRCAT Hansen Amana Tool Astro Pneumatic ATD Tools Barracuda Bosch Power Tools Fersco Saws Fullerton Tool Chicago Pneumatic W.I. Fuller DeWalt Dynabrade Ingersoll Rand Irwin Jet R.W. Thompson Dawn Legacy Manufacturing Lenox M.K. Morse Makita Milton Industries Milwaukee Mirka Norseman Drill & Tool LMT Onsrud Ruko Tool Stanley-Proto Tools Sunex Schrade | ACD ACA AHN AMA AST ATD BAR BPT BSB BUR CPT DS DWT DYN IRC IRW JET KNK LEG LEN MK MKT MIL MWK MKT MIL MWK STN SUU SCR TCT TR UNB |

| Vise-Grip | VSG |
|-------------------------------------|------------|
| VM Tool | VMT |
| Wiss Whiteside Machine Co. | WIS |
| Wisconsin Knite Works | WKW |
| HAND TOOLS | |
| ATD Tools | ATD CEN |
| Central Tools Channellock | CNL |
| E-Z Red Grey Pneumatic | EZR |
| Grey Pneumatic | GRY |
| Ideal GearWrench | KDT |
| Kershaw Knives | KER |
| Kleanstrip | KLE |
| Knipex Marson | KNT MAR |
| Mayhew Tools | MAY |
| Milwaukee | MWK |
| OTC Tools Platinum | OTC PLT |
| Precision Instruments | PRE |
| SK Hand Tool Stanley-Proto Tools | SKT |
| Stanley-Proto Tools | STN SUU |
| Sunex Titan | TTN |
| Titan Urrea Proffessional Tools | URR |
| VIM lools | VIM |
| Vice-Grip Wilton | VSG WIL |
| Wiss | WIS |
| LIGHTING | AOT |
| Astro ATD Tools | AST ATD |
| | BAY |
| California Auto Tech | CAT |
| Central Tools Coast Cutlery | CEN CST |
| E-Z Red | EZR |
| E-Z Red Pass & Seymour | GE |
| Jackco | JKO |
| JS Products Led Lenser | LED |
| Lincoln Industrial | LNI |
| Mag Instrument | MAG |
| Milwaukee Batoray | ROV |
| Schumacher | SHM |
| General Manufacturing | SL |
| Streamlight POWER TOOLS | STL |
| 3M Industrial | змі |
| AC Delco | ACD |
| Λ . | ACA AST |
| ATD Tools | ATD |
| ATD Tools Bosch Power Tools | BPT |
| DeWalt Ingersoll Rand | DWT IRC |
| Jet | JET |
| Lincoln Industrial Corp | LNI |
| Makita Master Appliance | MKT |
| Milwaukee | MRA |
| Mirka | MRK |
| Porter Cable | POT |
| Rotozip Sunex | RZ SUU |
| litan | |
| AIR TOOLS | змі |
| 3M Industrial | 3MI ACA |
| Astro Pneumatic | AST |
| ATD Tools | ATD |
| Bosch Power Tools | BPT |
| Chicago Pneumatic | CPT |

| Diamond/Apex Tool | DIA |
|--|------------|
| Dynabrade | DYN |
| Hutchins | HTN |
| Ingersoll Rand | IRC |
| Legacy Manufacturing Lincoln Industrial | LEG LNI |
| Marson | MAR |
| Master Power | MSP |
| Milton Industries | MIL |
| Performance One | PPT |
| Souix Tools | SI |
| SP Air Stanley | SPA POP |
| Sunex | SUU |
| SAFETY PRODUCTS | |
| 3IVI Industrial | 3МІ |
| Allegro Industries | ALG |
| Ammex Anchor | AMX ANR |
| Anchor Ansell | AED |
| Ansell Atlantic Safety Products | ATL |
| Crescent | CRE |
| DeVilbiss | DEV |
| Dupont | DPT AID |
| Dynarex Gerson | GER |
| Gerson Honeywell Safety Products | HWL |
| Howard Lite Products | HLI |
| Justrite Kimberly Clark | JUS |
| Kimberly Clark | KCC AI |
| Lakeland Mechanix Wear | MCX |
| MCR Safety | MSW |
| Microflex | MFX |
| Moldex North Safety Products | MLX |
| North Safety Products | NTH |
| D 1' | PIP RAD |
| Redback Boots | |
| S.C.A Hygiene | MOL |
| SATA | SAT |
| Stockhausen | SHN |
| Survival Air Tingley Rubber | SAS TIN |
| SHOP EQUIPMENT | : I IIV |
| Access Tools | AET |
| American | IMC |
| Associated Equipment | ASO AST |
| Astro Pneumatic ATD Tools | ATD |
| BE Power | BEP |
| Black Hawk | ВНК |
| Challenger Lifts | CHL |
| Crushproof | CRU DAR |
| Darex Enerco | ENR |
| Extreme Tools | EXT |
| Eill Rito | FIL |
| Hansen Global | HSN |
| Hein Werner | HWA |
| Ingersoll Rand Innovative Products | IRR IPA |
| Interchange Brands | INT |
| Jackco International | JK0 |
| Jet JPW Industries | JET |
| | WIL |
| Knipex Legacy | KNT LEG |
| | LNI |
| Lisle | LIS |
| Luxor | LUX |
| Lyon Marah Ballafram | LYN |
| Marsh Bellofram Milton Industries | MSH MIL |
| | OMA |
| Omega OTC Tools & Equipment | OTC |
| Dlaura Edalmari | ABAL |

| Polar Cool | PLC |
|--|------------|
| Port-A-Cool | PTC |
| Preval | PRV |
| Quip-Aii | QPL |
| Schumacher | SHM SOL |
| Solar Shop Vac | SPV |
| Stanley | STN |
| Stockhausen | STK |
| Sunex | SUU |
| Thermoid | THM |
| Victor Technologies | VCT |
| FASTENERS Act Fasteners | TI |
| Ideal | HC |
| Star Technologies | NC |
| MASKING & TAPE | |
| 3M Industrial | змі |
| American Tape Associated Paper & Supply | AMT |
| Associated Paper & Supply | PC |
| Automated Paper Converters Budnick Converting | BUD |
| Flectro Tane | TX |
| Poly-America | PSW |
| Powers Paper | PPC |
| Shurtape | SHU |
| Sika Surface Shields | SIK |
| Surface Shields | FTC TSA |
| Tesa Vibac | VIB |
| Vibac SURFACE PREP | 1110 |
| 3IVI Industriai | 3MI |
| Aim Compounds | AIM |
| Buff & Shine | BFS |
| | FAR |
| Hi-lech Industries | HIT KCC |
| Kimberly Clark Meguiar's | MGL |
| Norton | NTN |
| | Al |
| Premium Finish Care | AIM |
| Presta | PST |
| Schlegal | SCH |
| エー・ | WX MOL |
| Trimaco | TRI |
| V 1 (D ') | YBP |
| FIBERGLASS PRODUCTS | |
| 3M Industrial | 3МІ |
| Bodi | KN |
| Corona | RC DRB |
| Dura-Block E & S Industries | KN |
| Fibreglass Evercoat | FIB |
| FinishPro | FPR |
| G.L Enterprises | GLE |
| Marson MAR | MAR |
| Modeling Clay | MC |
| SEM Toologi Edge | SEM TCE |
| Techni-Edge U.S. Chemical & Plastics | USC |
| OFFICE & JANITORIAL | |
| 3M Industrial | змі |
| Bruske Products | BRU |
| C.S. Osborne | OSB |
| Dixon Ticonderoga | DIX |
| Dubose Strapping ITW Dykem | GRR DY |
| Lagasse Brothers | LAG |
| Lagasse Brothers Magnolia Brush Mfg | LAG MGB |
| Packaging Supplies | PKG |
| Polv-America | PTB |
| Rubbermaid | RUB |
| Sanford Berol SM Arnold | BER SMA |
| SM Arnold | SIVIA |

VEG

Plews Edelmann

COX

PRODUCT INDEX

| AC Recovery Machine | 170 | Filler, Fiberglass | 50, 51, 52 | Overshoe | 21 | Shop Vacuum | 93, 149, 15 |
|--|---|---|----------------|-------------------|-------------------------------|----------------------|------------------------|
| AC Tester | | Filler, Lamination | | | 48, 49 | Shop Vise | 152, 16 |
| Acetone | | Filler, Polyester | 50 | | 48, 49 | Shoe Cover | |
| Adhesive, Methacrylate | | Film, Protective | | | 53 | | 6 |
| Adhesive, Spray | 32, 33, 34, 35 | Filter, Spray Booth | | Paint Can | 55 | Sleeve, Protective | 8, |
| Adhesive, Urethane | 30 | Filters, Air | 112, 113, 117 | Paint Mixer | 55 | Socket Adapter | 12 |
| Air Mover | 149, 160 | First Aid Kit | 17, 166 | Paint Paddle | 25, 55 | Socket Bit | 7 |
| Air Tool Oil | 117 | Flashlight | 82, 83 | Paint Roller | 53 | Socket, Chrome | 118, 12 |
| Applicator, Adhesive | 35 | Flood Light | 86, 87, 93 | Paint Tray | 53 | Socket, Impact | 12 |
| Apron | 8, 9, 11 | Floor Lift | 168 | Painter's Pail | 55 | Soldering Gun | 15 |
| Arbor | 69 | Floor Mat | 25 | Pallet Truck | 151 | | 9 |
| Automotive Tools | 173 | Forstner Bit | 77 | Pants, Protective | 9, 10 | Spade Bit | 7 |
| Backing Pads | 37, 40, 49 | Fuel System Tester | 171 | Paper Towels | 66 | Spill Sorbent | 6 |
| Battery Charger | | Funnel | 68, 164 | Paper, Specialty | 26 | Spindle Saw | 8 |
| Battery Pack | | Gauge, Air | | | 162 | Spot Remover | 5 |
| Bead Seater | | Gauge, Manifold | 170 | Pick | 127 | | 6 |
| Bench Grinder | 152 | Gauge, Misc | | Pick Up Tool | 147 | Spray Gun | 56, 5 |
| Bit Holder | 123 | Gel Coat | | Pilot | 69 | | 62, 17 |
| Bit Sharpener | | Generator | • | | 100 | | 1 |
| Bit Socket | | Gloves, Coated | | | 27 | 1 / | 55, 17 |
| Blade | | Gloves, Cut Resistant | | | 130, 131 | 1 / | 5 |
| Blow Gun | | Gloves, Latex | | | 134 | | 6 |
| Blower | | Gloves, Nitrile | | , 0 | 137 | | 25, 16 |
| Boat Wash | | Glue Remover | | | 132, 133 | , , | 76, 7 |
| Booster Cables | | Glue, Wood | | | 44, 45 | | 25, 5 |
| Boot Covers | | Grease Gun | | , , | 100, 104 | | Tool17 |
| Bottle Jack | | Grinder, Air | • | | 89, 92, 94, 95, 96, 97 | | 2 |
| Broom | | Grinder, Electric | | | 56 | | 5 |
| Brush, Application | | Grinding Discs | | | 170 | | 15 |
| Bucket | | Grinding Wheels | | | 30 | | 15 |
| Buffer, Tire | | Hacksaw | | | 174 | | 14 |
| Burr | | Hammer, Hand | | | 165 | Tane Double Sided | 2 |
| Cable Tie | | Hammer, Air | | | 146 | | 15 |
| Caulk | | Hand Cleaner | , | | 104 | | 2 |
| Caulking Gun | | Hand Masker | | | 51, 52 | 1 ' | 2 |
| Chainsaw | | Hand Pad | | | 141 | 1 ' | 2 |
| Chamfer Tool | | Hard Hat | | , | 54, 64 | | 5 |
| Chisel | | Hardener, Cream | | | 21 | | 2 |
| Circuit Tester | | Hardware Assortments | | | 101 | | 2 |
| Cleaner | | Hat, Protective | | | 91, 94 | | 2 |
| Cold Weather Gear | -, | Headlamp | | • | 119, 120 | 1 ' | 2 |
| Compound, Cutting | | Heat Gun | | | 113, 120 | | 2 |
| Compound, Rubbing | | Heater, Propane | | | 112, 113, 117 | | 15 |
| Compressor | | Hole Saw | | | | Too Nivion | 5 |
| | | Hood, Protective | | | 14, 15 | | 15 |
| Conditioning Discs Connector | | Hose Clamp | | | 14, 15 | | 15 |
| Cooling Gear | | Hose Reel | | | 100 | Thinner/Mineral Chir | ts5 |
| Cord Reel | | | | | | | 16 |
| Countershink | • | Hose, Air Hose, Water | | , | 92, 93 159, 176 | | 17 |
| Coupler, Air | | Impact Bit | | | 78, 81 | | 6 |
| Coveralls | | Impact Driver, Electric | 00 01 04 05 06 | | 68, 166 | | 16 |
| Creeper | | | | | 68, 164, 166 | | 15 |
| Crimper | | Impact Wrench, Air Impact Wrench, Electric | | | 16 | | 148, 17 |
| Cut Off Tool, Air | | Inflator | | , | 166 | | 9 |
| • | | | | | | | |
| Cut Off Tool, Electric Cut Off Wheels | | Inflation ToolInfusion Bag | | | 102, 104, 105, 107, 109 95 | | 17 |
| Cutter | | Inspection Tool | | | 40 | Trach Container/Line | ·····6 |
| Cutter, Hose | | Jack Stand | | | 42 | Trav Linor | 5 |
| Cutting Wheel | | Jump Starter | | | 38, 40, 41 | Tuhing Heat Shriph | 15 |
| Deburring Tool | | Knee Pads | | | 38, 41 | Tuhing Poly | 5 |
| Degreaser | | Kneeling Pad | | | 38, 40, 41 | Vacuum Gauge | 5 |
| Die Grinder, Air | | | 144, 145 | | 42 | Vacuum Dump | 5 |
| Die Grinder, All | | Knife, Utility | , | | 70 | Vact Safaty | 2 |
| Dip Tank | | Lab Coat | | | 70, 81 | May | 44, 46 |
| Drain | | Lantern | | | 70, 81 | Wax | 5 |
| Drill Bit | | Lens Cleaner | | | 71, 72 | | 15 |
| Drill Driver, Air | | Level | | | | Welding Holmot | 15 |
| Drill Driver, Electric89, 9 | | Light Stand | | | 71, 72, 90 | | 2 |
| Driver Bit | | Lubricant | | | 96 90, 109 | | x64, 65, 6 |
| Dryer | | Lubricator, Air | | | 141 | Wines Roll | x64, 63, 6 |
| _ ' | | • | , | _ | | Wining Cloth | 5 |
| Dustpan | | Masking Paper | | | 142 125, 126, 127 | Wire Pruch | 3 |
| Ear Muffs | | Measuring Tool Microfiber Cloth | | | | | 135, 13 |
| Extension Cord | | | | | 63 32 | Work Ropeh | 135, 13 |
| | | Modeling Clay | | | 29 | | 10 |
| Eyewash Station Face Shield | | Mop Bucket | | | | | 84, 85, 87, 91, 92, 17 |
| Face Snieid | | Mop Bucket Multimeter | | | 29, 30 151 | | 84, 85, 87, 91, 92, 17 |
| Faucet | | Neck Light | | | 167 | | 12 |
| Feed Rolller | | Nut Driver | | | 9, 10 | | 12 |
| Fihar Disc | 37 | Nut Dilvel | 127 68 | Shon Proce | 9, 10 152 168 | Wrench T Shane | ۱۷۱۷ |

TERMS & CONDITIONS

AIM Supply (AIM) / ALCO Tool Supply (ATS) / AIM Fleet America (AFA)

EASY PAYMENT METHODS

Open Account: Available upon receipt and approval of signed credit application. Credit Cards: Visa, MasterCard, Discover & American Express (including Corporate Card Program) C.O.D. or prepay by check or cash.

SALES & FREIGHT TERMS

Prices: All orders are billed at prices in effect at time of shipment. Prices are subject to change without notice.

Quotations: Large quantities and contract pricing are available on request. Contact your AIM / ATS / AFA representative.

Sales Tax: AIM / ATS / AFA is required to charge applicable state and local tax on every item for which sales tax exemption certification has not been provided and all items not subject to the exemption.

Terms: For customers with established credit, terms are Net–30 days from date of shipment. If credit is not established, include payment with order or purchase with credit card.

Cash or anticipation discounts are not allowed. All payments must be in U.S. dollars.

SHIPPING TERMS

Products are shipped F.O.B. shipping point with shipping cost and handling fees prepaid and added to the invoice. Standard shipping costs are prepaid on shipments shipping out of the local warehouse that are greater than \$600 for small parcel and \$1500 LTL. Special orders are not covered under the prepaid program. Special delivery request on shipments are not covered under the prepaid program and will be added to the invoice (lift-gate, residential delivery, inside delivery, C.O.D. fees, delivery appointment, limited access, expedited service, etc).

MANUFACTURER'S WARRANTIES & SALES LITERATURE

The products listed in this catalog are warranted to the final consumer by their manufacturer. Copies of such warranties are supplied with the product or are available from the manufacturer. AIM / ATS / AFA may also furnish sales brochures and literature of the manufacturer. AIM / ATS / AFA assumes no responsibility for the content of such warranties or sales literature by performing this service.

WARRANTY DISCLAIMER

AIM / ATS / AFA has made a diligent effort to illustrate and describe the products in this catalog accurately, however, such illustrations and descriptions are for the sole purpose of identification, and do not express or imply a warranty that the products are merchantable, or fit for a particular purpose, or that the product will necessarily conform to the illustrations or descriptions. No warranty or affirmation of fact, expressed or implied, is made or authorized by AIM / ATS / AFA.

LIMITATION OF LIABILITY

Any liability for consequential and incidental damages is expressly disclaimed. Liability in all events is limited to, and shall not exceed, the purchase price paid.

PRODUCT SUITABILITY

Many states and localities have codes and regulations governing sales, construction, installation, and/or use of products for certain purposes, which may vary from those in neighboring areas. While AIM / ATS / AFA attempt to assure that their products comply with such codes, they cannot assure that their products comply with such codes, cannot guarantee compliance, and cannot be responsible for how the product is installed or used. Before the purchase and use of a product, please review the product application, and national and local codes and regulations, and be sure that the product, installation, and use will comply with them.

FORCE MAJEURE

AIM / ATS / AFA shall not be responsible for any nonperformance as a result of any event of force majeure.

TERMS

By placing an order, customers accept and agree to AIM / ATS / AFA terms and conditions.

RETURN OF MERCHANDISE

Returns for AIM / ATS / AFA products must be made within six (6) months from date of purchase. Return Material Authorization must be obtained prior to returning any products. Please contact Customer Service for an RMA number and return instructions. No return of merchandise will be accepted without a return authorization number placed on the address label. Items being returned must be in the manufacturer's original carton and include the documentation and/or accessories accompanying the product. Credit will be issued upon inspection of the merchandise. Merchandise returned at the customer's request will carry a 15% restocking charge plus freight costs incurred by AIM / ATS / AFA.

Special order merchandise may not be returned.

REPORTING DISCREPANCIES & SHORTAGES

Report any discrepancy in the number of cartons, or damage of cartons to the carrier that delivered the shipment to you. Note any damage or shortage on all delivery receipts or freight bills, and sign for only the material actually delivered. If, upon further inspection, you notice any concealed damage or loss, you must save all boxes and packing material. Notify the delivering carrier immediately. It is very important that any discrepancies in an order shipment be reported to AIM / ATS / AFA immediately. We cannot be responsible for missing packages after the shipper/carrier receiver slip has been signed clear by the customer. If you have any questions or problems with your order, please contact your customer service representative immediately. Some items sold in case quantities only. Not responsible for typographical errors. A full statement of AIM / ATS / AFA terms and conditions is available on the corresponding website and incorporated herein by reference.

CREDIT BALANCES

Customers agree that any credit balance will be applied within one (1) year of its issuance. If not applied or requested within one (1) year, any credit balance remaining will be subject to cancellation, and Nestor Sales LLC shall have no further liability.

AIM Supply: 800-999-0125 ALCO Tool Supply: 800-437-2911 AIM Fleet America: 800-799-3915






Strategic Locations Nationwide to Better Serve Your Needs

"Our Mission is to Make Our Customers More Successful"



800-999-0125





800-437-2911

www.alcotoolsupply.com