# MATERIAL SAFETY DATA SHEET

## 1. PRODUCT AND PREPARATION INFORMATION

Manufacturer: Dominion Sure Seal Group of Companies

6175 Danville Road, Mississauga, Ontario

Canada, L5T 2H7 (905)670-5411

U.S.A. 1-800-265-0790

Emergency telephone numbers: Dominion Sure Seal (8 AM TO 4 PM EST)

(905)670-5411 CANUTEC (24 HR) (613) 996 – 6666 Sure Solve Cleaner

Product Name: Sure Solve Cleaner

Product Code: BSS

Synonyms: Not Applicable

Chemical Family: Organic
Molecular Formula: Mixture
Product Use: Solvent

Prepared by: Regulatory Department

Preparation Date: June 29, 2005

# 2. HAZARDOUS INGREDIENTS

Hazardous	CAS Number	Wt. %	TLV ppm	LD/50	LC/50
Ingredients				Route, Species	Route, Species
Naphtha,	64742-89-8	60-100	300	8,000 mg/Kg	3,400 ppm/4H
Petroleum				(ORL-RAT)	(RAT)
				4,000 mg/Kg	
				(DRML-RAT)	
Xylene	1330-20-7	30-60	100	4,300 mg/Kg	6,700 ppm/4H
				(ORL-RAT)	(RAT)
				2,000 mg/Kg	
				(DRML-RBT)	

# 3. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid	
Appearance	Clear	
Odour	Aromatic	
Odour Threshold	2 ppm	
Boiling Point (Deg.C)	113 (Start)	
Melting/Freezing Point (Deg. C)	Not Available	
Vapour Density (Air = 1)	>1	
Specific Gravity (Estimate)	0.79	
Vapour Pressure (mm Hg)	Not Available	
Evaporation Rate, n-Butyl Acetate = 1	> 1	
PH	Not Applicable	
Solubility in Water	Immissible	

## 4. FIRE AND EXPLOSION HAZARD

Flammability: Yes

If Yes, Under Which Conditions: Excessive heat, sparks and open flame.

Flammability Limits in Air (%): 1.0 - 6.0Flash Point (TCC deg.C) 7.0

Autoignition Temperature (Deg. C): Not Available Hazardous Combustion Products: Carbon monoxide.

Sensitivity to Mechanical Impact: Not available. Not expected to be sensitive to

mechanical impact.

Rate of Burning: Not available. Explosive Power: Not available.

Sensitivity to Static Discharge: Not available. Expected to be sensitive to static

discharge when vapours in air are between the

flammability limits.

Extinguishing Media: Carbon Dioxide, dry chemicals, foam, water fog. In

case of large fire cool containers with water jet in order to prevent pressure build up, autoignition or explosion.

# 5. REACTIVITY DATA

Chemical Stability: Yes, under normal conditions.

Compatibility with Other Substances: No, with strong oxidizing agents, strong alkalies,

strong mineral acids.

Hazardous Products of Decomposition: Carbon monoxide. Hazardous Polymerisation: Will not occur.

#### 6. TOXICOLOGICAL PROPERTIES

Route of Entry:

Skin Contact: Yes
Skin Absorption: Yes
Eye Contact: Yes
Inhalation: Yes
Ingestion: Yes

Effects of Exposure: Vapors are irritating to eyes, nose, throat and

respiratory tract. May cause defatting, drying and cracking of the skin. Prolonged and repeated contact may lead to dermatitis. Swallowing may lead to gastrointestinal irritation, nausea and

diarrhea.

Carcinogenicity of material: No information is available and no adverse

Carcinogenic effects are anticipated.

Reproductive effects: No information is available and no adverse

Reproductive effects are anticipated.

Teratogenicity: No information is available and no adverse

Teratogenic effects are anticipated.

Mutagenicity: No information is available and no adverse

Mutagenic effects are anticipated.

#### 7. PREVENTIVE MEASURES

Eye Protection: Use chemical safety goggles with side shields.

Skin Protection: Rubber gloves.

Respiratory Protection: If exposure exceeds occupational limits (100 ppm),

wear a NIOSH approved air-purifying respirator with organic vapour cartridges for mists and

vapours.

Engineering Controls: Exhaust ventilation is recommended if used indoors

on continuous basis.

Leak/Spill Clean-Up Procedures: Ventilate enclosed spaces. Collect product for

disposal. Do not use combustible materials such as sawdust as an absorbent. Eliminate all sources of ignition. Notify applicable government authority if release is reportable or could adversely affect the

environment.

Storage Instructions: Keep away from heat, sparks, and open flames.

### 8. FIRST AID MEASURES

In case of eye contact, immediately flush eyes with running water for a minimum of 15 minutes. Hold eyelids open during flushing. If irritation persists, repeat flushing. Obtain medical attention IMMEDIATELY. For skin, wash thoroughly with soap and water. If irritation develops, get medical attention. If affected by inhalation of vapour or spray mist, move to fresh air. If swallowed, do not induce vomiting. Rinse the mouth. Drink 1-2 glasses of milk to dilute product. Water may be used instead but not as effective. Obtain medical attention IMMEDIATELY.

## 9. TRANSPORT INFORMATION

Proper Shipping Name: Flammable liquids, n.o.s. (Petroleum Naphtha)

UN Number: 1993 Class or Division: 3

Sub Risk: Not Applicable

Packing Group:

#### 10. REGULATORY INFORMATION

WHMIS Classification: B2, D2B

# 11. OTHER INFORMATION

This product has been classified in accordance with the hazard criteria of the CPR and the MSDS contains all the information required by the CPR. **This MSDS is valid for three years.** 

The information contained herein is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Dominion Sure Seal assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material.

- 5 -