Product Name: Cream Hardener (Blue)

Product identifier: 100354 Revision Date: 07-18-2015

Replaces:



1. Identification

Product Name: Cream Hardener (Blue)

Product identifier: 100354

Relevant identified uses of the

substance or mixture and uses

advised against:

Polymerization initiator

Chemical Manufacturer / ITW Evercoat

Importer / Distributor: a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency telephone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



GHS Classification: Skin Sensitisation Category 1

Serious Eye Damage/Eye Irritation Category 2A

Flammable Liquid Category 4

GHS Signal Word: Warning

GHS Hazard Statements: Cumbustible Liquid

May cause an allergic skin reaction. Causes serious eye irritation.

GHS Precautionary Statements:

Safety Precautions: Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

First Aid Measures: IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

Product Name: Cream Hardener (Blue)

Product identifier: 100354 Revision Date: 07-18-2015

Replaces:

if present and easy to do. Continue rinsing. Specific treatment (see on this label).

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

In case of fire: Use for extinction.

Storage: Store in a well-ventilated place. Keep cool. **Disposal:** Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient	
Benzoyl Peroxide	94-36-0	30 - 60	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Eye Contact: Use an eye wash to remove a chemical from your eye regardless of

the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eyes gently with water for at least 15 minutes, lifting upper & lower eye

lids. Seek immediate medical attention.

Skin Contact: Wash with soap and water. Get medical attention if irritation

develops or persists. Remove contaminated clothing and continue flushing with water. Wash affected area thoroughly with soap and water. Seek immediate medical attention. Wash clothing before

reuse.

Inhalation: Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen. If symptoms develop, immediately move individual away from exposure and into fresh air. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably

on a doctor's advice.

Ingestion: Minimal risk of harm if swallowed. Do not induce vomiting. Seek

medical attention immediately. Provide medical care provider with

Page **2** of **8**

Product Name: Cream Hardener (Blue)

Product identifier: 100354 **Revision Date:** 07-18-2015

Replaces:

this MSDS. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Drink plenty of water. If individual is drowsy or

 $unconscious, \, do \, not \, give \, anything \, by \, mouth; \, place \, individual \, on \, left \,$

side with head down. If possible, do not leave individual

unattended.

Most important symptoms/effects (Delayed:

Benzoyl Peroxide: Repeated or prolonged contact may cause skin sensitization.

Overexposure to this material has been suggested as a cause of the following effects in laboratory animals: mild, reversible liver effects, mild, reversible kidney effects, cardiac sensitization, kidney damage.

Benzoyl Peroxide has caused tumorigenic effects in laboratory

animals.

Immediate medical attention and special treatment needed,:

No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media: Use alcohol resistant foam, carbon dioxide, dry chemical, or water

spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Regular foam Carbon dioxide Dry

chemical

Unsuitable extinguishing media: Fire and/or Explosion Hazards:

No data available

Material may be ignited if preheated to temperatures above the flash point in the presence of a source of ignition. Material is easily

ignited if allowed to dry.

Hazardous Combustion

Products:

Toxic and corrosive gases,, Carbon dioxide, Carbon monoxide,

fire from a safe distance and a protected location due to the

Benzoic acid, Hydrocarbons

Special protective equipment and precautions for fire-fighters:

Do not enter fire area without proper protection including self-

potential of hazardous vapors and decomposition products. Fight fire like a fuel oil fire.

Water may be used to cool closed containers to prevent pressure

contained breathing apparatus and full protective equipment. Fight

build-up and possible auto ignition or explosion when exposed to extreme heat.

Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal

protective equipment.

Product Name: Cream Hardener (Blue)

Product identifier: 100354 Revision Date: 07-18-2015

Replaces:

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Activate

available exhaust ventilation equipment in the immediate spill area. All personnel in the area should be protected as in Section 8. Avoid breathing vapors. Use an inert absorbent such as sand or

vermiculite. Place in properly labeled closed container.

7. Handling and storage

Precautions for safe handling: Mildly irritating material. Avoid unnecessary exposure. All hazard

precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid breathing vapors or mists. Do not take internally. Keep container closed when not in use. Keep out of the

reach of children.

Conditions for safe storage: Store in a cool dry place. Isolate from incompatible materials. Store

in a cool dry place **Do not store the product above 100°F/38°C.** Do not flame, cut, braze, weld or melt empty containers. Keep product away from heat, open flame, and other sources of ignition. Keep away from heat, sparks, and flame Store in a tightly closed

container Avoid contact with incompatible materials such as strong acids, alkalis and oxidizers. For maximum product quality, avoid prolonged storage at temperatures above 75 °F (25 °C). To prevent possible decomposition, temperatures in the storage facility must

not exceed 217°F (103°C). Avoid contact with incompatible

materials.

Materials to Avoid/Chemical

Incompatibility::

Organic materials Inorganic acids Strong oxidizing agents Accelerators Reducing agents Alcohols Amines Strong alkalies

8. Exposure controls/personal protection

Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Benzoyl Peroxide	5 mg/m3	5 mg/m3	

Appropriate engineering controls.:

No exposure limits exist for the constituents of this product. General room ventilation might be required to maintain operator

Product Name: Cream Hardener (Blue)

Product identifier: 100354 Revision Date: 07-18-2015

Replaces:

comfort under normal conditions of use. General or local ventilation or isolation may prove adequate to keep airborne exposures below exposure limits. Explosion proof exhaust

ventilation should be used.

Eye Protection: Wear safety glasses when handling this product. Splash proof

chemical goggles are recommended to protect against the splash of

product.

Skin Protection: Not normally considered a skin hazard. Where use can result in skin

contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots A barrier cream may

be used for additional skin protection.

Respiratory Protection: No respiratory protection required under normal conditions of use.

Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. Use a NIOSH approved respirator designed to

remove particulate matter and organic solvent vapors.

Other Protective Equipment: Splash proof chemical goggles are recommended to protect against

the splash of product. Protective gloves and proper clothing should

be worn to prevent skin contact. Gloves should be made of

neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots A barrier cream may

be used for additional skin protection.

General Hygiene Conditions: All hazard precautions given in the data sheet must be observed.

Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid breathing vapors or mists. Do not take internally. Keep container closed when not in use. Keep

out of the reach of children.

9. Physical and chemical properties

Appearance (physical state):PasteColor:BlueOdor:Ester-like

Odor threshold: No data available

pH: Neutral

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 100 Flash Point (°C): 84

Evaporation Rate:No data available

Product Name: Cream Hardener (Blue)

Product identifier: 100354 Revision Date: 07-18-2015

Replaces:

Flammability (solid, gas):

Upper Flammable/Explosive Limit:

No data available

No data available

No data available

Vapor Pressure:< 1 MMHG@20C/68F 17.5 MMHG@20C/68F</th>Vapor Density:> 1 Heavier than air. Vapors that evolve from this

product will tend to settle and accumulate near the

floor.

Relative Density: 1.2

Solubility(ies): Insoluble Low; 10-49% **Partition coefficient: n-octanol/water:** No data available

Auto-ignition Temperature (°C): 80 °C

Decomposition Temperature::No data available **Viscosity:**No data available

VHAP Content by weight – as packaged 0

10. Stability and reactivity

Reactivity: No data available

Chemical stability: Stable under normal conditions. **Conditions to avoid:** None known. Contamination.

Incompatible materials: Organic materials Inorganic acids Strong oxidizing agents

Accelerators Reducing agents Alcohols Amines Strong alkalies

Hazardous decomposition

products:

Toxic and corrosive gases, Carbon dioxide Carbon monoxide

Benzoic acid Hydrocarbons

11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and eye contact):

Ingestion, Skin contact, Eye contact, Absorption

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation: Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and

headache. Excessive inhalation of vapors may cause nasal and respiratory irritation,

acute nervous system depression, fatigue, weakness, nausea, headache and

dizziness.

Aspiration of material into the lungs can cause chemical pneumonitis which can be

tatai.

If vomiting occurs spontaneously, keep head below hips to prevent aspiration of

liquid into lungs.

Airborne overexposure well above the PEL may result additionally in eye irritation,

headache, chemical bronchitis, asthma-like findings or pulmonary edema.

Skin Contact: Can cause minor skin irritation, defatting, and dermatitis.

Skin Absorption: Causes skin irritation. Contact may cause irritation and possible dermatitis or

sensitization. Symptoms may include minor itching, burning and/or redness,

Product Name: Cream Hardener (Blue)

Product identifier: 100354 **Revision Date: 07-18-2015**

Replaces:

Dermatitis, defatting may be readily absorbed through the skin. Substance can be absorbed through the skin in harmful amounts. Symptoms may include redness,

burning, drying and cracking of skin, and skin burns

Eye Contact: Can cause minor irritation, tearing and reddening. Contact with paste may result in

irritation, redness, tearing, blurred vision, and/or swelling.

Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort. Ingestion Irritation:

Causes gastrointestinal tract irritation, nausea, vomiting, diarrhea and possible ulcerations to mucous membranes. Aspiration of material into the lungs can cause

chemical pneumonitis which can be fatal.

Ingestion Toxicity:

Long-Term (Chronic) Health Effects:

Carcinogenicity: None of the substances have been shown to cause cancer in long term animal

studies. Not a carcinogen according to NTP, IARC, or OSHA. Not listed by ACGIH,

IARC, NIOSH, NTP OR OSHA.

Reproductive and

No data available to indicate product or any components present at greater than

Developmental Toxicity:

0.1% may cause birth defects.

Mutagenicity:

No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, can cause minor respiratory irritation,

dizziness, weakness, fatigue, nausea, and headache.

Skin Contact: Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50	
No data available				

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

12. Ecological information

Ecotoxicity (aquatic and This material is not expected to be harmful to the ecology. The

terrestrial, where available): ecological toxicity of this product is not known

Persistence and degradability: No data available No data available Mobility in soil: Other adverse effects (such as

hazardous to the ozone layer):

No data available

Product Name: Cream Hardener (Blue)

Product identifier: 100354 Revision Date: 07-18-2015

Replaces:

Ecological Toxicity Data

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

13. Disposal considerations

Description of waste residues: Spent or discarded material may be a hazardous waste.

Safe Handling of Waste: This material as supplied, if discarded, would be regulated as a

hazardous waste under RCRA (40 CFR 261).

Waste treatment methods (including packaging):

Dispose of by incineration following Federal, State, Local, or

g): Provincial regulations.

Waste Disposal Code(s): D001

14. Transport information

UN proper shipping name: The DOT Classification for shipping is dependent on quantity,

type of packaging (a kit may include other components), or

method of shipment.

15. Regulatory information

TSCA Status: A component or components of this product are listed on the

TSCA Inventory of Existing Chemical Substances.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Benzoyl Peroxide	94-36-0	N	N	Υ	N

16. Other information, including date of preparation or last revision.

Revision Date: 07-18-2015

Revision Number: 9

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances