Product Name: Panel Bond-30, 200 ml

Product identifier: 106030 Revision Date: 07-18-2015

Replaces:



#### 1. Identification

Product Name: Panel Bond-30, 200 ml

**Product identifier:** 106030 **Relevant identified uses of the** Adhesive

substance or mixture and uses

advised against:

**Chemical Manufacturer /** ITW Evercoat

**Importer / Distributor:** a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Emergency telephone number: CHEMTREC: 1-800-424-9300

CANUTEC: 1-613-996-6666

#### 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard Symbols:



**GHS Classification:** Carcinogenicity Category 1A

GHS Signal Word: Danger

**GHS Hazard Statements:** May cause cancer.

**GHS Precautionary Statements:** 

**Safety Precautions:** Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

**First Aid Measures:** IF exposed or concerned: Get medical advice/attention.

**Storage:** Store locked up.

**Disposal:** Dispose of contents/container in accordance with

local/regional/national/international regulation for hazardous wastes.

Hazards not otherwise

classified:

No data available

Product Name: Panel Bond-30, 200 ml

**Product identifier:** 106030 **Revision Date:** 07-18-2015

Replaces:

#### 3. Composition/information on ingredients

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient	
Crystalline Silica (Quartz)	14808-60-7	0.1 - 1	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Eye Contact:** Use an eye wash to remove a chemical from your eye regardless of

the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the

uncontaminated eye. Seek medical advice after flushing.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation

develops or persists.

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained

individual administer oxygen.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek

medical attention immediately. Provide medical care provider with

this MSDS.

Immediate medical attention

and special treatment needed,:

No additional first aid information available

#### 5. Fire-fighting measures

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when

fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot

burning liquid.

**Unsuitable extinguishing media:** No data available

**Fire and/or Explosion Hazards:** Material may be ignited only if preheated to temperatures above

the high flash point, for example in a fire.

**Hazardous Combustion** 

**Products:** 

Phenol, Carbon dioxide, Carbon monoxide

Special protective equipment

and precautions for fire-

Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use

fighters:

methods for the surrounding fire.

Product Name: Panel Bond-30, 200 ml

Product identifier: 106030 Revision Date: 07-18-2015

Replaces:

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up: No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment

recommendations found in Section VIII of this MSDS

No special spill clean-up considerations. Collect and discard in

regular trash.

#### 7. Handling and storage

Precautions for safe handling: Conditions for safe storage: Materials to Avoid/Chemical Incompatibility:: Mildly irritating material. Avoid unnecessary exposure. Store in a cool dry place. Isolate from incompatible materials. Strong oxidizing agents Acids Amines Caustics (bases) Aluminum

alloys Ammonia

#### 8. Exposure controls/personal protection

#### Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
No data available			

Appropriate engineering

controls.:

No exposure limits exist for the constituents of this product.

General room ventilation might be required to maintain operator

comfort under normal conditions of use.

**Eye Protection:** 

Wear safety glasses when handling this product.

**Skin Protection:** 

Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking,

and when leaving work.

**Respiratory Protection:** 

No respiratory protection required under normal conditions of use.

Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not

normally required.

### 9. Physical and chemical properties

Appearance (physical state): Paste Color: Grey

Odor:
No data available
Odor threshold:
No data available
No data available
No data available

Product Name: Panel Bond-30, 200 ml

**Product identifier:** 106030 **Revision Date:** 07-18-2015

Replaces:

Melting Point/Freezing Point (°C):

No data available

Initial Boiling Point and Boiling Range (°C): 825 Flash Point (°C): 94

Evaporation Rate:

Flammability (solid, gas):

Upper Flammable/Explosive Limit:

Lower Flammable/Explosive Limit:

Vapor Pressure:

No data available

Relative Density: 1.31
Solubility(ies): Insoluble
Partition coefficient: n-octanol/water: 1.36

Auto-ignition Temperature (°C):No data availableDecomposition Temperature::No data availableViscosity:No data available

**VOC (as packaged-less exempts and water)** 48 or

#### 10. Stability and reactivity

**Reactivity:** No data available

**Chemical stability:** Stable under normal conditions. **Conditions to avoid:** None known. Contamination.

**Incompatible materials:** Strong oxidizing agents Acids Amines Caustics (bases) Aluminum

alloys Ammonia

**Hazardous decomposition** 

products:

Phenol Carbon dioxide, Carbon monoxide

#### 11. Toxicological information

Likely routes of exposure (inhalation, ingestion, skin and

Absorption, Ingestion, Skin contact, Eye contact, Inhalation, Skin contact, Eye

contact

eve contact):

#### <u>Immediate (Acute) Health Effects by Route of Exposure:</u>

**Inhalation Irritation:** Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and

headache. Can cause mechanical irritation if dusts are generated.

**Skin Contact:** Can cause minor skin irritation, defatting, and dermatitis.

**Skin Absorption:** No absorption hazard in normal industrial use. **Eye Contact:** Can cause minor irritation, tearing and reddening.

**Ingestion Irritation:** Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort.

**Ingestion Toxicity:** 

#### Long-Term (Chronic) Health Effects:

**Carcinogenicity:** May cause cancer.

**Reproductive and**No data available to indicate product or any components present at greater than

Product Name: Panel Bond-30, 200 ml

**Product identifier:** 106030 **Revision Date:** 07-18-2015

Replaces:

**Developmental Toxicity:** 0.1% may cause birth defects.

**Mutagenicity:** No data available to indicate product or any components present at greater than

0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can cause minor respiratory irritation,

dizziness, weakness, fatique, nausea, and headache.

**Skin Contact:** Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and

dermatitis.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

#### Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

#### Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
Crystalline Silica (Quartz)	Υ	Υ	Υ

### 12. Ecological information

**Ecotoxicity (aquatic and** 

This material is not expected to be harmful to the ecology.

terrestrial, where available):

Persistence and degradability:
Mobility in soil:

Other adverse effects (such as

No data available
No data available

hazardous to the ozone layer):

**Ecological Toxicity Data** 

Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available			

#### 13. Disposal considerations

**Description of waste residues:** Spent or discarded material is not expected to be a hazardous

waste.

Waste treatment methods

(including packaging):

Dispose of in a landfill. Disposal is not likely to be regulated.

### 14. Transport information

**UN proper shipping name:** The DOT Classification for shipping is dependent on quantity,

type of packaging (a kit may include other components), or

method of shipment.

Page 5 of 6

Product Name: Panel Bond-30, 200 ml

**Product identifier:** 106030 **Revision Date:** 07-18-2015

Replaces:

#### 15. Regulatory information

**TSCA Status:** All components in this product are on the TSCA Inventory.

**Regulated Components:** 

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
No data available					

### 16. Other information, including date of preparation or last revision.

**Revision Date:** 07-18-2015

**Revision Number:** 5

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances