# SAFETY DATA SHEET.

Issuing date 01-May-2015 Revision Date 01-May-2015 Version 1

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product name Super Stick Trim Adhesive

Product number 4063-F

Product Type Extremely flammable aerosol

Synonyms None

Supplier's details

**Recommended Use** Trim Adhesive. For Professional and Industrial Use Only.

**Uses advised against** Not for sale to the general public.

Manufacturer/Supplier: Transtar Autobody Technologies

2040 Heiserman Drive Brighton, MI 48116 810-360-1600

Emergency telephone number

Chemical Emergency Phone CHEMTREC: +001-703-527-3887 (INTERNATIONAL)

**Number** 1-800-424-9300 (NORTH AMERICA)

## 2. HAZARDS IDENTIFICATION

#### Classification

| Skin corrosion/irritation                          | Category 2     |
|--|----------------|
| Serious eye damage/eye irritation                  | Category 2A    |
| Reproductive Toxicity                              | Category 2     |
| Specific target organ toxicity (single exposure)   | Category 3     |
| Specific target organ toxicity (repeated exposure) | Category 2     |
| Aspiration toxicity                                | Category 1     |
| Flammable aerosols                                 | Category 1     |
| Gases under pressure                               | Compressed Gas |

# GHS Label elements, including precautionary statements

#### **Emergency Overview**

#### DANGER

#### **Hazard Statements**

Causes skin irritation

Causes serious eye irritation

Suspected of damaging fertility or the unborn child

May cause drowsiness or dizziness

May cause damage to organs (Central Nervous System, Eyes, Kidney, Peripheral Nervous System, Respiratory System, and Skin) through prolonged or repeated exposure.

May be fatal if swallowed and enters airways

Extremely flammable aerosol

Contains gas under pressure; may explode if heated



Appearance Hazy Physical state Aerosol Odor Solvent

#### **Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source

Pressurized container: Do not pierce or burn, even after use

## **Precautionary Statements - Response**

If exposed or concerned: Get medical advice/attention

Specific treatment (see first aid on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## Hazards not otherwise classified (HNOC)

None

#### Other information

· Toxic to aquatic life with long lasting effects

2E-06% of the mixture consists of ingredient(s) of unknown toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name              | CAS-No     | Weight %* |
|----------------------------|------------|-----------|
| HEXANE                     | 110-54-3   | 20-30     |
| PROPANE/ISOBUTANE/N-BUTANE | 68476-86-8 | 20-30     |
| ACETONE                    | 67-64-1    | 20-30     |
| GLYCERIN                   | 56-81-5    | 1-10      |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures for different exposure routes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep Eye contact

eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If skin irritation persists, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Artificial respiration and/or oxygen

may be necessary. If breathing has stopped, contact emergency medical services

immediately.

Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious Ingestion

person. Call a physician or Poison Control Center immediately.

#### Most important symptoms/effects, acute and delayed

Irritating to skin. Causes serious eye damage. Causes drowsiness or dizziness. Harmful or **Main Symptoms** 

fatal if swallowed and enters airways.

#### Indication of immediate medical attention and special treatment needed, if necessary

\_\_\_\_\_

Notes to physician Treat symptomatically.

#### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Water fog. Dry chemical. Carbon dioxide (CO2). Cool containers/tanks with water spray.

Unsuitable Extinguishing Media Keep away from heat and sources of ignition. Cool containers / tanks with water spray.

#### Specific hazards arising from the chemical

Extremely flammable. Keep product and empty container away from heat and sources of ignition. Risk of ignition. In the event of fire and/or explosion do not breathe fumes. In the event of fire, cool tanks with water spray.

#### **Explosion Data**

Sensitivity to Mechanical Impact none. Sensitivity to Static Discharge none.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not

puncture or incinerate cans. Do no stick pin or any other sharp object into opening on top of

can. Avoid skin contact. Use with adequate ventilation. Keep container away from

heat,flames, and all other sources of ignition. Keep can away from all sources of electricity

such as electric motors and batteries. Do not spray on hot surfaces.

#### **Environmental precautions**

**Environmental precautions** Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in

low areas. Prevent further leakage or spillage if safe to do so. Do not allow material to

contaminate ground water system. Prevent product from entering drains.

#### Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Pick up and transfer to properly labeled containers. Soak up with inert absorbent material.

Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Take

precautionary measures against static discharges.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Avoid contact with eyes. Avoid breathing vapors or mists. Contents under pressure. Do not

puncture or incinerate cans. Do not stick pin or any other sharp object into opening on top

of can.

#### Conditions for safe storage, including any incompatibilities

**Technical measures/Storage** 

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep in properly labeled containers. Keep out

of the reach of children. Store locked up.

**Incompatible products** Strong acids, alkalis, or oxidizing agents.

Aerosol Level 3

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

| Chemical Name              | ACGIH TLV                        | OSHA PEL   | NIOSH IDLH                  |
|----------------------------|----------------------------------|--|-----------------------------|
| HEXANE                     | TWA: 50 ppm                      | TWA: 500 ppm   | IDLH: 1100 ppm              |
| 110-54-3                   | Skin - potential significant     | TWA: 1800 mg/m <sup>3</sup>                                      | TWA: 50 ppm                 |
|                            | contribution to overall exposure | (vacated) TWA: 50 ppm  | TWA: 180 mg/m <sup>3</sup>  |
|                            | by the cutaneous route           | (vacated) TWA: 180 mg/m <sup>3</sup>                             |                             |
| PROPANE/ISOBUTANE/N-BUTANE | 74-98-6: TWA: 1000 ppm           | 74-98-6:TWA: 1000 ppm  | 74-98-6:IDLH: 2100 ppm      |
| 68476-86-8                 | 106-97-8: STEL: 1000 ppm         | TWA: 1800 mg/m <sup>3</sup>                                      | TWA: 1000 ppm               |
|                            | 75-28-5: STEL: 1000 ppm          | (vacated) TWA: 1000 ppm  | TWA: 1800 mg/m <sup>3</sup> |
|                            |                                  | (vacated) TWA: 1800 mg/m <sup>3</sup>                            | 106-97-8:TWA: 800 ppm       |
|                            |                                  | 106-97-8: (vacated) TWA: 800                                     | TWA: 1900 mg/m <sup>3</sup> |
|                            |                                  | ppm  | 75-28-5:TWA: 800 ppm        |
|                            |                                  | (vacated) TWA: 1900 mg/m <sup>3</sup>                            | TWA: 1900 mg/m <sup>3</sup> |
|                            |                                  |  |                             |
| ACETONE                    | STEL: 750 ppm                    | TWA: 1000 ppm  | IDLH: 2500 ppm              |
| 67-64-1                    | TWA: 500 ppm                     | TWA: 2400 mg/m <sup>3</sup>                                      | TWA: 250 ppm                |
|                            |                                  | (vacated) TWA: 750 ppm   | TWA: 590 mg/m <sup>3</sup>  |
|                            |                                  | (vacated) TWA: 1800 mg/m <sup>3</sup>                            |                             |
|                            |                                  | (vacated) STEL: 2400 mg/m <sup>3</sup> The acetone STEL does not |                             |
|                            |                                  | apply to the cellulose acetate                                   |                             |
|                            |                                  | fiber industry. It is in effect for all                          |                             |
|                            |                                  | other sectors  |                             |
|                            |                                  | (vacated) STEL: 1000 ppm   |                             |
| GLYCERIN                   | _                                | TWA: 15 mg/m³ mist, total  | _                           |
| 56-81-5                    |                                  | particulate  | _                           |
| 00 01-0                    |                                  | TWA: 5 mg/m³ mist, respirable                                    |                             |
|                            |                                  | fraction   |                             |
|                            |                                  | (vacated) TWA: 10 mg/m³ mist,                                    |                             |
|                            |                                  | total particulate  |                             |
|                            |                                  | (vacated) TWA: 5 mg/m³ mist,                                     |                             |
|                            |                                  | respirable fraction  |                             |
| 100111 /4 : 0 /            |                                  |  |                             |

ACGIH: (American Conference of Governmental Industrial Hygienists)

OSHA: (Occupational Safety & Health Administration) NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Exposure controls** 

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Safety glasses with side-shields.

**Skin and body protection** Chemical resistant apron. Protective gloves.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene measures** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and chemical properties**

Physical state Aerosol

AppearanceHazyOdorSolvent

Color amber Odor Threshold No information available

Based on propellant

Not applicable

Property Values Remarks • Methods

pH No information available
Melting/freezing point No information available
Boiling point/boiling range
Flash Point No information available
No information available
-96.4 °C / -141 °F

**Evaporation rate** No information available

Flammability (solid, gas)

No information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information availableVapor pressureNo information availableVapor densityNo information available

Specific Gravity 0.689

Water solubility Practically insoluble
Partition coefficient: n-octanol/waterNo information available
Autoignition temperature No information available

Decomposition temperature
Viscosity
No information available
No information available
No information available
No information available

Other information

VOC Content(%) 53.98

#### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### **Conditions to Avoid**

Extremes of temperature and direct sunlight.

## **Incompatible Materials**

Strong acids, alkalis, or oxidizing agents.

#### **Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

**Inhalation** Vapors may irritate throat and respiratory system. May cause drownsiness and dizziness

based on components. May cause irritation of respiratory tract. Avoid breathing vapors or

mists.

Eye contact Irritating to eyes. Avoid contact with eyes.

Irritating to skin. Repeated exposure may cause skin dryness or cracking. Prolonged skin Skin contact

contact may defat the skin and produce dermatitis. Avoid contact with skin.

Ingestion May be harmful if swallowed. Aspiration into the lungs during swallowing may cause serious

lung damage which may be fatal.

**Component Information** 

| Chemical Name | LD50 Oral    | LD50 Dermal             | LC50 Inhalation                     |
|---------------|--------------|-------------------------|-------------------------------------|
| HEXANE        | =            | = 3000 mg/kg ( Rabbit ) | = 48000 ppm (Rat) 4 h               |
| 110-54-3      |              |                         |                                     |
| ACETONE       | = 5800 mg/kg | 20,000 mg/kg (Rabbit)   | = 50100 mg/m <sup>3</sup> (Rat) 8 h |
| 67-64-1       |              |                         |                                     |
| GLYCERIN      | -            | > 10 g/kg (Rabbit)      | > 570 mg/m³ (Rat) 1 h               |
| 56-81-5       |              |                         |                                     |

#### Information on toxicological effects

**Symptoms** Symptoms of overexposure may be headache, tiredness, nausea, and vomiting. Causes

respiratory irritation. Causes skin and eye irritation. Aspiration into the lungs during

swallowing may cause serious lung damage which may be fatal.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritating to skin. Skin corrosion/irritation Eye damage/irritation Irritating to eyes.

Irritation Irritating to eyes, respiratory system and skin.

None known. Sensitization **Germ Cell Mutagenicity** None known.

Carcinogenicity There are no known carcinogenic chemicals in this product.

Reproductive toxicity Product is or contains a chemical which is a known or suspected reproductive hazard.

Specific target organ systemic

May cause respiratory irritation. May cause drowsiness and dizziness. toxicity (single exposure) May cause damage to organs through prolonged or repeated exposure.

Specific target organ systemic toxicity (repeated exposure) **Target Organ Effects** 

Central nervous system, Eyes, Kidney, Peripheral Nervous System (PNS), Respiratory

system. Skin.

**Neurological effects** Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

**Aspiration hazard** May be fatal if swallowed and enters airways.

#### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 2E-06% of the mixture consists of ingredient(s) of unknown toxicity

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

| Chemical Name                                | Toxicity to algae | Toxicity to fish  | Toxicity to microorganisms | Toxicity to daphnia and other aquatic invertebrates |
|--|-------------------|---|----------------------------|---|
| HEXANE<br>110-54-3                           | -                 | 2.1 - 2.98 mg/L LC50<br>Pimephales promelas 96h<br>flow-through | -                          | -   |
| PROPANE/ISOBUTANE/N-<br>BUTANE<br>68476-86-8 | -                 | -   | -                          | -   |

| ACETONE  | - | 4.74 - 6.33 mL/L LC50   | - | 10294 - 17704 mg/L EC50  |
|----------|---|-------------------------|---|--------------------------|
| 67-64-1  |   | Oncorhynchus mykiss 96h |   | Daphnia magna 48h Static |
|          |   | 6210 - 8120 mg/L LC50   |   | 12600 - 12700 mg/L EC50  |
|          |   | Pimephales promelas 96h |   | Daphnia magna 48h        |
|          |   | static 8300 mg/L LC50   |   |                          |
|          |   | Lepomis macrochirus 96h |   |                          |
| GLYCERIN | - | 51 - 57 mL/L LC50       | - | -                        |
| 56-81-5  |   | Oncorhynchus mykiss 96h |   |                          |
|          |   | static                  |   |                          |

#### Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

| Chemical Name                            | log Pow |
|--|---------|
| PROPANE/ISOBUTANE/N-BUTANE<br>68476-86-8 | 2.8     |
| ACETONE<br>67-64-1                       | -0.24   |
| GLYCERIN<br>56-81-5                      | -1.76   |

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

## **Waste treatment**

Waste Disposal Methods This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

**Contaminated packaging** Do not re-use empty containers.

## 14. TRANSPORT INFORMATION

**DOT Ground** CONSUMER COMMODITY ORM-D

or

LIMITED QUANTITY

IATA UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

IMDG UN1950, AEROSOLS, FLAMMABLE, 2.1, LTD. QTY.

# 15. REGULATORY INFORMATION

## **International Inventories**

| Chemical Name                  | TSCA | DSL/NDSL | EINECS/ELI<br>NCS | ENCS       | IECSC | KECL | PICCS | AICS |
|--------------------------------|------|----------|-------------------|------------|-------|------|-------|------|
| HEXANE                         | X    | X        | X                 | X          | X     | X    | Х     | Х    |
| PROPANE/ISOBUTA<br>NE/N-BUTANE | Х    | Х        | Х                 | Not listed | Х     | Х    | Х     | Х    |

| Ī | ACETONE  | Х | Х | Х | Х | Х | Х | Х | Х |
|---|----------|---|---|---|---|---|---|---|---|
| Ī | GLYCERIN | Х | Х | Х | Χ | Χ | Χ | Χ | Х |

#### <u>Legend:</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

CHINA - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical Name     | CAS-No   | Weight %* | SARA 313 - Threshold<br>Values % |
|-------------------|----------|-----------|----------------------------------|
| HEXANE - 110-54-3 | 110-54-3 | 20-30     | 1.0                              |

#### SARA 311/312 Hazard Categories

| Acute Health Hazard               | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard             | Yes |
| Fire Hazard                       | Yes |
| Sudden Release of Pressure Hazard | Yes |
| Reactive Hazard                   | no  |

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCI A

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

| Chemical Name | Hazardous Substances RQs | Extremely Hazardous Substances RQs | RQ                  |
|---------------|--------------------------|------------------------------------|---------------------|
| HEXANE        | 5000 lb                  |                                    | RQ 5000 lb final RQ |
| 110-54-3      |                          |                                    | RQ 2270 kg final RQ |
| ACETONE       | 5000 lb                  |                                    | RQ 5000 lb final RQ |
| 67-64-1       |                          |                                    | RQ 2270 kg final RQ |

## **U.S. State Regulations**

# California Proposition 65

This product does not contain any known Proposition 65 chemicals.

## U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|---------------|------------|---------------|--------------|
| HEXANE        | X          | X             | X            |
| 110-54-3      |            |               |              |
| ACETONE       | X          | X             | X            |
| 67-64-1       |            |               |              |
| GLYCERIN      | X          | X             | X            |
| 56-81-5       |            |               |              |

EPA Pesticide Registration Number Not applicable

## Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

## **16. OTHER INFORMATION**

NFPA Health Hazard 2 Flammability 4 Instability 0 Physical and chemical

hazards -

Health Hazard 2\* Flammability 4 Physical Hazard 1 Personal protection X

Prepared By Transtar Autobody Technologies

Issuing date01-May-2015Revision Date01-May-2015

**Revision Note** 

No information available

**Disclaimer** 

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of Safety Data Sheet**